

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Stupinigi (IT1110004 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110004

1.3 Site name

Stupinigi

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1731

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	No		0.1		complete	
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.1		complete	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.2		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		44.02		complete	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		261.23		complete	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		67.1		complete	
91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No		8.93		complete	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Naïojuncetea	No	non-significant									202412
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	non-significant									202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	non-significant									202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C	B					B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17							

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202512
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202512

91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p				R	insufficient	
F	5331	Telestes muticellus			p				R	insufficient	
I	1088	Cerambyx cerdo			p				R	insufficient	
I	6199	Euplagia qua dripunctaria			p				P	insufficient	
I	1083	Lucanus cervus			p				P	insufficient	
I	1060	Lycaena dispar			p				V	insufficient	
I	1084	Osmoderma eremita			p				R	insufficient	
M	1308	Barbastella barbastellus			p	2	2	localities		veryLimited	
M	1323	Myotis bechsteinii			p				P	insufficient	
M	1307	Myotis blythii			p				P	insufficient	
M	1321	Myotis emarginatus			p				P	insufficient	
M	1324	Myotis myotis			p				P	insufficient	
M	1303	Rhinolophus hipposideros			p				P	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1167	Triturus carnifex	p	significant		C		C					C	C	202412
F	5331	Telestes muticellus	p	significant		C		C					C	C	202412
I	1088	Cerambyx cerdo	p	significant		C		B					C	B	202412
I	6199	Euplagia quadripunctaria	p	non-significant											202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202412
I	1060	Lycaena dispar	p	significant		C		C					C	B	202412
I	1084	Osmoderma eremita	p	significant		C		B					A	B	202412
M	1308	Barbastella barbastellus	p	significant		C		C					C	B	202412
M	1323	Myotis bechsteinii	p	significant		C		C					C	B	202412
M	1307	Myotis blythii	p	significant		C		C					C	B	202412
M	1321	Myotis emarginatus	p	significant		C		C					C	B	202412
M	1324	Myotis myotis	p	significant		C		C					C	B	202412

M	1303	Rhinolophus hipposideros	p	significant	C	C	A	B	202412
---	------	--------------------------	---	-------------	---	---	---	---	--------

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				C
A	1209	Rana dalmatina		no				P
A		Triturus vulgaris		no				P
B	A085	Accipiter gentilis		no				R

B	A086	Accipiter nisus	no	V
B	A247	Alauda arvensis	no	P
B	A259	Anthus spinoletta	no	P
B	A256	Anthus trivialis	no	P
B	A221	Asio otus	no	C
B	A218	Athene noctua	no	C
B	A335	Certhia brachydactyla	no	C
B	A363	Chloris chloris	no	P
B	A031	Ciconia ciconia	no	P
B	A082	Circus cyaneus	no	P
B	A084	Circus pygargus	no	P
B	A206	Columba livia	no	C
B	A207	Columba oenas	no	P
B	A208	Columba palumbus	no	C
B	A231	Coracias garrulus	no	R
B	A738	Delichon urbicum	no	P
B	A869	Dryobates minor	no	P
B	A236	Dryocopus martius	no	P
B	A383	Emberiza calandra	no	P
B	A378	Emberiza cia	no	P
B	A377	Emberiza cirius	no	P
B	A376	Emberiza citrinella	no	C
B	A103	Falco peregrinus	no	P
B	A099	Falco subbuteo	no	P
B	A300	Hippolais polyglotta	no	P
B	A251	Hirundo rustica	no	C
B	A233	Jynx torquilla	no	R

B	A338	Lanius collurio	no	P
B	A230	Merops apiaster	no	P
B	A073	Milvus migrans	no	P
B	A260	Motacilla flava	no	P
B	A277	Oenanthe oenanthe	no	P
B	A621	Passer italiae	no	P
B	A356	Passer montanus	no	P
B	A072	Pernis apivorus	no	P
B	A017	Phalacrocorax carbo	no	P
B	A313	Phylloscopus bonelli	no	P
B	A314	Phylloscopus sibilatrix	no	P
B	A372	Pyrrhula pyrrhula	no	P
B	A276	Saxicola torquatus	no	P
B	A155	Scolopax rusticola	no	P
B	A361	Serinus serinus	no	P
B	A332	Sitta europaea	no	C
B	A310	Sylvia borin	no	P
B	A285	Turdus philomelos	no	P
B	A284	Turdus pilaris	no	P
B	A213	Tyto alba	no	R
B	A232	Upupa epops	no	P
B	A142	Vanellus vanellus	no	P
F		Gobio banacensis	no	R
I		Apatura ilia	no	P
I		Carabus italicus	no	P

I		Gomphus vulgatissimus	no	P
I		Microlestes corticalis	no	P
I		Philochthus lunulatus	no	P
I		Stenolophus mixtus	no	P
I		Sympetrum depressiusculum	no	P
I		Sympetrum meridinale	no	P
M		Capreolus capreolus	no	P
M		Crocidura leucodon	no	P
M		Crocidura russula	no	P
M	5365	Hypsugo savii	no	C
M		Martes foina	no	P
M		Meles meles	no	P
M	1341	Muscardinus avellanarius	no	P
M	2016	Pipistrellus kuhlii	no	V
M	1309	Pipistrellus pipistrellus	no	C
M	1326	Plecotus auritus	no	P
M		Sciurus vulgaris	no	P
M	1333	Tadarida teniotis	no	R
P		Gentiana pneumonanthe L.	no	P
P		Malva moschata L.	no	P
P		Osmunda regalis L.	no	P
R		Anguis fragilis	no	P
R	1283	Coronella austriaca	no	R

R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A085	Accipiter gentilis					X		X								
A086	Accipiter nisus					X						X				
A247	Alauda arvensis					X										
	Anguis fragilis											X				
A259	Anthus spinoletta					X		X								
A256	Anthus trivialis					X		X								
	Apatura ilia															X
A221	Asio otus					X		X								
A218	Athene noctua					X		X								
	Bufo bufo											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
6962	Bufotes viridis Complex		X													
	Capreolus capreolus											X				
	Carabus italicus										X					
A335	Certhia brachydactyla					X						X				
A363	Chloris chloris					X		X								
A031	Ciconia ciconia				X											
A082	Circus cyaneus				X											
A084	Circus pygargus				X											
A206	Columba livia					X		X				X				
A207	Columba oenas					X										
A208	Columba palumbus					X		X				X				
A231	Coracias garrulus				X											
1283	Coronella austriaca		X					X								
	Crocidura leucodon											X				
	Crocidura russula											X				
A738	Delichon urbicum					X		X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A869	Dryobates minor					X						X				
A236	Dryocopus martius				X											
A383	Emberiza calandra					X		X								
A378	Emberiza cia					X		X								
A377	Emberiza cirius					X		X								
A376	Emberiza citrinella					X						X				
A103	Falco peregrinus				X											
A099	Falco subbuteo					X										
	Gentiana pneumonanthe L.							X								
	Gobio banacensis							X			X					X
	Gomphus vulgatissimus							X								
5670	Hierophis viridiflavus		X					X								
A300	Hippolais polyglotta					X		X								
A251	Hirundo rustica					X		X								
5358	Hyla intermedia		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5365	Hypsugo savii		X													
A233	Jynx torquilla					X		X								
5179	Lacerta bilineata	X														
A338	Lanius collurio				X											
	Malva moschata L.															X
	Martes foina											X				
	Meles meles											X				
A230	Merops apiaster					X		X								
	Microlestes corticalis															X
A073	Milvus migrans				X											
A260	Motacilla flava					X		X								
1341	Musccardinus avellanarius	X														
A277	Oenanthe oenanthe					X		X								
	Osmunda regalis L.															X
A621	Passer italiae					X		X								
A356	Passer montanus					X		X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
6976	Pelophylax esculentus			X				X								
A072	Pernis apivorus				X											
A017	Phalacrocorax carbo					X		X								
	Philochthus lunulatus															X
A313	Phylloscopus bonelli					X		X								
A314	Phylloscopus sibilatrix					X		X								
2016	Pipistrellus kuhlii	X														
1309	Pipistrellus pipistrellus	X														
1326	Plecotus auritus	X														
1256	Podarcis muralis	X														
A372	Pyrrhula pyrrhula					X		X								
1209	Rana dalmatina	X														
A276	Saxicola torquatus					X		X								
	Sciurus vulgaris											X				
A155	Scolopax rusticola					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A361	Serinus serinus					X		X								
A332	Sitta europaea					X						X				
	Stenolophus mixtus															X
A310	Sylvia borin					X										
	Sympetrum depressiusculum							X								
	Sympetrum meridionale							X								
1333	Tadarida teniotis		X													
	Triturus vulgaris											X				
A285	Turdus philomelos					X										
A284	Turdus pilaris					X		X								
A213	Tyto alba					X		X								
A232	Upupa epops					X		X				X				
A142	Vanellus vanellus					X		X				X				
6091	Zamenis longissimus		X					X								

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Prevalente l'interesse faunistico. Sono presenti importanti relitti di entomofauna planiziale come: *Apatura ilia*, *Carabus italicus*, ecc. Merita un ripristino ambientale.

4.2 Quality and importance of the site

Area planiziale a sud-ovest della conurbazione torinese, con estesi boschi misti di latifoglie a struttura irregolare, in gran parte con impianti di pioppi ibridi. Suolo con falda idrica più o meno superficiale, da cui frequenti ristagni di acqua.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA04	high	in	
PA05	low	in	
PA14	high	in	
PA21	high	in	
PB04	low	in	
PB07	low	in	
PB08	high	in	
PB23	low	in	
PF02	low	in	
PF12	low	in	
PI02	low	in	
PL01	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Bovero S., Favelli M., Tessa G. 2014. Monitoraggio dell'ittiofauna e dell'erpetofauna, rilievo delle criticità per la conservazione delle popolazioni nel comprensorio del Parco Naturale di Stupinigi. Dati BDN-Ente di gestione Aree protette dell'Area metropolitana di Torino. Marotto P. (Ed.). 2007-2013 Re.P.Or.T. Resoconto Provinciale Ornitologico Torinese Le osservazioni di Torino Birdwatching http://it.groups.yahoo.com/group/Torino_birdwatching

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle Aree protette dei Parchi reali

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

V.le C. Emanuele II, 256 - 10078 Venaria TO

5.1.4 Functional mailbox email address

protocollo@parchireali.to.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
"Piano Naturalistico e di Gestione ZSC IT1110004 – Stupinigi"	<a href="http://www.regione.piemonte.it/parc
hi/cms/dati-territoriali-new/aree-prot
ette-e-rn2000/pianificazione-e-nor
me.html">http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)