

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Orsiera Rocciavré (IT1110006 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1110006

1.3 Site name

Orsiera Rocciavré

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-11

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/12/04/283/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

10956

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
4060	Alpine and Boreal heaths	No		822.38		limited	
4080	Sub-Arctic Salix spp. scrub	No		5		veryLimited	
6170	Alpine and subalpine calcareous grasslands	No		877.2		limited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		986.85		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		109.65		limited	
6520	Mountain hay meadows	No		1787.3		limited	
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No		2467.13		limited	
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No		548.25		limited	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		548.25		limited	
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No		100		limited	

9110	Luzulo-Fagetum beech forests	No	438.6	limited
9130	Asperulo-Fagetum beech forests	No	76.76	limited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	10.97	limited
9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No	10.97	veryLimited
9420	Alpine Larix decidua and/or Pinus cembra forests	No	1721.51	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
4060	Alpine and Boreal heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
4080	Sub-Arctic Salix spp. scrub	No	non-significant									202412
6170	Alpine and subalpine calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

6520	Mountain hay meadows	No	significant	B	B	B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	B	B	B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthi on or of the Sedo albi-Veronicion dillenii	No	significant	B	B	A			B	202512
					B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17					
9110	Luzulo-Fagetum beech forests	No	significant	B	C	B			B	202412
					C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17					

9130	Asperulo-Fagetum beech forests	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_ cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_ cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No	non-significant					202412

9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A085	Accipiter gentilis			p				P	insufficient	
B	A085	Accipiter gentilis			r				P	insufficient	
B	A086	Accipiter nisus			r				P	insufficient	
B	A086	Accipiter nisus			p				P	insufficient	
B	A223	Aegolius funereus			r				P	insufficient	
B	A223	Aegolius funereus			p				P	insufficient	
B	A247	Alauda arvensis			r				P	insufficient	
B	A412	Alectoris graeca saxatilis			p				P	insufficient	
B	A412	Alectoris graeca saxatilis			r				P	insufficient	
B	A091	Aquila chrysaetos			p				P	insufficient	
B	A091	Aquila chrysaetos			r	4	4	p		complete	
B	A215	Bubo bubo			p				P	insufficient	
B	A215	Bubo bubo			r				P	insufficient	
B	A334	Certhia familiaris			p				P	insufficient	
B	A334	Certhia familiaris			r				P	insufficient	
B	A080	Circaetus gallicus			r				P	insufficient	

B	A082	Circus cyaneus	c				P	insufficient
B	A084	Circus pygargus	c				P	insufficient
B	A208	Columba palumbus	r				P	insufficient
B	A350	Corvus corax	r				P	insufficient
B	A350	Corvus corax	p				P	insufficient
B	A113	Coturnix coturnix	r				P	insufficient
B	A236	Dryocopus martius	p				P	insufficient
B	A236	Dryocopus martius	r				P	insufficient
B	A379	Emberiza hortulana	r				P	insufficient
B	A103	Falco peregrinus	p				P	insufficient
B	A342	Garrulus glandarius	p	100	500	p		limited
B	A217	Glaucidium passerinum	p	5	20	p		complete
B	A076	Gypaetus barbatus	c	1	5	i		veryLimited
B	A713	Lagopus muta helvetica	r				P	insufficient
B	A713	Lagopus muta helvetica	p				P	insufficient
B	A338	Lanius collurio	r				P	insufficient
B	A497	Lophophanes cristatus	r				P	insufficient
B	A497	Lophophanes cristatus	p				P	insufficient

B	A369	<i>Loxia curvirostra</i>	p	P	insufficient
B	A369	<i>Loxia curvirostra</i>	r	P	insufficient
B	A876	<i>Lyrurus tetrix tetrix</i>	r	P	insufficient
B	A876	<i>Lyrurus tetrix tetrix</i>	p	P	insufficient
B	A073	<i>Milvus migrans</i>	c	P	insufficient
B	A074	<i>Milvus milvus</i>	c	P	insufficient
B	A358	<i>Montifringilla nivalis</i>	p	P	insufficient
B	A358	<i>Montifringilla nivalis</i>	r	P	insufficient
B	A344	<i>Nucifraga caryocatactes</i>	p	P	insufficient
B	A344	<i>Nucifraga caryocatactes</i>	r	P	insufficient
B	A072	<i>Pernis apivorus</i>	c	P	insufficient
B	A499	<i>Phylloscopus bonelli</i>	r	P	insufficient
B	A314	<i>Phylloscopus sibilatrix</i>	r	P	insufficient
B	A492	<i>Poecile montanus</i>	p	P	insufficient
B	A492	<i>Poecile montanus</i>	r	P	insufficient
B	A267	<i>Prunella collaris</i>	p	P	insufficient
B	A267	<i>Prunella collaris</i>	r	P	insufficient
B	A346	<i>Pyrhacorax pyrrhacorax</i>	p	P	insufficient

B	A346	Pyrrhonorax pyrrhonorax	r				P	insufficient
B	A317	Regulus regulus	r				P	insufficient
B	A317	Regulus regulus	p				P	insufficient
B	A275	Saxicola rubetra	r				P	insufficient
B	A155	Scolopax rusticola	c				P	insufficient
B	A478	Spinus spinus	r				P	insufficient
B	A478	Spinus spinus	p				P	insufficient
B	A574	Sylvia curruca	r				P	insufficient
B	A333	Tichodroma muraria	r				P	insufficient
B	A333	Tichodroma muraria	p				P	insufficient
B	A283	Turdus merula	p				P	insufficient
B	A285	Turdus philomelos	p				P	insufficient
B	A284	Turdus pilaris	p				P	insufficient
B	A284	Turdus pilaris	r				P	insufficient
B	A287	Turdus viscivorus	r	100	500	p		limited
F	5349	Salmo cetti	r	200	1000	i		veryLimited
F	5331	Telestes muticellus	p				P	insufficient
I	1065	Euphydryas aurinia	p				P	insufficient
I	6199	Euplagia qua dripunctaria	p				P	insufficient
M	1308	Barbastella barbastellus	p				P	insufficient

M	1352	Canis lupus	c	P	insufficient
M	1324	Myotis myotis	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
B	A085	Accipiter gentilis	p	significant		C		B					C	B	202412
B	A085	Accipiter gentilis	r	significant		C		B					C	B	202412
B	A086	Accipiter nisus	r	significant		C		A					C	A	202412
B	A086	Accipiter nisus	p	significant		C		A					C	A	202412
B	A223	Aegolius funereus	r	significant		C		A					B	B	202412
B	A223	Aegolius funereus	p	significant		C		A					B	B	202412
B	A247	Alauda arvensis	r	significant		C		A					C	A	202412
B	A412	Alectoris graeca saxatilis	p	significant		C		A					C	B	202412
B	A412	Alectoris graeca saxatilis	r	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	p	significant		B		A					C	B	202412
B	A091	Aquila chrysaetos	r	significant		B		A					C	B	202412
B	A215	Bubo bubo	p	significant		C		A					B	B	202412
B	A215	Bubo bubo	r	significant		C		A					B	B	202412
B	A334	Certhia familiaris	p	significant		C		A					C	A	202412

B	A334	Certhia familiaris	r	significant	C	A	C	A	202412
B	A080	Circaetus gallicus	r	significant	C	C	B	C	202412
B	A082	Circus cyaneus	c	significant	C	C	B	C	202412
B	A084	Circus pygargus	c	significant	C	C	C	C	202412
B	A208	Columba palumbus	r	significant	C	B	B	B	202412
B	A350	Corvus corax	r	significant	C	A	C	A	202412
B	A350	Corvus corax	p	significant	C	A	C	A	202412
B	A113	Coturnix coturnix	r	significant	C	C	A	C	202412
B	A236	Dryocopus martius	p	significant	C	A	C	C	202412
B	A236	Dryocopus martius	r	significant	C	A	C	C	202412
B	A379	Emberiza hortulana	r	significant	C	C	B	B	202412
B	A103	Falco peregrinus	p	significant	C	C	B	C	202412
B	A342	Garrulus glandarius	p	significant	C	C	C	A	202512
B	A217	Glaucidium passerinum	p	significant	C	C	B	A	202412
B	A076	Gypaetus barbatus	c	significant	C	C	B	A	202412

B	A71 3	Lagopus muta helvetica	r	significant	C	A	C	B	20241 2
B	A71 3	Lagopus muta helvetica	p	significant	C	A	C	B	20241 2
B	A33 8	Lanius collurio	r	significant	C	B	B	B	20241 2
B	A49 7	Lophoph anes cristatus	r	significant	C	A	C	A	20241 2
B	A49 7	Lophoph anes cristatus	p	significant	C	A	C	A	20241 2
B	A36 9	Loxia cur virostra	p	significant	C	A	C	A	20241 2
B	A36 9	Loxia cur virostra	r	significant	C	A	C	A	20241 2
B	A87 6	Lyrurus tetrix tetrix	r	significant	C	A	C	B	20241 2
B	A87 6	Lyrurus tetrix tetrix	p	significant	C	A	C	B	20241 2
B	A07 3	Milvus migrans	c	significant	C	C	B	C	20241 2
B	A07 4	Milvus milvus	c	significant	C	C	B	C	20241 2
B	A35 8	Montifrin gilla nivalis	p	significant	C	A	C	A	20241 2
B	A35 8	Montifrin gilla nivalis	r	significant	C	A	C	A	20241 2
B	A34 4	Nucifrag a caryoc atactes	p	significant	C	B	B	B	20241 2

B	A34 4	Nucifraga caryocatactes	r	significant	C	B	B	20241 2
B	A07 2	Pernis apivorus	c	non-significant				20241 2
B	A49 9	Phylloscopus bonelli	r	significant	C	B	C	20241 2
B	A31 4	Phylloscopus sibilatrix	r	significant	C	B	C	20241 2
B	A49 2	Poecile montanus	p	significant	C	A	C	20241 2
B	A49 2	Poecile montanus	r	significant	C	A	C	20241 2
B	A26 7	Prunella collaris	p	significant	C	A	C	20241 2
B	A26 7	Prunella collaris	r	significant	C	A	C	20241 2
B	A34 6	Pyrrhoxorax pyrrhoxorax	p	significant	C	A	B	20241 2
B	A34 6	Pyrrhoxorax pyrrhoxorax	r	significant	C	A	B	20241 2
B	A31 7	Regulus regulus	r	significant	C	A	C	20241 2
B	A31 7	Regulus regulus	p	significant	C	A	C	20241 2
B	A27 5	Saxicola rubetra	r	significant	C	A	C	20241 2
B	A15 5	Scolopax rusticola	c	significant	C	C	B	20241 2
B	A47 8	Spinus spinus	r	significant	C	B	B	20241 2

B	A47 8	Spinus spinus	p	significant	C	B	B	20241 2
B	A57 4	Sylvia curruca	r	significant	C	A	C	20241 2
B	A33 3	Tichodro ma muraria	r	significant	C	A	C	20241 2
B	A33 3	Tichodro ma muraria	p	significant	C	A	C	20241 2
B	A28 3	Turdus merula	p	significant	C	A	C	20241 2
B	A28 5	Turdus p hilomelo s	p	significant	C	A	C	20241 2
B	A28 4	Turdus pilaris	p	significant	C	A	C	20241 2
B	A28 4	Turdus pilaris	r	significant	C	A	C	20241 2
B	A28 7	Turdus vi scivorus	r	significant	C	C	C	20251 2
F	5349	Salmo cetti	r	significant	C	B	B	20241 2
F	5331	Telestes muticellu s	p	significant	C	B	C	20241 2
I	1065	Euphydr yas aurinia	p	significant	C	B	C	20241 2
I	6199	Euplagia quadripu nctaria	p	significant	C	B	C	20241 2
M	1308	Barbaste lla barba stellus	p	significant	C	B	C	20241 2
M	1352	Canis lupus	c	significant	C	B	C	20241 2

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	1213	Rana temporaria		no				P
A	1179	Salamandra lanzai		no	5	20	i	V
A		Salamandra salamandra		no				P
B	A474	Acanthis flammea		no	100	500	p	C
B	A256	Anthus trivialis		no	500	2000	p	C
B	A364	Carduelis carduelis		no	500	2000	p	P
B	A363	Chloris chloris		no	50	100	p	P
B	A264	Cinclus cinclus		no	50	100	p	P

B	A212	Cuculus canorus	no	50	250	p	C
B	A237	Dendrocopos major	no	50	200	p	C
B	A376	Emberiza citrinella	no	30	150	p	P
B	A269	Erithacus rubecula	no	500	2000	p	C
B	A359	Fringilla coelebs	no	1000	5000	p	C
B	A233	Jynx torquilla	no				P
B	A476	Linaria cannabina	no	50	200	p	P
B	A280	Monticola saxatilis	no	30	50	p	R
B	A261	Motacilla cinerea	no	40	200	p	P
B	A277	Oenanthe oenanthe	no	200	1000	p	C
B	A273	Phoenicurus ochruros	no	500	2000	p	C
B	A315	Phylloscopus collybita	no	500	1500	p	C
B	A235	Picus viridis	no	300	1000	p	C
B	A266	Prunella modularis	no	40	200	p	P
B	A372	Pyrrhula pyrrhula	no	50	300	p	P
B	A361	Serinus serinus	no	50	200	p	P
B	A310	Sylvia borin	no	30	150	p	P
B	A265	Troglodytes troglodytes	no	300	2000	p	C
B	A282	Turdus torquatus	no	50	300	p	
I		Albulina orbitulus	no				P
I		Apion obtusum	no				P
I		Aricia nicias	no				P
I		Carabus cychroides	no				P
I		Coenonympha gardetta	no				P

I		Colias palaeno	no					P
I		Dichotrachelus baudii	no					P
I		Dichotrachelus margaritae	no					P
I		Erebia pandrose	no					P
I		Eupolybothrus longicornis	no					P
I		Helophorus discrepans	no					P
I		Helophorus nivalis	no					P
I		Libythea celtis	no					P
I		Limenitis populi	no					P
I	1058	Maculinea arion	no					P
I	1057	Parnassius apollo	no					P
I	1056	Parnassius mnemosyne	no					P
I		Pseudorhinus impressicollis	no					P
I		Rytirrhinus impressicollis	no					P
M	1375	Capra ibex	no	50	90	p		R
M		Capreolus capreolus	no					P
M		Cervus elaphus	no					P
M		Chionomys nivalis	no	40	150	p		R
M		Eliomys quercinus	no					P
M		Glis glis	no					P
M		Lepus europaeus	no					P
M	1334	Lepus timidus	no					P
M		Marmota marmota	no					P

M		Martes foina	no	P
M	1357	Martes martes	no	P
M		Meles meles	no	P
M	1341	Muscardinus avellanarius	no	P
M		Mustela erminea	no	P
M		Mustela nivalis	no	P
M	1358	Mustela putorius	no	P
M		Neomys fodiens	no	P
M	1326	Plecotus auritus	no	P
M	1369	Rupicapra rupicapra	no	P
M		Sciurus vulgaris	no	P
M		Sorex araneus	no	P
M		Sorex minutus	no	P
P		Androsace carnea	no	P
P		Androsace pubescens	no	R
P		Androsace vandellii	no	P
P	1480	Aquilegia alpina	no	P
P	1762	Arnica montana	no	C
P	1764	Artemisia genipi	no	P
P		Campanula alpestris All.	no	P
P		Campanula cenisia	no	R
P		Carex atrofusca	no	P
P		Carex bicolor	no	P
P		Carex fimbriata Schkuhr	no	P

P		Cerastium lineare All.	no	P
P		Cetranthus angustifolius	no	P
P		Corallorhiza trifida Chatel.	no	P
P		Cortusa matthioli L.	no	P
P		Drosera rotundifolia L.	no	P
P		Festuca flavescens	no	R
P		Galium pseudohelveticum Ehrend.	no	P
P		Galium tendae	no	P
P		Gentiana alpina Vill.	no	P
P	1657	Gentiana lutea	no	P
P		Gentiana schleicheri	no	P
P		Juncus articus	no	P
P		Leontopodium alpinum Cass.	no	P
P	1413	Lycopodium spp.	no	P
P		Minuartia biflora	no	R
P		Orchis cruenta Mueller	no	P
P		Pulsatilla montana (Hoppe) Rchb.	no	P
P		Rhynchosinapis richeri (Vill.) Heyw.	no	P
P		Saxifraga biflora All.	no	P

P		Saxifraga diapensioides Bellardi	no					P
P	1522	Saxifraga valdensis	no					P
P		Silene vallesiana	no					R
P		Thlaspi sylvium Gaudin	no					P
P		Tofieldia pusilla (Michx.) Pers.	no					P
P		Tulipa australis Link	no					P
P		Veronica allionii Vill.	no					P
P		Viola cenisia	no					P
R		Anguis fragilis	no	30	200	p		R
R	1283	Coronella austriaca	no					P
R	5670	Hierophis viridiflavus	no					P
R	5179	Lacerta bilineata	no					P
R		Natrix natrix	no					P
R	1256	Podarcis muralis	no					P
R		Vipera aspis	no					P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A474	Acanthis flammea					X		X				X				
	Albulina orbitulus															X
	Androsace carnea							X								
	Androsace pubescens															X
	Androsace vandellii							X								
	Anguis fragilis							X								X
A256	Anthus trivialis					X		X				X				
	Apion obtusum															X
1480	Aquilegia alpina		X													
	Aricia nicias							X								
1762	Arnica montana			X												
1764	Artemisia genipi			X												
	Bufo bufo											X				
	Campanula alpestris All.							X								
	Campanula cenisia										X					X
1375	Capra ibex			X				X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Capreolus capreolus											X				
	Carabus cychroides										X					
A364	Carduelis carduelis					X		X				X				
	Carex atrofusca										X					X
	Carex bicolor							X								
	Carex fimbriata Schkuhr							X								
	Cerastium lineare All.							X								
	Cervus elaphus											X				
	Cetranthus angustifolius							X								
	Chionomys nivalis							X								
A363	Chloris chloris					X		X				X				
A264	Cinclus cinclus					X		X				X				
	Coenonympha gardetta							X								
	Colias palaeno							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Corallorhiza trifida Chatel.															X
1283	Coronella austriaca		X													
	Cortusa matthioli L.							X								
A212	Cuculus canorus					X		X				X				
A237	Dendrocopos major					X		X				X				
	Dichotrachelus baudii										X					
	Dichotrachelus margaritae							X								
	Drosera rotundifolia L.															X
	Eliomys quercinus											X				
A376	Emberiza citrinella					X		X				X				
	Erebia pandrose															X
A269	Erithacus rubecula					X		X				X				
	Eupolybothrus longicornis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Festuca flavescens															X
A359	Fringilla coelebs					X		X				X				
	Galium pseudoh elveticum Ehrend.							X								
	Galium tendae							X								
	Gentiana alpina Vill.							X								
1657	Gentiana lutea			X												
	Gentiana schleicheri							X			X					
	Glis glis											X				
	Helophorus discrepans															X
	Helophorus nivalis															X
5670	Hierophis viridiflavus		X													
	Juncus articus							X				X				
A233	Jynx torquilla					X		X				X				
5179	Lacerta bilineata		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Leontopodium alpinum Cass.							X								
	Lepus europaeus											X				
1334	Lepus timidus			X												
	Libythea celtis							X								
	Limenitis populi															X
A476	Linaria cannabina					X		X				X				
1413	Lycopodium spp.			X												
1058	Maculinea arion		X													
	Marmota marmota											X				
	Martes foina											X				
1357	Martes martes			X												
	Meles meles											X				
	Minuartia biflora							X								
A280	Monticola saxatilis					X		X				X				
A261	Motacilla cinerea					X		X				X				
1341	Musccardinus avellanarius		X													
	Mustela erminea											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Mustela nivalis											X				
1358	Mustela putorius			X												
	Natrix natrix											X				
	Neomys fodiens											X				
A277	Oenanthe oenanthe					X		X				X				
	Orchis cruenta Mueller							X								
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
A273	Phoenicurus ochruros					X		X				X				
A315	Phylloscopus collybita					X		X				X				
A235	Picus viridis					X		X				X				
1326	Plecotus auritus		X					X								
1256	Podarcis muralis		X													
A266	Prunella modularis					X		X				X				
	Pseudorhinus impressicollis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Pulsatilla montana (Hoppe) Rchb.															X
A372	Pyrrhula pyrrhula					X		X				X				
1213	Rana temporaria			X												
	Rhynchosinapis richeri (Vill.) Heyw.							X								
1369	Rupicapra rupicapra			X												
	Rytirrhinus impressicollis															X
1179	Salamandra lanzai		X					X			X					
	Salamandra salamandra											X				
	Saxifraga biflora All.															X
	Saxifraga diapensioides Bellardi															X
1522	Saxifraga valdensis		X													
	Sciurus vulgaris											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A361	Serinus serinus					X		X				X				
	Silene vallesiana							X				X				
	Sorex araneus											X				
	Sorex minutus											X				
A310	Sylvia borin					X		X				X				
	Thlaspi sylvium Gaudin							X								
	Tofieldia pusilla (Michx.) Pers.							X								
A265	Troglodytes troglodytes					X		X				X				
	Tulipa australis Link							X								
A282	Turdus torquatus					X		X				X				
	Veronica allionii Vill.							X								
	Viola cenisia										X					
	Vipera aspis											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Estesa area alpina che interessa i piani montano, subalpino e alpino, con presenza di aree forestali, sia di conifere che di latifoglie, praterie alpine e subalpine e habitat rocciosi.

4.2 Quality and importance of the site

Numerose specie endemiche delle Alpi Occidentali e stazioni del coleottero stenoendemita *Carabus cychroides*. Interessante cenosi forestale ad abete bianco, rara nelle Alpi Occidentali piemontesi. Rilevanza del sito per quanto riguarda l'avifauna.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	low	in	
PA07	low	in	
PI02	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Baldizzone G., 1992 - Catalogo commentato dei Coleoforidi (Lepidoptera, Coleophoridae) della Valle di Susa. Contribuzioni alla conoscenza dei Coleophoridae. LXXI. Biogeographia, 16: 297-318; Baldizzone G., 2000 ? Contribuzioni alla conoscenza dei Coleophoridae. XCII. Coleophoridae nuovi o poco conosciuti delle Alpi Cozie (Lepidoptera). Riv. Piem. St. Nat., 21: 277-298; Baldizzone G., Nel J., 2004 ? Description d'une nouvelle espèce du genre *Coleophora* Hübner: *C. retrodentella* Baldizzone & Nel, sp. n., de France et d'Italie (Lepidoptera: Coleophoridae). SHILAP Revta lepid., 32 (126): 161-167; Bisio L., 1986 - "*Nebria gagates*" bonelli specie interessante del Piemonte e della Valle d'Aosta: nuovi reperti. Riv. Piem. St. Nat., 7: 107-112; Della Beffa G., 1994 - Quindici anni di ricerche entomologiche nei parchi della Regione Piemonte - Atti XVII Congresso nazionale italiano di Entomologia - Udine 13-18 giugno; Hellmann F., Bertaccini E., 2004 ? I Macrolepidotteri della Val di Susa. Italia Nord-occidentale (Alpi Cozie-Graie). Mus. Reg. Scienze Nat., (Monografie XL) Torino; I.P.L.A., 1992 - Piano Naturalistico del Parco Naturale Orsiera ? Rocciavré. Regione Piemonte. Assessorato ai beni Culturali ed Ambientali, Pianificazione Territoriale, Parchi, Enti Locali. Sistema regionale delle Aree Protette. (redatto); Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Monzini V., Pesarini C., 1986 - Le specie italiane del Genere *Stomis* Clairville (Coleoptera Carabidae). Boll. Soc. Ent. Ital., 118: 83-92. Genova; Odasso M., Rota A., 1989 - Descrizione di alcune fitocenosi nel Parco Naturale Orsiera - Rocciavré. Riv. Piem. St. Nat., 10: 113- 122

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle aree protette delle Alpi Cozie

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

5.1.4 Functional mailbox email address

info.alpicozie@ruparpiemonte.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Parco Naturale e Zona Speciale di Conservazione ZSC IT1110006 Orsiera Rocciavré	<a href="http://www.regione.piemonte.it/parc
hi/cms/dati-territoriali-new/aree-prot
ette-e-rn2000/pianificazione-e-nor
me.html">http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)