

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Laghi di Avigliana (IT1110007 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1110007

1.3 Site name

Laghi di Avigliana

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/19/193/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

414

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.12		limited	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.49		limited	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No		0.03		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		0.537		limited	
6240	Sub-Pannonic steppic grasslands	No		0.245		limited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		0.22		limited	
7210	Calcareous fens with Cladium mariscus and species of the Caricion davallianae	No		2.6		limited	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		2.19		limited	

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	6.02	limited
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	18.68	limited
9260	<i>Castanea sativa</i> woods	No	1.7	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

3260	Water courses of plain to montane levels with the Ranunculus fluitans and Callitriche-Batrachion vegetation	No	significant	B	C	C	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	non-significant					202412
6240	Sub-Pannonic steppic grasslands	No	non-significant					202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C	B	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

7210	Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i>	No	significant	A	C	C	A	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	C	C	B	C	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

9260	Castanea sativa woods	No	significant	C	C	B	C	202412
Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p				R	insufficient	
B	A229	Alcedo atthis			r	1	5	p		complete	
B	A229	Alcedo atthis			p	1	5	p		complete	
B	A052	Anas crecca			w	51	100	i		complete	
B	A053	Anas platyrhynchos			r	50	100	i		complete	
B	A053	Anas platyrhynchos			w	501	1000	i		complete	
B	A773	Ardea alba			c	1	5	i		complete	
B	A028	Ardea cinerea			r	27	44	i		complete	
B	A029	Ardea purpurea			c	1	5	i		complete	
B	A059	Aythya ferina			c	6	10	i		complete	
B	A059	Aythya ferina			w	1	5	i		complete	
B	A061	Aythya fuligula			w	15	30	i		complete	
B	A061	Aythya fuligula			c	11	50	i		complete	
B	A060	Aythya nyroca			c				P	insufficient	
B	A021	Botaurus stellaris			w	1	5	i		complete	
B	A224	Caprimulgus europaeus			c	1	5	i		complete	
B	A288	Cettia cetti			p				P	insufficient	
B	A197	Chlidonias niger			c	1	5	i		complete	
B	A031	Ciconia ciconia			c	1	5	i		complete	

B	A080	Circaetus gallicus	c	1	5	i		complete
B	A081	Circus aeruginosus	c				P	insufficient
B	A208	Columba palumbus	r				P	insufficient
B	A036	Cygnus olor	p	5	10	i		complete
B	A026	Egretta garzetta	c	1	5	i		complete
B	A381	Emberiza schoeniclus	p				P	insufficient
B	A125	Fulica atra	r				P	insufficient
B	A125	Fulica atra	w	100	200	i		complete
B	A123	Gallinula chloropus	p	5	10	i		complete
B	A123	Gallinula chloropus	r	5	10	i		complete
B	A002	Gavia arctica	w	1	5	i		complete
B	A001	Gavia stellata	w	1	5	i		complete
B	A022	Ixobrychus minutus	r				P	insufficient
B	A338	Lanius collurio	r				P	insufficient
B	A339	Lanius minor	c				P	insufficient
B	A459	Larus cachinnans	c	11	50	i		complete
B	A179	Larus ridibundus	p	11	50	i		complete
B	A855	Mareca penelope	c	11	50	i		complete
B	A889	Mareca strepera	w	1	5	i		complete
B	A066	Melanitta fusca	w	1	5	i		complete

B	A069	Mergus serrator	w	1	5	i		complete
B	A875	Microcarbo pygmaeus	c				P	insufficient
B	A073	Milvus migrans	r	1	1	p		complete
B	A073	Milvus migrans	c	1	5	i		complete
B	A768	Numenius arquata arquata	c	1	5	i		complete
B	A023	Nycticorax nycticorax	c				P	insufficient
B	A094	Pandion haliaetus	c				P	insufficient
B	A072	Pernis apivorus	c				P	insufficient
B	A017	Phalacrocora x carbo	w	51	100	i		complete
B	A005	Podiceps cristatus	p				P	insufficient
B	A005	Podiceps cristatus	w	41	136	i		complete
B	A005	Podiceps cristatus	r				P	insufficient
B	A118	Rallus aquaticus	p	1	5	i		complete
B	A118	Rallus aquaticus	r	1	5	i		complete
B	A857	Spatula clypeata	c	6	10	i		complete
B	A193	Sterna hirundo	c				P	insufficient
F	1140	Chondrostom a soetta	p				P	insufficient

F	5304	Cobitis bilineata	p				P	insufficient
F	5962	Protochondro stoma genei	p				P	insufficient
I	1092	Austropotamo bius pallipes	p				P	insufficient
I	6199	Euplagia qua dripunctaria	p				P	insufficient
I	1083	Lucanus cervus	p				P	insufficient
I	1060	Lycaena dispar	p	12	12	i		limited
I	1016	Vertigo moulinsiana	p				P	insufficient
M	1308	Barbastella barbastellus	p				P	insufficient
R	1220	Emys orbicularis	p				V	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
A	1167	Triturus carnifex	p	significant		C		C					C	B	202412
B	A229	Alcedo atthis	r	significant		C		B					C	B	202412
B	A229	Alcedo atthis	p	significant		C		B					C	B	202412
B	A052	Anas crecca	w	significant		C		B					C	B	202412
B	A053	Anas platyrhynchos	r	significant		C		A					C	A	202412
B	A053	Anas platyrhynchos	w	significant		C		A					C	A	202412
B	A773	Ardea alba	c	non-significant											202412
B	A028	Ardea cinerea	r	significant		C		B					C	B	202412
B	A029	Ardea purpurea	c	non-significant											202412
B	A059	Aythya ferina	c	non-significant											202412
B	A059	Aythya ferina	w	non-significant											202412
B	A061	Aythya fuligula	w	non-significant											202412
B	A061	Aythya fuligula	c	non-significant											202412
B	A060	Aythya nyroca	c	non-significant											202412

B	A02 1	Botaurus stellaris	w	significant	C	B	C	B	20241 2
B	A22 4	Caprimul gus euro paeus	c	non-significan t					20241 2
B	A28 8	Cettia cetti	p	significant	C	C	C	C	20241 2
B	A19 7	Chlidonia s niger	c	non-significan t					20241 2
B	A03 1	Ciconia ciconia	c	non-significan t					20241 2
B	A08 0	Circaetu s gallicus	c	non-significan t					20241 2
B	A08 1	Circus a eruginos us	c	non-significan t					20241 2
B	A20 8	Columba palumbu s	r	significant	C	B	C	B	20241 2
B	A03 6	Cygnus olor	p	non-significan t					20241 2
B	A02 6	Egretta garzetta	c	non-significan t					20241 2
B	A38 1	Emberiz a schoen iclus	p	significant	C	C	C	C	20241 2
B	A12 5	Fulica atra	r	significant	C	A	C	B	20241 2
B	A12 5	Fulica atra	w	significant	C	A	C	B	20241 2
B	A12 3	Gallinula chloropu s	p	significant	C	B	C	B	20241 2
B	A12 3	Gallinula chloropu s	r	significant	C	B	C	B	20241 2
B	A00 2	Gavia arctica	w	non-significan t					20241 2

B	A001	Gavia stellata	w	non-significant						202412
B	A022	Ixobrychus minutus	r	significant	C	B		C	C	202412
B	A338	Lanius collurio	r	significant	C	C		C	C	202412
B	A339	Lanius minor	c	non-significant						202412
B	A459	Larus calchinnans	c	significant	C	B		C	B	202412
B	A179	Larus ridibundus	p	significant	C	B		C	B	202412
B	A855	Mareca penelope	c	non-significant						202412
B	A889	Mareca strepera	w	non-significant						202412
B	A066	Melanitta fusca	w	non-significant						202412
B	A069	Mergus serrator	w	non-significant						202412
B	A875	Microcarbo pygmaeus	c	non-significant						202412
B	A073	Milvus migrans	r	significant	C	B		C	B	202412
B	A073	Milvus migrans	c	significant	C	B		C	B	202412
B	A768	Numenius arquata	c	non-significant						202412
B	A023	Nycticorax nycticorax	c	non-significant						202412
B	A094	Pandion haliaetus	c	non-significant						202412

B	A072	Pernis apivorus	c	non-significant						202412
B	A017	Phalacrocorax carbo	w	significant	C	B		C	B	202412
B	A005	Podiceps cristatus	p	significant	C	B		C	B	202412
B	A005	Podiceps cristatus	w	significant	C	B		C	B	202412
B	A005	Podiceps cristatus	r	significant	C	B		C	B	202412
B	A118	Rallus aquaticus	p	significant	C	C		C	B	202412
B	A118	Rallus aquaticus	r	significant	C	C		C	B	202412
B	A857	Spatula clypeata	c	non-significant						202412
B	A193	Sterna hirundo	c	non-significant						202412
F	1140	Chondrostoma soetta	p	non-significant						202412
F	5304	Cobitis bilineata	p	non-significant						202412
F	5962	Protochondrostoma genei	p	non-significant						202412
I	1092	Austroptamobius pallipes	p	significant	C	C		C	B	202412
I	6199	Euplagia quadripunctaria	p	significant	C	B		C	B	202412
I	1083	Lucanus cervus	p	significant	C	B		C	C	202412
I	1060	Lycaena dispar	p	significant	C	B		C	B	202412

I	1016	Vertigo moulinsi ana	p	significant	C	B	A	C	202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
R	1220	Emys orbicularis	p	significant	C	C	A	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P

A	1209	Rana dalmatina	no	P
A		Salamandra salamandra	no	P
A		Triturus vulgaris	no	P
I		Aplexa hypnorum	no	P
I		Nymphalis antiopa	no	P
I		Philygria oblecta	no	P
I	1053	Zerynthia polyxena	no	P
M		Capreolus capreolus	no	P
M		Glis glis	no	P
M		Meles meles	no	P
M	1309	Pipistrellus pipistrellus	no	P
M		Sciurus vulgaris	no	P
M		Sorex araneus	no	P
P		Allium angulosum	no	P
P		Allium narcissiflorum	no	P
P		Drosera anglica Hudson	no	P
P		Hydrocharis morsus-ranae L.	no	P
P		Potentilla saxifraga Ardoino	no	P
P		Pulsatilla montana (Hoppe) Rchb.	no	P
P	1849	Ruscus aculeatus	no	P
P		Utricularia australis R. Br.	no	P
R	5670	Hierophis viridiflavus	no	P

R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Allium angulosum							X								
	Allium narcissiflorum							X								
	Aplexa hypnorum															X
	Bufo bufo											X				
6962	Bufotes viridis Complex		X													
	Capreolus capreolus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Drosera anglica Hudson							X								
	Glis glis											X				
5670	Hierophis viridiflavus		X													
	Hydrocharis morsus-ranae L.															X
5358	Hyla intermedia		X									X				
5179	Lacerta bilineata		X													
	Meles meles											X				
	Natrix natrix											X				
	Nymphalis antiopa															X
6976	Pelophylax esculentus			X												
	Philygria oblecta															X
1309	Pipistrellus pipistrellus		X													
1256	Podarcis muralis		X													
	Potentilla saxifraga Ardoino							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Pulsatilla montana (Hoppe) Rchb.															X
1209	Rana dalmatina		X													
1849	Ruscus aculeatus			X												
	Salamandra salamandra											X				
	Sciurus vulgaris											X				
	Sorex araneus											X				
	Triturus vulgaris											X				
	Utricularia australis R. Br.							X								
	Vipera aspis											X				
6091	Zamenis longissimus		X													
1053	Zerynthia polyxena		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Si tratta di 2 bacini lacustri di origine glaciale, circondati da un'area palustre e da rilievi di origine morenica, all'imbocco della Val Susa.

4.2 Quality and importance of the site

I laghi di Avigliana e la Palude dei Mareschi costituiscono una zona umida di rilevante interesse faunistico e botanico.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	medium	in	
PA06	low	in	
PA13	low	in	
PB04	medium	in	
PF05	low	in	
PF07	low	in	
PI01	low	in	
PI02	low	in	
PJ03	medium	in	
PK01	low	in	
PM07	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

CNR, 1980 - Indagine sulla qualità delle acque lacustri italiane. Quaderni di Ric. sulle Acque A/Q 43; Dal Vesco G., Camoletto R., Buffa G., 1994 - Flora della Palude dei Mareschi (Avigliana, Torino). Boll. Mus. Reg. Sci. Nat.. Torino; GPSO, 82/95 - Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta. Riv. Piem. St. Nat. N° 3,4,5,6, 7,8,9,11,12,13,14,15; I.P.L.A., 1983 - Piano Naturalistico del Parco Naturale dei Laghi di Avigliana e Palude dei Mareschi. Regione Piemonte. Assessorato alla Pianificazione Territoriale e Parchi Natuali. (approvato); Mingozzi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Mori D., Sguayzer M. (a cura di), 1989 ? Materiali per una storia del territorio e del paesaggio agrario nella bassa Val Susa. Pubbl. Ist. Tecn. Comm. Geom. ?G. Galilei?, Avigliana, 1: 216 pp; Regione Piemonte - Assessorato Caccia e Pesca, 1991 - Carta ittica relativa al territorio della regione piemontese; Rolando C., 1996 - Pesci. Le specie del Parco Naturale dei Laghi di Avigliana. Susa Libri, Sant'Ambrogio (TO): 103 pp

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle aree protette delle Alpi Cozie

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Fransuà Fontan, 1 - 10050 Salbertrand TO

5.1.4 Functional mailbox email address

info.alpicozie@ruparpiemonte.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
IT1110007 "Laghi di Avigliana" - Piano di gestione	http://www.regione.piemonte.it/parc-hi/cms/dati-territoriali-new/aree-protette-e-rn2000/pianificazione-e-norme.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/attach

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Approvazione Piano

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)

