

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Bosco del Vaj e "Bosc Grand" (IT1110009 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110009

1.3 Site name

Bosco del Vaj e "Bosc Grand"

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/19/193/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1347

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		54.7		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		23.5		limited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		52.8		limited	
9110	Luzulo-Fagetum beech forests	No		4.7		limited	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		68.5		limited	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		7.9		limited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		6.5		limited	
9260	Castanea sativa woods	No		251.1		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9110	Luzulo-Fagetum beech forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C	C	C	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	C	C	C	C	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	202412
9260	<i>Castanea sativa</i> woods	No	significant	C	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p	1	1	localities		limited	
F	5331	Telestes muticellus			p				P	insufficient	
I	6199	Euplagia qua dripunctaria			p	1	10	i		complete	
I	1083	Lucanus cervus			p	5	5	grids1x1		limited	
M	1352	Canis lupus			p				P	insufficient	
M	1307	Myotis blythii			p				P	insufficient	

M	1321	Myotis emarginatus	r	30	40	i	complete
M	1324	Myotis myotis	p			P	insufficient
M	1304	Rhinolophus ferrumequinum	p			P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
F	5331	Telestes muticellus	p	significant		C		B					C	B	202412
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	B	202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202512
M	1352	Canis lupus	p	non-significant											202412
M	1307	Myotis blythii	p	significant		C		B					C	B	202412
M	1321	Myotis emarginatus	r	significant		C		B					C	B	202412
M	1324	Myotis myotis	p	significant		C		B					C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
A		Salamandra salamandra		no				P
A		Triturus vulgaris meridionalis		no				P
B	A224	Caprimulgus europaeus		no				P
B	A030	Ciconia nigra		no				P

B	A373	Coccothraustes coccothraustes	no	P
B	A869	Dryobates minor	no	P
B	A236	Dryocopus martius	no	P
B	A338	Lanius collurio	no	P
B	A230	Merops apiaster	no	P
B	A073	Milvus migrans	no	P
B	A072	Pernis apivorus	no	P
B	A304	Sylvia cantillans	no	P
I		Nymphalis antiopa	no	P
M	1327	Eptesicus serotinus	no	P
M		Glis glis	no	P
M	5365	Hypsugo savii	no	P
M		Martes foina	no	P
M		Meles meles	no	P
M	1341	Muscardinus avellanarius	no	P
M	1331	Nyctalus leisleri	no	P
M	2016	Pipistrellus kuhlii	no	P
M	1317	Pipistrellus nathusii	no	P
M	1309	Pipistrellus pipistrellus	no	P
M		Sciurus vulgaris	no	P
M		Sorex minutus	no	P
P		Adiantum capillus-veneris	no	P
P		Alnus incana	no	P
P		Cytisus emeriflorus Rchb.	no	P

P		Dactylorhiza maculata	no	P
P		Danthonia alpina	no	P
P		Daphne mezereum	no	P
P		Dictamnus albus	no	P
P		Digitalis lutea	no	P
P		Epipactis helleborine	no	P
P		Fagus sylvatica	no	P
P		Gladiolus imbricatus	no	P
P		Gladiolus imbricatus L.	no	P
P		Inula helvetica F. Weber	no	P
P		Iris graminea	no	P
P	1400	Leucobryum glaucum	no	P
P		Leucojum vernum	no	P
P		Lilium bulbiferum L. subsp. croceum	no	P
P		Lilium martagon	no	P
P		Ophrys fuciflora (F.W. Schmidt) Moe	no	P
P		Ophrys insectifera L.	no	P
P		Orchis purpurea Huds.	no	P
P		Pinus sylvestris L.	no	P
P		Platanthera bifolia (L.) Rchb.	no	P

P		Platanthera chlorantha (Custer) Rch	no	P
P		Quercus crenata	no	R
P		Rhododendron ferrugineum	no	P
P	1849	Ruscus aculeatus	no	P
P		Vaccinium myrtillus	no	P
R		Anguis fragilis	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Adiantum capillus-veneris															X
	Alnus incana															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Anguis fragilis											X				
	Bufo bufo											X				
6962	Bufo viridis Complex		X													
A224	Caprimulgus europaeus				X											
A030	Ciconia nigra				X											
A373	Coccothraustes coccothraustes					X										
	Cytisus emeriflorus Rchb.							X								
	Dactylorhiza maculata															X
	Danthonia alpina															X
	Daphne mezereum															X
	Dictamnus albus															X
	Digitalis lutea															X
A869	Dryobates minor					X						X				
A236	Dryocopus martius				X											
	Epipactis helleborine															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1327	Eptesicus serotinus		X													
	Fagus sylvatica															X
	Gladiolus imbricatus							X								
	Gladiolus imbricatus L.															X
	Glis glis											X				
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X									X				
5365	Hypsugo savii		X									X				
	Inula helvetica F. Weber							X								
	Iris graminea															X
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
1400	Leucobryum glaucum			X												
	Leucojum vernum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Lilium bulbiferum L. subsp. croceum															X
	Lilium martagon															X
	Martes foina											X				
	Meles meles											X				
A230	Merops apiaster					X										
A073	Milvus migrans				X											
1341	Musccardinus avellanarius		X													
1331	Nyctalus leisleri		X													
	Nymphalis antiopa															X
	Ophrys fuciflora (F.W. Schmidt) Moe															X
	Ophrys insectifera L.															X
	Orchis purpurea Huds.															X
6976	Pelophylax esculentus			X								X				
A072	Pernis apivorus				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Pinus sylvestris L.															X
2016	Pipistrellus kuhlii		X													
1317	Pipistrellus nathusii		X													
1309	Pipistrellus pipistrellus		X													
	Platanthera bifolia (L.) Rchb.															X
	Platanthera chlorantha (Custer) Rch															X
1256	Podarcis muralis		X													
	Quercus crenata															X
1209	Rana dalmatina		X													
	Rhododendron ferrugineum															X
1849	Ruscus aculeatus			X				X								
	Salamandra salamandra											X				
	Sciurus vulgaris											X				
	Sorex minutus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A304	Sylvia cantillans					X										
	Triturus vulgaris meridionalis															X
	Vaccinium myrtillus															X
	Vipera aspis											X				
6091	Zamenis longissimus		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

E' la principale area boscata delle colline del Po, con una importante stazione depressa di faggio e ontano bianco, con la presenza della rara *Quercus crenata*. Interessante la presenza di *Ruscus aculeatus*, a distribuzione discontinua, in Piemonte. L'alternarsi di bosco, coltivi ed ambienti prativi costituisce un mosaico ambientale che, per la presenza di numerosi ecotoni, favorisce la biodiversità. La superficie boscata nel sito è molto estesa e, di questa, una percentuale significativa, è individuata come habitat di interesse comunitario; inoltre il sito è stato anche inserito nei boschi da seme piemontesi per la raccolta di materiale propagativo di *Prunus avium*, *Quercus petraea*, *Quercus robur*, *Sorbus torminalis*.

4.2 Quality and importance of the site

Pendii collinari, a esposizione prevalente Nord, con forti differenze microclimatiche e vegetazionali. Il sito è la principale area boscata, continua e relativamente ben conservata, delle colline del Po ad est della città di Torino. Tra i motivi di istituzione vi è la priorità di conservare i nuclei di faggio e di altre specie montane microterme (ontano bianco), quipresenti relittualmente e disgiunte dall'areale principale. Anche il pino silvestre, specie pioniera, relitto di fasi climatiche e gestione forestale diverse dalle attuali, è presente con singoli esemplari a gruppi disgiunti dagli areali montano ed alto collinare meridionale. Presso il Bric Tourniola si trova un monumentale esemplare ultracentenario di *Quercus crenata*, una rara quercia dalle foglie sempreverdi semipersistenti, dal diametro del fusto di 100 cm., altezza di 17 m e chioma di 15 m di diametro. E' segnalata la presenza di *Gladiolus embricatus*, specie rara inserita nella lista rossa regionale e di *Ruscus aculeatus*, a distribuzione discontinua in Piemonte.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA04	low	in	
PA05	low	in	
PB04	low	in	
PM07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address

parcopiemontese@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di Gestione del Sito Bosc	http://www.regione.piemonte.it/parc		Undefined
Grand e Bosco del Vaj	hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
Piano approvato

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)