

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [21/01/2026]
Laghi di Ivrea (IT1110021 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110021

1.3 Site name

Laghi di Ivrea

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.5 SAC designation act (free text)

DM 26/05/2017 - G.U. 135 del 13-06-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1599

2.1.2 Reason for area difference with spatial dataset (if any)**2.1.3 Reason for area difference – explanations****2.2 Administrative region (optional)**

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information**3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site****3.1.a Essential information (habitat type)**

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		3		limited	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		3.2		veryLimited	
3260	Water courses of plain to montane levels with the Ranunculon fluitantis and Callitricho-Batrachion vegetation	No		1.6		veryLimited	
3270	Rivers with muddy banks with Chenopodion rubri p.p. and Bidenton p.p. vegetation	No		1.6		veryLimited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		7.99		veryLimited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		92.68		veryLimited	
7210	Calcareous fens with Cladium mariscus and species of the Caricion davallianae	No		1.6		veryLimited	

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	28.76	veryLimited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	12.78	veryLimited
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	59.13	veryLimited
9260	Castanea sativa woods	No	250.89	veryLimited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					B	202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	non-significant									202412
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412

3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidentium</i> p.p. vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
7210	Calcareous fens with Cladium mariscus and species of the Caricion davallianae	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9180	Tilio-Acerion forests of slopes, screes and ravines	No	non-significant					202412
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

9260	Castanea sativa woods	No	significant	C	C	B	C	20241 2
Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1199	Pelobates fuscus insubricus			p	70	70	i		complete	
A	1215	Rana latastei			p	7	7	i		limited	
A	1167	Triturus carnifex			p	77	77	i		limited	
F	5304	Cobitis bilineata			p				R	insufficient	
F	5331	Telestes muticellus			p				R	insufficient	
I	1092	Austropotamobius pallipes			p				V	insufficient	
I	1088	Cerambyx cerdo			p				P	insufficient	
I	6199	Euplagia quadripunctaria			p				P	insufficient	
I	1083	Lucanus cervus			p				P	insufficient	
I	1060	Lycaena dispar			p				R	insufficient	
M	1307	Myotis blythii			r				P	insufficient	
M	1321	Myotis emarginatus			r				P	insufficient	
M	1304	Rhinolophus ferrumequinum			r				P	insufficient	
M	1303	Rhinolophus hipposideros			r				P	insufficient	
P	1898	Eleocharis carniolica			p	4	8	i		limited	
P	4096	Gladiolus palustris			p	14	14	i		limited	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1199	Pelobates fuscus in subricus	p	significant		B		C					A	C	202412
A	1215	Rana latastei	p	significant		C		C					B	B	202412
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
F	5304	Cobitis bilineata	p	significant		C		C					C	C	202412
F	5331	Telestes muticellus	p	significant		C		C					C	B	202412
I	1092	Austropotamobius pallipes	p	significant		C		C					C	B	202512
I	1088	Cerambyx cerdo	p	significant		C		B					C	C	202412
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	B	202412
I	1083	Lucanus cervus	p	significant		C		B					C	C	202412
I	1060	Lycaena dispar	p	significant		C		C					C	C	202412
M	1307	Myotis blythii	r	significant		C		B					C	B	202412
M	1321	Myotis emarginatus	r	significant		C		B					C	C	202412

M	1304	Rhinolophus ferrumequinum	r	significant	C	B	C	B	202412
M	1303	Rhinolophus hipposideros	r	significant	C	B	C	B	202412
P	1898	Eleocharis carniolica	p	significant	C	C	C	C	202412
P	4096	Gladiolus palustris	p	significant	C	C	B	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo		no				P
A	5358	Hyla intermedia		no				P

A	6976	Pelophylax esculentus	no					P
A	1209	Rana dalmatina	no					P
A		Salamandra salamandra	no					P
A		Triturus vulgaris	no					P
B	A229	Alcedo atthis	no					P
B	A029	Ardea purpurea	no					P
B	A024	Ardeola ralloides	no					P
B	A021	Botaurus stellaris	no					P
B	A215	Bubo bubo	no					P
B	A224	Caprimulgus europaeus	no	4	4	i		P
B	A082	Circus cyaneus	no					P
B	A236	Dryocopus martius	no					P
B	A001	Gavia stellata	no					P
B	A022	Ixobrychus minutus	no					P
B	A338	Lanius collurio	no	10	10	i		P
B	A073	Milvus migrans	no	2	2	i		P
B	A023	Nycticorax nycticorax	no					P
B	A094	Pandion haliaetus	no					P
B	A072	Pernis apivorus	no	2	2	i		P
B	A017	Phalacrocorax carbo	no					P
I		Apatura ilia	no					P
I		Calosoma sycophanta	no					P
I		Catocala fraxini	no					P
I		Cupido argiades	no					P

I		Demetrias atricapillus	no	P
I		Dryops anglicanus	no	P
I	1026	Helix pomatia	no	P
I		Melitaea britomartis	no	P
I		Mellicta britomartis	no	P
I		Minois dryas	no	P
I		Pygoxyon obesum	no	P
I		Scolitantides orion	no	P
I		Thecla betulae	no	P
I	1033	Unio elongatulus	no	P
I	1053	Zerynthia polyxena	no	P
M		Eliomys quercinus	no	P
M		Glis glis	no	P
M	5365	Hypsugo savii	no	P
M		Meles meles	no	P
M	1341	Muscardinus avellanarius	no	P
M	1330	Myotis mystacinus	no	P
M	1322	Myotis nattereri	no	P
M	2016	Pipistrellus kuhlii	no	P
M	5009	Pipistrellus pygmaeus	no	P
M		Plecotus sp.	no	P
M		Sciurus vulgaris	no	P
P		Calamagrostis canescens (Weber) Roth	no	P
P		Hottonia palustris L.	no	P

P		Ludwigia palustris (L.) Elliott	no	P
P		Osmunda regalis L.	no	P
P		Potentilla supina L.	no	P
P		Ranunculus lingua L.	no	P
P		Rhamnus alaternus	no	P
P	1849	Ruscus aculeatus	no	P
P		Senecio paludosus L.	no	P
R	1283	Coronella austriaca	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1292	Natrix tessellata	no	P
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A229	Alcedo atthis				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Apatura ilia											X				
A029	Ardea purpurea				X											
A024	Ardeola ralloides				X											
A021	Botaurus stellaris				X											
A215	Bubo bubo				X											
	Bufo bufo											X				
	Calamagrostis canescens (Weber) Roth															X
	Calosoma sycophanta															X
A224	Caprimulgus europaeus				X											
	Catocala fraxini															X
A082	Circus cyaneus				X											
1283	Coronella austriaca		X													
	Cupido argiades															X
	Demetrias atricapillus															X
A236	Dryocopus martius				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Dryops anglicanus							X								
	Eliomys quercinus											X				
A001	Gavia stellata				X											
	Glis glis											X				
1026	Helix pomatia			X												
5670	Hierophis viridiflavus		X													
	Hottonia palustris L.							X								
5358	Hyla intermedia		X									X				
5365	Hypsugo savii		X									X				
A022	Ixobrychus minutus				X											
5179	Lacerta bilineata		X									X				
A338	Lanius collurio				X											
	Ludwigia palustris (L.) Elliott							X								
	Meles meles											X				
	Melitaea britomartis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Mellicta britomartis											X				
A073	Milvus migrans				X											
	Minois dryas															X
1341	Musccardinus avellanarius		X													
1330	Myotis mystacinus		X													
1322	Myotis nattereri		X													
1292	Natrix tessellata		X													
A023	Nycticorax nycticorax				X											
	Osmunda regalis L.															X
A094	Pandion haliaetus				X											
6976	Pelophylax esculentus			X												
A072	Pernis apivorus				X											
A017	Phalacrocorax carbo					X										
2016	Pipistrellus kuhlii		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5009	Pipistrellus pygmaeus		X													
	Plecotus sp.											X				
1256	Podarcis muralis		X													
	Potentilla supina L.							X								
	Pygoxylon obesum							X								
1209	Rana dalmatina		X													
	Ranunculus lingua L.							X								
	Rhamnus alaternus							X								
1849	Ruscus aculeatus			X												
	Salamandra salamandra											X				
	Sciurus vulgaris											X				
	Scolitantides orion															X
	Senecio paludosus L.							X								
	Thecla betulae															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Triturus vulgaris											X				
1033	Unio elongatulus			X												
6091	Zamenis longissimus		X													
1053	Zerynthia polyxena		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Vegetazione termofila sulle rocce montonate. Presenza di suoli torbosi fra cui quello su cui si è sviluppato il "bosco ballante". Il mediterraneo *Rhamnus alaternus* (unica stazione piemontese) è presente su piccoli affioramenti calcarei al Castello di Montalto. Interessante la fauna con numerose specie rare quali *Melitaea britomartis*, presente nel Nord Italia solo qui e in Friuli (estinta altrove) e *Pygoxyon obesum* (seconda località in Piemonte). Zone palustri di piccole dimensioni con importanti popolazioni, riproduttrici, di anfibi.

4.2 Quality and importance of the site

Laghi di escavazione glaciale con profondità media elevata ma con alcune zone marginali basse e con vegetazione palustre (particolarmente al L. Pistono) con specie rare.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PA21	high	in	
PA22	high	in	
PB07	low	in	
PB08	low	in	
PB09	medium	in	
PI01	high	in	
PI02	high	inout	
PI03	low	in	
PI04	low	in	
PJ03	low	in	
PK01	medium	in	
PL06	low	in	
PM07	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

AA.VV., 2006 - Piano di Gestione del SIC - IT1110021 Laghi di Ivrea. Relazione generale e tecniche di gestione. Progetto LIFE 99/NAT/IT/006279 "Verifica della Rete Natura 2000 In Italia e Modelli di Gestione". (Rel. tec. non pubbl.). // Andreone F., Bergò P. (Eds.), 2001 - Studio di base per il SIC IT1110021 Laghi d'Ivrea: aspetti naturalistici con riferimento alla conservazione ed alla gestione. Progetto LIFE 99/ NAT/IT/006279, Verifica della Rete Natura 2000 in Italia e modelli di gestione. Convenzione: WWF Italia, Ministero dell'Ambiente e Servizio Conservazione Natura. // Andreone F., Bovero S., Bergò P., 2004 - L'ittiofauna dei Laghi di Ivrea (Provincia di Torino): lista preliminare e indicazioni di conservazione. Boll. Mus. reg. Sci. nat. Torino, 21 (2): 495- 504. // Benetti R., Bianchetti L., Simonini A., Zanuttini R., 1990 - Aspetti della vegetazione nella zona dei "5 laghi". In: AA.VV. - L'Anfiteatro morenico di Ivrea. Atti V Convegno sul Canavese. Tip. Bolognino, Ivrea: 65-108. // Bruno G., 1992 - Più di 70 specie di uccelli. In: I cinque laghi della Serra d'Ivrea. A cura dell'Ass. Cinque Laghi di Ivrea, Tip. Gianotti, Montalto Dora. // Casale A., 1990 - Aspetti faunistici del Canavese. In: AA.VV. - L'Anfiteatro morenico di Ivrea, Atti V Convegno sul Canavese. Tip. Bolognino, Ivrea: 158-173. // Casale A., Giachino P. M., 1994 - Coleotteri Carabidi di ambienti lacustri e lacustro-torbosi dell'anfiteatro morenico di Ivrea. Quaderni Staz.

Ecol. civ. Mus. St. nat. Ferrara, 6: 225-274. // Desfayes M., 1993 - Flore des lacs et étangs de l'amphithéâtre morainique d'Ivrée et de quelques autres zones humides du Canavais. Rev. Valdôtaine Hist. Nat., 47: 75-82. // Epiro M., 1994 - Studio floristico-vegetazionale dell'Anfiteatro morenico e della Serra d'Ivrea. Tesi di Laurea. Università degli Studi di Torino, Facoltà di Scienze Matematiche, Fisiche e Naturali. // Fortina R., Marocco R., 1994 - Distribuzione del Pelobate insubrico, Pelobates fuscus insubricus Cornalia, in Piemonte. Riv. Piem. St. Nat., 15: 117-126. // Marra D., Vachino G., 1993 - Orchidaceae nella zona dei Cinque Laghi di Ivrea. Riv. Piem. St. Nat., 14: 77-82. // Minuzzo C., 2008 - Note floristiche piemontesi n.132. Melampyrum cristatum L. (Scrophulariaceae) in Selvaggi A., Soldano A., PAscale M., PAscal R. (eds.). Riv. Piem. St. Nat., 29: 439-474 // Minuzzo C., Tisi A., Caramiello R., Siniscalco C., 2005 - Flora acquatica e palustre della zona dei "Cinque Laghi" di Ivrea. Riv. Piem. St. Nat., 26: 41-72. // Mondino G. P., 1990 - Rhamnus alaternus L., specie nuova per il Piemonte (Dycotiledoneae, Rhamnaceae). Riv. Piem. St. Nat., 11: 73-79. // Patriarca E., Debernardi P., 1995 - Indagine preliminare sulla teriofauna dell'area dei Cinque Laghi di Ivrea (TO). Rapporto interno per conto Associazione Cinque Laghi, Ivrea (TO). // Pavignano I., 1989 - Rilevamento dei siti e analisi del ciclo riproduttivo degli anfibi presenti in un'area dell'Anfiteatro Morenico d'Ivrea. Boll. Mus. reg. Sci. nat. Torino, 7 (2). // Sindaco R., Baratti N., Boano G., 1992 - I Chiroterri del Piemonte e della Valle d'Aosta. Hystrix (n.s.), 4 (1): 1-40. // Tisi A., Minuzzo C., Siniscalco C., Caramiello R., 2007 - La vegetazione acquatica e palustre della zona dei Cinque laghi di Ivrea. Riv. Piem. St. Nat., 28: 87-126.

4.4.1 Link(s)

4.4.2 Last update of the documentation information
202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Città metropolitana di Torino - Direzione "Sistemi naturali"

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Corso Inghilterra 7/9 - 10122 Torino

5.1.4 Functional mailbox email address
protocollo@cert.cittametropolitana.torino.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Deliberazione n.10-398/2024/XII del 21/11/2024

<https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta>

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)