

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [21/01/2026]
Stagno di Oulx (IT1110022 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110022

1.3 Site name

Stagno di Oulx

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.5 SAC designation act (free text)

DM 26/05/2017 - G.U. 135 del 13-06-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

84

2.1.2 Reason for area difference with spatial dataset (if any)**2.1.3 Reason for area difference – explanations****2.2 Administrative region (optional)**

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information**3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site****3.1.a Essential information (habitat type)**

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.84		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		5.6		complete	
6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No		1.3		complete	
6520	Mountain hay meadows	No		3.88		complete	
7230	Alkaline fens	No		2.52		limited	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		1		complete	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		2.42		veryLimited	
9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No		0.3		limited	
9420	Alpine Larix decidua and/or Pinus cembra forests	No		2.35		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412

6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6520	Mountain hay meadows	No	significant	C	C	C	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

7230	Alkaline fens	No	significant	A	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	non-significant					202412

9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No	non-significant						202412
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	C	C	B		C	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species					Population in the site						
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
I	1092	Austropotamo bius pallipes			p	25	25	i		limited	
I	6199	Euplagia qua dripunctaria			p				P	insufficient	
M	1352	Canis lupus			p				P	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
I	1092	Austropotamobius pallipes	p	significant		C		C					C	C	202412
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	B	202412
M	1352	Canis lupus	p	non-significant											202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
-------	-------	-------	-------	-------	---------	---------	---------	-------

Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo		no				P
A	1213	Rana temporaria		no				P
A		Salamandra salamandra		no				P
B	A085	Accipiter gentilis		no				P
B	A086	Accipiter nisus		no				P
B	A298	Acrocephalus arundinaceus		no				P
B	A229	Alcedo atthis		no				P
B	A256	Anthus trivialis		no				P
B	A091	Aquila chrysaetos		no				P
B	A221	Asio otus		no				P
B	A218	Athene noctua		no				P
B	A350	Corvus corax		no				P
B	A212	Cuculus canorus		no				P
B	A738	Delichon urbicum		no				P
B	A869	Dryobates minor		no				P
B	A236	Dryocopus martius		no				P
B	A383	Emberiza calandra		no				P
B	A376	Emberiza citrinella		no				P
B	A379	Emberiza hortulana		no				P
B	A096	Falco tinnunculus		no				P
B	A322	Ficedula hypoleuca		no				P
B	A233	Jynx torquilla		no				P
B	A338	Lanius collurio		no				P
B	A476	Linaria cannabina		no				P
B	A497	Lophophanes cristatus		no				P

B	A369	Loxia curvirostra	no	P
B	A319	Muscicapa striata	no	P
B	A344	Nucifraga caryocatactes	no	P
B	A473	Periparus ater	no	P
B	A273	Phoenicurus ochrurus	no	P
B	A315	Phylloscopus collybita	no	P
B	A492	Poecile montanus	no	P
B	A267	Prunella collaris	no	P
B	A266	Prunella modularis	no	P
B	A250	Ptyonoprogne rupestris	no	P
B	A346	Pyrrhonorax pyrrhonorax	no	P
B	A372	Pyrrhula pyrrhula	no	P
B	A317	Regulus regulus	no	P
B	A249	Riparia riparia	no	P
B	A275	Saxicola rubetra	no	P
B	A361	Serinus serinus	no	P
B	A478	Spinus spinus	no	P
B	A219	Strix aluco	no	P
B	A310	Sylvia borin	no	P
B	A308	Sylvia curruca	no	P
B	A284	Turdus pilaris	no	P
B	A282	Turdus torquatus	no	P
B	A287	Turdus viscivorus	no	P
B	A232	Upupa epops	no	P
I		Agabus sturmi	no	P

I		<i>Anthaxia istriana</i>	no	P
I		<i>Erebia melampus</i>	no	P
I	1026	<i>Helix pomatia</i>	no	P
I		<i>Leptophyes punctatissima</i>	no	P
I		<i>Oberea pupillata</i>	no	P
I		<i>Paradromius linearis</i>	no	P
I		<i>Philochthus mannerheimii</i>	no	P
I		<i>Sympetrum sanguineum</i>	no	P
I		<i>Sympetrum striolatum</i>	no	P
M		<i>Capreolus capreolus</i>	no	P
M		<i>Eliomys quercinus</i>	no	P
M	1313	<i>Eptesicus nilssonii</i>	no	P
M	1327	<i>Eptesicus serotinus</i>	no	P
M		<i>Glis glis</i>	no	P
M	5365	<i>Hypsugo savii</i>	no	P
M	1314	<i>Myotis daubentonii</i>	no	P
M	1330	<i>Myotis mystacinus</i>	no	P
M	1322	<i>Myotis nattereri</i>	no	P
M	2016	<i>Pipistrellus kuhlii</i>	no	P
M	1317	<i>Pipistrellus nathusii</i>	no	P
M	1309	<i>Pipistrellus pipistrellus</i>	no	P
M	1326	<i>Plecotus auritus</i>	no	P
M		<i>Sciurus vulgaris</i>	no	P
M	1333	<i>Tadarida teniotis</i>	no	P

P		Epipactis palustris	no	P
P		Iris sibirica L.	no	P
P		Orchis cruenta Mueller	no	P
P		Salvia aethiopis L.	no	P
P		Schoenus ferrugineus L.	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R		Vipera aspis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A085	Accipiter gentilis					X		X								
A086	Accipiter nisus					X		X								
A298	Acrocephalus arundinaceus					X										
	Agabus sturmi															X
A229	Alcedo atthis				X											
	Anthaxia istriana															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A256	Anthus trivialis					X		X								
A091	Aquila chrysaetos				X											
A221	Asio otus					X		X								
A218	Athene noctua					X		X								
	Bufo bufo											X				
	Capreolus capreolus											X				
A350	Corvus corax					X		X								
A212	Cuculus canorus					X		X								
A738	Delichon urbicum					X		X								
A869	Dryobates minor					X		X								
A236	Dryocopus martius				X											
	Eliomys quercinus							X								
A383	Emberiza calandra					X		X								
A376	Emberiza citrinella					X		X								
A379	Emberiza hortulana				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Epipactis palustris											X				
1313	Eptesicus nilssonii		X					X								
1327	Eptesicus serotinus		X					X								
	Erebia melampus										X					
A096	Falco tinnunculus					X		X								
A322	Ficedula hypoleuca					X		X								
	Glis glis							X								
1026	Helix pomatia			X												
5365	Hypsugo savii		X					X								
	Iris sibirica L.							X								
A233	Jynx torquilla					X		X								
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
	Leptophyes punctatissima															X
A476	Linaria cannabina					X		X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A497	Lophophanes cristatus					X		X								
A369	Loxia curvirostra					X		X								
A319	Muscicapa striata					X		X								
1314	Myotis daubentonii		X					X								
1330	Myotis mystacinus		X					X								
1322	Myotis nattereri		X					X								
	Natrix natrix											X				
A344	Nucifraga caryocatactes					X		X								
	Oberea pupillata															X
	Orchis cruenta Mueller							X								
	Paradromius linearis															X
A473	Periparus ater					X		X								
	Philochthus mannerheimii															X
A273	Phoenicurus ochruros					X		X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A315	Phylloscopus collybita					X		X								
2016	Pipistrellus kuhlii		X					X								
1317	Pipistrellus nathusii		X					X								
1309	Pipistrellus pipistrellus		X					X								
1326	Plecotus auritus		X					X								
A492	Poecile montanus					X		X								
A267	Prunella collaris					X		X								
A266	Prunella modularis					X		X								
A250	Ptyonoprogne rupestris					X		X								
A346	Pyrrhocorax pyrrhocorax				X											
A372	Pyrrhula pyrrhula					X		X								
1213	Rana temporaria			X												
A317	Regulus regulus					X		X								
A249	Riparia riparia					X		X								
	Salamandra salamandra											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Salvia aethiopis L.							X								
A275	Saxicola rubetra					X		X								
	Schoenus ferrugineus L.							X								
	Sciurus vulgaris							X								
A361	Serinus serinus					X		X								
A478	Spinus spinus					X		X								
A219	Strix aluco					X		X								
A310	Sylvia borin					X		X								
A308	Sylvia curruca					X		X								
	Sympetrum sanguineum							X								
	Sympetrum striolatum							X								
1333	Tadarida teniotis		X					X								
A284	Turdus pilaris					X		X								
A282	Turdus torquatus					X		X								
A287	Turdus viscivorus					X		X								
A232	Upupa epops					X		X								
	Vipera aspis							X								

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Stagno artificiale, in un'area umida naturale, formatosi nella ex-cava di argilla costruita per la realizzazione della galleria ferroviaria del Frejus (1860-1870).

4.2 Quality and importance of the site

Specie botaniche rare (in particolare *Epipactis palustris*, *Allium scorodoprasum*, *Salix repens* e *Schoenus ferrugineus*). Tipo di ambiente ormai estremamente raro nell'arco alpino, la sua collocazione all'interno di una vallata xerotermitica e ad una quota ridotta permette la coesistenza di specie tipicamente alpine con altre appartenenti alla pianura piemontese. Tra gli Invertebrati si segnala *Austropotamobius pallipes*, unica stazione della Valle di Susa, e *Sympetrum vulgatum*, una delle rare popolazioni sul territorio nazionale e l'unica nota per l'Italia nord-occidentale.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PA21	low	in	
PL05	low	in	
PM07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Capra F., Galletti P. A., 1978 - Odonati di Piemonte e Valle d'Aosta. Ann. Mus. Civ. St. Nat. "G. Doria", Genova, 82: 1-71. // Dotta A., 1998 - Piano di fattibilità Lago Borello. Consorzio Forestale Alta Valle Susa. // I.P.L.A., 2000 - Stagno di Oulx. Piano di Gestione Naturalistica. Regione Piemonte. Settore Pianificazione Aree Protette. (redatto). // Mondino G. P., 1963 - Boschi planiziali a *Pinus sylvestris* ed *Alnus incana* nelle alluvioni del torrente Bardonecchia (Piemonte). Allionia, 9: 43-64. // Ramassa E., 2006 - Note floristiche piemontesi n. 19. *Iris sibirica* L. (Iridaceae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 432. //

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Città metropolitana di Torino - Direzione "Sistemi naturali"

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Corso Inghilterra 7/9 - 10138 Torino

5.1.4 Functional mailbox email address

protocollo@cert.cittametropolitana.torino.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
IT1110022 "Stagno di Oulx" - Piano di gestione	http://www.regione.piemonte.it/parchi/cms/dati-territoriali-new/aree-protezione-e-rn2000/pianificazione-e-norme.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/attach/103982024XII21112024.pdf

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Approvazione Piano

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)