

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [21/01/2026]
Lanca di San Michele (IT1110024 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1110024

1.3 Site name

Lanca di San Michele

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.5 SAC designation act (free text)

DM 03/02/2017 - G.U. 46 del 24-02-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

Latitude

2.1.1 Area (ha)

228

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		3.61		complete	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		33.71		complete	
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidenton p.p. vegetation	No		5.89		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		3.76		complete	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		31.02		complete	
91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No		18.85		complete	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412

3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidentium</i> p.p. vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	C	202412

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmenion minoris</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1215	Rana latastei			p				P	insufficient	
A	1167	Triturus carnifex			p	1	10	i		limited	
B	A296	Acrocephalus palustris			r				P	insufficient	
B	A168	Actitis hypoleucos			r				C	insufficient	
B	A229	Alcedo atthis			r	1	5	p		complete	
B	A052	Anas crecca			w	10	50	i		complete	
B	A773	Ardea alba			w				P	insufficient	

B	A029	Ardea purpurea	r	1	2	p		limited
B	A021	Botaurus stellaris	w	1	1	i		complete
B	A861	Calidris pugnax	c				P	insufficient
B	A136	Charadrius dubius	r	1	5	p		complete
B	A197	Chlidonias niger	c				P	insufficient
B	A081	Circus aeruginosus	c				P	insufficient
B	A026	Egretta garzetta	c				P	insufficient
B	A131	Himantopus himantopus	c	1	10	i		complete
B	A022	Ixobrychus minutus	c				P	insufficient
B	A022	Ixobrychus minutus	r	1	1	p		complete
B	A338	Lanius collurio	r	1	5	p		complete
B	A156	Limosa limosa	c				P	insufficient
B	A230	Merops apiaster	r	30	60	i		complete
B	A073	Milvus migrans	c				P	insufficient
B	A158	Numenius phaeopus	c				P	insufficient
B	A023	Nycticorax nycticorax	r	6	8	p		limited
B	A094	Pandion haliaetus	c				P	insufficient
B	A072	Pernis apivorus	c				P	insufficient

B	A017	Phalacrocorax carbo	w	250	250	i		complete
B	A118	Rallus aquaticus	c				P	insufficient
B	A132	Recurvirostra avosetta	c				V	insufficient
B	A249	Riparia riparia	r	150	200	i		complete
B	A193	Sterna hirundo	r				R	insufficient
B	A166	Tringa glareola	c				P	insufficient
B	A164	Tringa nebularia	c				P	insufficient
B	A165	Tringa ochropus	c				P	insufficient
B	A162	Tringa totanus	c				P	insufficient
F	1137	Barbus plebejus	p	3	4	i		limited
F	1140	Chondrostoma soetta	p	2	2	localities		limited
F	5304	Cobitis bilineata	p	4	4	localities		limited
F	1097	Lethenteron zanandreae	p				R	insufficient
F	5962	Protochondrostoma genei	p	5	8	i		limited
F	1991	Sabanejewia larvata	p				P	insufficient
F	1107	Salmo marmoratus	p	20	25	i		limited
F	5331	Telestes muticellus	p				P	insufficient
I	1083	Lucanus cervus	p				P	insufficient

I	1060	Lycaena dispar	p	P	insufficient
I	1037	Ophiogomphu s cecilia	c	P	insufficient
I	1084	Osmoderma eremita	p	P	insufficient
I	1016	Vertigo moulinsiana	p	P	insufficient
M	1308	Barbastella barbastellus	p	P	insufficient
M	1352	Canis lupus	p	P	insufficient
M	1321	Myotis emarginatus	p	P	insufficient
M	1324	Myotis myotis	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1215	Rana latastei	p	significant		C		B					B	B	202412
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	r	significant		C		B					C	B	202412
B	A168	Actitis hypoleucos	r	non-significant											202412
B	A229	Alcedo atthis	r	significant		C		B					C	B	202412
B	A052	Anas crecca	w	significant		C		B					C	B	202412
B	A773	Ardea alba	w	significant		C		B					C	B	202412
B	A029	Ardea purpurea	r	significant		C		C					C	C	202412
B	A021	Botaurus stellaris	w	non-significant											202412
B	A861	Calidris pugnax	c	non-significant											202412
B	A136	Charadrius dubius	r	significant		C		B					C	B	202412
B	A197	Chlidonias niger	c	non-significant											202412
B	A081	Circus aeruginosus	c	non-significant											202412

B	A02 6	Egretta garzetta	c	non-significan t								20241 2	
B	A13 1	Himanto pus hima ntopus	c	non-significan t								20241 2	
B	A02 2	Ixobrych us minutus	c	significant		C		C			C	C	20241 2
B	A02 2	Ixobrych us minutus	r	significant		C		C			C	C	20241 2
B	A33 8	Lanius collurio	r	significant		C		B			C	B	20241 2
B	A15 6	Limosa limosa	c	non-significan t									20241 2
B	A23 0	Merops apiaster	r	significant		C		B			C	B	20241 2
B	A07 3	Milvus migrans	c	non-significan t									20241 2
B	A15 8	Numeniu s phaeop us	c	non-significan t									20241 2
B	A02 3	Nycticora x nyctico rax	r	significant		C		B			C	C	20241 2
B	A09 4	Pandion haliaetus	c	non-significan t									20241 2
B	A07 2	Pernis apivorus	c	non-significan t									20241 2
B	A01 7	Phalacro corax carbo	w	significant		C		B			C	B	20241 2
B	A11 8	Rallus aq uaticus	c	non-significan t									20241 2
B	A13 2	Recurvir ostra avosetta	c	non-significan t									20241 2

B	A249	Riparia riparia	r	significant	C	C	C	C	202412
B	A193	Sterna hirundo	r	significant	C	C	C	C	202412
B	A166	Tringa glareola	c	non-significant					202412
B	A164	Tringa nebularia	c	non-significant					202412
B	A165	Tringa ochropus	c	non-significant					202412
B	A162	Tringa totanus	c	non-significant					202412
F	1137	Barbus plebejus	p	significant	C	C	C	C	202412
F	1140	Chondrostoma soetta	p	significant	C	B	C	B	202512
F	5304	Cobitis bilineata	p	significant	C	B	C	B	202512
F	1097	Lethenteron zanaandreae	p	significant	C	C	C	C	202412
F	5962	Protochondrostoma genei	p	significant	C	C	C	C	202412
F	1991	Sabanejewia larvata	p	significant	C	B	A	B	202412
F	1107	Salmo marmoratus	p	significant	C	B	C	B	202412
F	5331	Telestes muticellus	p	significant	C	B	C	B	202412
I	1083	Lucanus cervus	p	significant	C	B	C	B	202412
I	1060	Lycaena dispar	p	significant	C	C	C	B	202412

I	1037	Ophiogomphus cecilia	c	non-significant								202412	
I	1084	Osmoderma eremita	p	significant		C		C			C	C	202412
I	1016	Vertigo moulinsiana	p	significant		C		B			C	B	202412
M	1308	Barbastella barbastellus	p	significant		C		B			C	B	202412
M	1352	Canis lupus	p	non-significant									202412
M	1321	Myotis emarginatus	p	significant		C		B			C	B	202412
M	1324	Myotis myotis	p	significant		C		B			C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
A	1213	Rana temporaria		no				P
A		Triturus vulgaris		no				P
B	A168	Actitis hypoleucos		no				P
F		Esox lucius		no				P
I	1026	Helix pomatia		no				P
I	1040	Stylurus flavipes		no				R
I	1033	Unio elongatulus		no				P
M		Capreolus capreolus		no				P
M		Lepus europaeus		no				P
M	1357	Martes martes		no				P
M		Meles meles		no				P
M		Sciurus vulgaris		no				P
R	5670	Hierophis viridiflavus		no				P
R	5179	Lacerta bilineata		no				P
R		Natrix natrix		no				P
R	1292	Natrix tessellata		no				P
R	1256	Podarcis muralis		no				P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A168	Actitis hypoleucos					X						X				
	Bufo bufo											X				
6962	Bufo viridis Complex		X													
	Capreolus capreolus											X				
	Esox lucius							X								
1026	Helix pomatia			X												
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X									X				
5179	Lacerta bilineata		X													
	Lepus europaeus											X				
1357	Martes martes			X												
	Meles meles											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Natrix natrix											X				
1292	Natrix tessellata		X													
6976	Pelophylax esculentus			X												
1256	Podarcis muralis		X													
1209	Rana dalmatina		X													
1213	Rana temporaria			X												
	Sciurus vulgaris											X				
1040	Stylurus flavipes		X									X				
	Triturus vulgaris											X				
1033	Unio elongatulus			X												

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Lanca fluviale e corso del fiume Po, con presenza di ampi greti, vegetazione ripariale e sommersa. Rimboschimento naturalistico di 15 ettari con specie del bosco planiziale e ripario.

4.2 Quality and importance of the site

La più importante area naturale fluviale nella pianura lungo il fiume Po a monte di Torino. Buona qualità delle acque e ricco popolamento ittico. Numerosi bracci fluviali secondari e lanche, ampi greti. Compresenza di specie prioritarie.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	high	in	
PA06	low	in	
PA13	medium	in	
PA14	medium	in	
PA17	medium	in	
PA21	medium	in	
PB04	medium	in	
PB07	high	in	
PB08	medium	in	
PC01	medium	in	
PI02	high	inout	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreone F. - Note intorno alla distribuzione di *Emys orbicularis* (Lynnaeus, 1758) in Piemonte (Reptilia, Emydidae). Riv. Piem. St. Nat. 1988; Forneris G., Merati F., Pascale M., Perosino G. C., 2005 ? Materiali e metodi per i campionamenti e monitoraggi dell'ittiofauna. Determinazione della qualità delle comunità ittiche: indice ittico nel bacino occidentale del Po. Regione Piemonte. Direzione Pianificazione risorse idriche; Gertosio G., Boano G., 2002 ? Il Rimboschimento naturalistico del bosco del Gerbasso nel Parco Fluviale del Po a Carmagnola: quali effetti sull'avifauna? Riv. Piem. St. Nat., 23: 207-226; Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980/1984. Mus. Reg. Scienze Nat. (Monografie VIII), Torino; Rastelli M., Curletti G., Barbero E., 2003 ? Note sulla coleotterofauna xilofaga di un bosco di pianura rinaturalizzato: il Gerbasso, Carmagnola (TO) (Coleoptera: Buprestidae, Cerambycidae, Scolytidae). G.it. Ent., 10: 217-236; Regione Piemonte. Assessorato Caccia e Pesca, 1991 - Carta ittica relativa al territorio della regione piemontese; Regione Piemonte. Assessorato beni culturali e ambientali, Pianificazione territoriale, Parchi, Enti Locali, 1993 - Progetto territoriale operativo "Tutela e valorizzazione delle risorse ambientali del Sistema delle Aree Protette della Fascia fluviale del Po?; Regione Piemonte. Assessorato beni culturali e ambientali, Pianificazione territoriale, Parchi, Enti Locali, 1993 - Piano d'Area "Sistema regionale delle Aree Protette della Fascia fluviale del Po?; Sindaco R., Biggi E., Boano G., Delmastro G.B., 2002 - Novitates herpetologicae pedemontanae. I.(Amphibia, Reptilia). Riv. Piem. St. Nat., 23: 195-206; Vai D., 1997 - La Riserva Naturale Speciale della Lanca di San Michele a Carmagnola: studio della vegetazione. Riv. Piem. St. Nat., 18: 106-113.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address

parcopopiemontese@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
PIANO DI GESTIONE ZONA SPECIALE DI CONSERVAZIONE ZONA DI PROTEZIONE SPECIALE IT1110024 "Lanca di San Michele"	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 Piano adottato dal Soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)