

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Pian della Mussa (Balme) (IT1110029 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110029

1.3 Site name

Pian della Mussa (Balme)

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/19/193/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

3554

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3220	Alpine rivers and the herbaceous vegetation along their banks	No		3.55		limited	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		3.55		limited	
4060	Alpine and Boreal heaths	No		92.4		limited	
4080	Sub-Arctic Salix spp. scrub	No		17.77		limited	
6150	Siliceous alpine and boreal grasslands	No		209.69		limited	
6170	Alpine and subalpine calcareous grasslands	No		138.61		limited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		227.46		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		46.2		limited	
6520	Mountain hay meadows	No		10.66		limited	
7230	Alkaline fens	No		3.55		limited	
7240	Alpine pioneer formations of the Caricion bicoloris-atrofuscae	No		3.55		limited	
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No		742.79		limited	

8120	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	No	184.81	limited
8210	Calcareous rocky slopes with chasmophytic vegetation	No	188.36	limited
8220	Siliceous rocky slopes with chasmophytic vegetation	No	284.32	limited
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	2	limited
8340	Permanent glaciers	No	119.42	limited
9420	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	No	110.17	limited
9430	Subalpine and montane <i>Pinus uncinata</i> forests (* if on gypsum or limestone)	No	14.22	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3220	Alpine rivers and the herbaceous vegetation along their banks	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					A	202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					B	202412

4060	Alpine and Boreal heaths	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
4080	Sub-Arctic Salix spp. scrub	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

6150	Siliceous alpine and boreal grasslands	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
6170	Alpine and subalpine calcareous grasslands	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	20241 2
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	20241 2

6520	Mountain hay meadows	No	significant	C	C			B	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
7230	Alkaline fens	No	significant	B	C	C		B	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

7240	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	A	202512
8110	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

8340	Permanent glaciers	No	significant	C	C	C	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	B	B	C	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	C	C	B	C	202412
					C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit:The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A	1213	Rana temporaria		no				P
B	A091	Aquila chrysaetos		no				P
B	A215	Bubo bubo		no	1	1	p	P
B	A031	Ciconia ciconia		no	6	10	p	P
B	A080	Circaetus gallicus		no	1	1	p	P

B	A081	Circus aeruginosus	no	5	5	i	P
B	A082	Circus cyaneus	no	5	5	i	P
B	A236	Dryocopus martius	no	1	1	p	P
B	A103	Falco peregrinus	no	1	1	p	P
B	A076	Gypaetus barbatus	no	2	2	i	P
B	A338	Lanius collurio	no	5	5	p	P
B	A876	Lyrurus tetrix tetrix	no	6	10	p	P
B	A073	Milvus migrans	no	10	10	i	P
B	A072	Pernis apivorus	no	1	1	p	P
B	A346	Pyrrhonorax pyrrhonorax	no	1	5	p	P
I		Eupolybothrus longicornis	no				P
I	1058	Maculinea arion	no				C
I	1057	Parnassius apollo	no				P
M	1375	Capra ibex	no				P
M	1369	Rupicapra rupicapra	no				P
P		Allium narcissiflorum	no				P
P		Androsace carnea	no				P
P		Androsace lactea	no				P
P	1480	Aquilegia alpina	no				P
P	1762	Arnica montana	no				P
P	1764	Artemisia genipi	no				P
P		Campanula alpestris All.	no				P
P		Carex atrofusca Schkuhr	no				P
P		Carex fimbriata Schkuhr	no				P

P		Carex microglochin Wahlenb.	no	P
P		Carex rosae	no	P
P		Cerastium lineare All.	no	P
P		Corallorhiza trifida Chatel.	no	P
P		Cortusa matthioli L.	no	P
P		Galium pseudohelveticum Ehrend.	no	P
P	1657	Gentiana lutea	no	P
P		Gentiana schleicheri (Vaccari) Kunz	no	P
P		Kobresia simpliciuscula (Wahlenb.) Mack.	no	P
P		Leontopodium alpinum Cass.	no	P
P		Orchis cruenta Mueller	no	P
P		Paeonia officinalis L. ssp. officinalis	no	P
P		Saxifraga biflora All.	no	P
P		Saxifraga diapensioides Bellardi	no	P
P	1522	Saxifraga valdensis	no	P
P	1409	Sphagnum spp.	no	P
P		Thlaspi sylvium Gaudin	no	P
P		Tofieldia pusilla (Michx.) Pers.	no	P

P		Trichophorum alpinum (L.) Pers.	no	P
P		Woodsia alpina (Bolton) S.F. Gray	no	P
R		Anguis fragilis	no	P
R	5670	Hierophis viridiflavus	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Allium narcissiflorum							X								
	Androsace carnea							X								
	Androsace lactea							X								
	Anguis fragilis											X				
A091	Aquila chrysaetos				X											
1480	Aquilegia alpina		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1762	Arnica montana			X												
1764	Artemisia genipi			X												
A215	Bubo bubo				X											
	Campanula alpestris All.							X								
1375	Capra ibex			X												
	Carex atrofusca Schkuhr							X								
	Carex fimbriata Schkuhr							X								
	Carex microglochin Wahlenb.							X								
	Carex rosae															X
	Cerastium lineare All.							X								
A031	Ciconia ciconia				X											
A080	Circaetus gallicus				X											
A081	Circus aeruginosus				X											
A082	Circus cyaneus				X											
	Corallorhiza trifida Chatel.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Cortusa matthioli L.							X								
A236	Dryocopus martius				X											
	Eupolybothrus longicornis															X
A103	Falco peregrinus				X											
	Galium pseudoh elveticum Ehrend.							X								
1657	Gentiana lutea			X												
	Gentiana schleicheri (Vaccari) Kunz							X								
A076	Gypaetus barbatus				X											
5670	Hierophis viridiflavus		X									X				
	Kobresia simpliciuscula (Wahlenb.) Mack.															X
A338	Lanius collurio				X											
	Leontopodium alpinum Cass.							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A876	Lyrurus tetrix tetrix				X											
1058	Maculinea arion		X													
A073	Milvus migrans				X											
	Orchis cruenta Mueller							X								
	Paeonia officinalis L. ssp. officinalis															X
1057	Parnassius apollo		X													
A072	Pernis apivorus				X											
1256	Podarcis muralis		X													
A346	Pyrrhonorax pyrrhonorax				X											
1213	Rana temporaria			X												
1369	Rupicapra rupicapra			X												
	Saxifraga biflora All.															X
	Saxifraga diapensioides Bellardi															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1522	Saxifraga valdensis		X													
1409	Sphagnum spp.			X												
	Thlaspi sylvium Gaudin							X								
	Tofieldia pusilla (Michx.) Pers.							X								
	Trichophorum alpinum (L.) Pers.															X
	Vipera aspis											X				
	Woodsia alpina (Bolton) S.F. Gray															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Presenza del raro curvuleto-elineto a *Carex rosae*. Specie rare o endemiche. Vegetazione discontinua delle vallette nivali e delle morene glaciali. Popolamenti di paludi torbose con la rara *Tofieldia pusilla* e *Carex atrofusca*.

4.2 Quality and importance of the site

Ambiente alto-alpino con nevaï, morene, laghi glaciali, curvuleti e altre praterie di altitudine, piccole aree umide.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PF05	medium	in	
PF14	high	in	
PF17	medium	in	
PJ01	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Ariello G., Rosenkrantz D., Tosco U., 1974 - Le stazioni di *Paeonia officinalis* in Valle d'Ala (Valli della Stura di Lanzo, Piemonte). Boll. Soc. Ital. Farm. Osped., 20: 317-329. Camoletto Pasin R., Rosenkrantz D., Tosco U., 1994 - Distribuzione e variabilità morfologica di *Carex fimbriata* Schkuhr in Val d'Ala (Valli di Lanzo Torino). Boll. Mus. reg. Sci. nat. Torino, 12: 381-389. Chiariglione A., 1988 - Flora del bacino della Stura di Lanzo: specie protette, rare o interessanti. Riv. Piem. St. Nat., 9: 77-106. Chiariglione A., 1994 - Le valli di Lanzo: guida naturalistica. Cierre, Verona. Dal Vesco G., Rosenkrantz D., 2006 - Una stazione di *Carex atrofusca* Schkuhr nell'alta valle d'Ala (valli di Lanzo, Alpi Graie). Allionia, 27: 65-70. Marangoni D., 2005 - Note floristiche piemontesi n. 8. *Woodsia alpina* in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 26: 374. Mondino G. P., 1966 - Cenosi a *Carex curvula* All. in alta val d'Ala (Valli di Lanzo - Alpi Graie). Allionia, 12: 103-117. Mondino G. P., 2007 - Specie vegetali interessanti raccolte in Piemonte a metà del '900 Riv. Piem. St., 28: 53-85. Rosenkrantz D., Tosco U., 1975 - Catalogo floristico del bacino della Stura di Lanzo (Piemonte). Cenni introduttivi. Boll. Soc. Ital. Farm. Osped., 21: 179-194. Rosenkrantz D., Tosco U., 1979 - Saggio per un catalogo floristico del bacino della Stura di Lanzo (Piemonte). Parte prima. Boll. Mus. Civico Storia Nat. Verona, 6: 363-417. Rosenkrantz D., Tosco U., 1980 - Saggio per un catalogo floristico del bacino della Stura di Lanzo (Piemonte). Parte seconda. Boll. Mus. Civico Storia Nat. Verona, 7: 427-493. Rosenkrantz D., Tosco U., 1982 - Saggio per un catalogo floristico del bacino della Stura di Lanzo (Piemonte). Parte terza. Boll. Mus. Civico Storia Nat. Verona, 9: 255-332. Rosenkrantz D., Tosco U., 1987 - Saggio per un catalogo floristico del bacino della Stura di Lanzo (Piemonte). Correzioni ed aggiunte. Boll. Mus. Civico Storia Nat. Verona, 14: 545-579. Rotti G., 1995 - Nuovi areali di *Asplenium adulterinum* Milde con speciale riferimento alla Valsesia ed alla valle Strona di Campello Monti (Il parte). Not. C.A.I. Varallo, 9 (1): 47-63. Selvaggi A., 2005 - Note floristiche piemontesi n. 9. *Carex atrofusca* in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 26: 374. Selvaggi A., Giannetti F., Canavesio A., Riccobene R., Marangoni D., Pânzaru P., Varese P., Garraud L., 2005 - Carta degli Habitat del Sito Natura 2000 "Pian della Mussa (Balme)" (IT1110029), Scala 1:10.000. IPLA, Regione Piemonte, Unione Europea (Progetto Interreg III A Alcotra "Conservazione e gestione della flora e degli habitat nelle Alpi occidentali del sud"). Vivat A., Pascal R., Selvaggi A., 2005 - Note floristiche piemontesi n. 11. *Carex maritima* in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 26: 374.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Città metropolitana di Torino - Direzione "Sistemi naturali"

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Corso Inghilterra 7/9 - 10122 Torino

5.1.4 Functional mailbox email address
protocollo@cert.cittametropolitana.torino.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures
Necessary conservation measures are included in the management plan(s)
Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures
Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?
Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier
6.1.1 Namespace
6.1.2 Local identifier
6.1.3 Version identifier (optional)