

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]

Oasi xerothermiche della Val di Susa-Orrido di Chianocco (IT1110030 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110030

1.3 Site name

Oasi xerothermiche della Val di Susa-Orrido di
Chianocco

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

[https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali
/rete-natura-2000](https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000)

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-11

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/12/04/283/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1250

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		0.22		complete	
5130	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	No		5.61		complete	
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No		2.5		veryLimited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	Yes		131.55		complete	
6240	Sub-Pannonic steppic grasslands	No		118.89		complete	
6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No		0.128		limited	
6520	Mountain hay meadows	No		0.032		limited	
7220	Petrifying springs with tufa formation (<i>Cratoneurion</i>)	No		0.1		limited	
8210	Calcareous rocky slopes with chasmophytic vegetation	No		107.01		limited	
9110	<i>Luzulo-Fagetum</i> beech forests	No		5.67		veryLimited	

9150	Medio-European limestone beech forests of the Cephalantho-Fagion	No	139.74	limited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	22.02	veryLimited
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	0.18	complete
9260	<i>Castanea sativa</i> woods	No	75.76	veryLimited
9420	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	No	4.18	veryLimited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	non-significant									202412
5130	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	non-significant									202412

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6240	Sub-Pannonic steppic grasslands	No	significant	B	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	non-significant					202412
6520	Mountain hay meadows	No	non-significant					202412

7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
9110	Luzulo-Fagetum beech forests	No	non-significant					202412

9150	Medio-European limestone beech forests of the Cephalanthero-Fagion	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B	202412
9180	Tilio-Acerion forests of slopes, screes and ravines	No	non-significant				202412
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	non-significant				202412
9260	Castanea sativa woods	No	non-significant				202412
9420	Alpine Larix decidua and/or Pinus cembra forests	No	non-significant				202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
I	1088	Cerambyx cerdo			p	4	4	grids1x1		limited	
I	6199	Euplagia qua dripunctaria			p	14	14	grids1x1		limited	
I	1083	Lucanus cervus			p	6	6	grids1x1		limited	
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1352	Canis lupus			p	1	1	p		limited	
M	1304	Rhinolophus ferrumequinum			p				R	insufficient	

P	4096	Gladiolus palustris	p	2	2	localities	complete
---	------	------------------------	---	---	---	------------	----------

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
I	1088	Cerambyx cerdo	p	significant		C		B					C	B	202412
I	6199	Euplagia quadripunctaria	p	significant		C		A					C	A	202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	B	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	B	202412
P	4096	Gladiolus palustris	p	significant		C		B					C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	1213	Rana temporaria		no				P
A		Salamandra salamandra		no				P
B	A412	Alectoris graeca saxatilis		no				P
B	A255	Anthus campestris		no				P
B	A091	Aquila chrysaetos		no				P
B	A215	Bubo bubo		no				P
B	A224	Caprimulgus europaeus		no				P
B	A031	Ciconia ciconia		no				P
B	A030	Ciconia nigra		no				P
B	A080	Circaetus gallicus		no				P

B	A082	Circus cyaneus	no	P
B	A208	Columba palumbus	no	P
B	A378	Emberiza cia	no	P
B	A379	Emberiza hortulana	no	P
B	A103	Falco peregrinus	no	P
B	A338	Lanius collurio	no	P
B	A246	Lullula arborea	no	P
B	A073	Milvus migrans	no	P
B	A281	Monticola solitarius	no	P
B	A072	Pernis apivorus	no	P
B	A115	Phasianus colchicus	no	P
B	A346	Pyrrhocorax pyrrhocorax	no	P
B	A155	Scolopax rusticola	no	P
B	A210	Streptopelia turtur	no	P
B	A304	Sylvia cantillans	no	P
B	A228	Tachymarptis melba	no	P
B	A333	Tichodroma muraria	no	P
B	A283	Turdus merula	no	C
I		Agrilus croaticus	no	P
I		Aphantopus hyperantus	no	P
I		Apion sedi	no	P
I		Apion velatum	no	P
I		Iolana iolas	no	P
I		Lycaeides argyrognomon	no	P

I		Lysandra bellargus	no						P
I	1058	Maculinea arion	no						P
I		Musaria rubropunctata	no						P
I	1057	Parnassius apollo	no						P
I	1056	Parnassius mnemosyne	no						P
I		Philotes baton	no						P
I		Pimpla illicebrator	no						P
I	1050	Saga pedo	no						P
I		Satyrus ferula	no						P
I		Solatopupa similis	no						P
I		Syzeuctus bicornis	no						P
I		Thecla betulae	no						P
I		Zygaena ephialtes	no						P
I		Zygaena erythra	no						P
I		Zygaena fausta	no						P
I		Zygaena hylaris	no						P
M		Capreolus capreolus	no	30	100	p			P
M		Crocidura leucodon	no						P
M		Eliomys quercinus	no						R
M		Glis glis	no						P
M		Lepus europaeus	no						P
M		Martes foina	no						P
M	1357	Martes martes	no						P
M		Meles meles	no						P
M	1341	Muscardinus avellanarius	no						P
M		Mustela nivalis	no						P

M	1369	Rupicapra rupicapra	no	10	50	p	P
M		Sciurus vulgaris	no				P
M		Sorex araneus	no				P
M		Sorex minutus	no				P
P		Aphyllanthes monspeliensis	no				P
P		Argyrolobium zanonii	no				P
P		Asterolinum linum-stellatum	no				P
P		Brassica repanda (Willd.) DC.	no				P
P		Centaurea alpina L.	no				P
P		Draba nemorosa L.	no				P
P		Euphorbia sulcata De Lens	no				P
P	1657	Gentiana lutea	no				P
P		Ophrys insectifera L.	no				P
P		Pulsatilla montana (Hoppe) Rchb.	no				P
P		Quercus ilex	no				P
P	1849	Ruscus aculeatus	no				P
P		Telephium imperati	no				P
R		Anguis fragilis	no				P
R		Coronella girondica	no				P
R	5670	Hierophis viridiflavus	no				P
R	5179	Lacerta bilineata	no				P
R		Natrix natrix	no				P
R	1256	Podarcis muralis	no				P

R		Vipera aspis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Agrilus croaticus															X
A412	Alectoris graeca saxatilis				X											
	Anguis fragilis											X				
A255	Anthus campestris				X											
	Aphantopus hyperantus															X
	Aphyllanthes monspeliensis															X
	Apion sedi															X
	Apion velatum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A091	Aquila chrysaetos				X											
	Argyrolobium zanonii															X
	Asterolinum linum-stellatum															X
	Brassica repanda (Willd.) DC.							X								
A215	Bubo bubo				X											
	Capreolus capreolus							X				X				
A224	Caprimulgus europaeus				X											
	Centaurea alpina L.							X								
A031	Ciconia ciconia				X											
A030	Ciconia nigra				X											
A080	Circaetus gallicus				X											
A082	Circus cyaneus				X											
A208	Columba palumbus					X										
	Coronella girondica											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Crocidura leucodon											X				
	Draba nemorosa L.															X
	Eliomys quercinus							X								
A378	Emberiza cia					X						X				
A379	Emberiza hortulana				X											
	Euphorbia sulcata De Lens							X								
A103	Falco peregrinus				X											
1657	Gentiana lutea			X												
	Glis glis											X				
5670	Hierophis viridiflavus		X													
	Iolana iolas							X								
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
	Lepus europaeus							X								
A246	Lullula arborea				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Lycaeides argyrognomon															X
	Lysandra bellargus															X
1058	Maculinea arion		X													
	Martes foina											X				
1357	Martes martes			X				X								
	Meles meles							X								
A073	Milvus migrans				X											
A281	Monticola solitarius					X										
	Musaria rubropunctata							X								
1341	Musccardinus avellanarius		X													
	Mustela nivalis											X				
	Natrix natrix											X				
	Ophrys insectifera L.															X
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X					X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A072	Pernis apivorus				X											
A115	Phasianus colchicus					X										
	Philotes baton															X
	Pimpla illicebrator															X
1256	Podarcis muralis		X													
	Pulsatilla montana (Hoppe) Rchb.															X
A346	Pyrrhocorax pyrrhocorax				X											
	Quercus ilex															X
1213	Rana temporaria			X												
1369	Rupicapra rupicapra			X				X								
1849	Ruscus aculeatus			X												
1050	Saga pedo		X													
	Salamandra salamandra											X				
	Satyrus ferula															X
	Sciurus vulgaris											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A155	Scolopax rusticola					X										
	Solatopupa similis															X
	Sorex araneus							X								
	Sorex minutus											X				
A210	Streptopelia turtur					X										
A304	Sylvia cantillans					X										
	Syzeuctus bicornis															X
A228	Tachymarptis melba					X										
	Telephium imperati															X
	Thecla betulae															X
A333	Tichodroma muraria					X						X				
A283	Turdus merula					X										
	Vipera aspis											X				
6091	Zamenis longissimus		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Zygaena ephialtes															X
	Zygaena erythra															X
	Zygaena fausta															X
	Zygaena hylaris															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Eccezionale compresenza di numerosi relitti floristici mediterranei e steppici rari (alcuni esclusivi) e insetti fitofagi loro legati: *Aphillanthes monspeliensis*, *Telephium imperati*, *Ephedra helvetica*, *Argyrolobium zanonii*, ecc., oltre a circa 20 specie di orchidee. Unica stazione, in Piemonte, sicuramente spontanea di *Quercus ilex* oltre a quella, formata da alcuni individui, del Forte Brunetta (Susa). Importanti arbusteti di *Juniperus oxycedrus* a Foresto. Tra gli Invertebrati: *Agrilus croaticus*, *Apion velatum*, *Apion sedi*, *Pimpla illicebrator*, *Syzeuctus bicornis*, *Solatopupa similis*. Tra i vertebrati *Coronella girondica* e uccelli rupicoli rari in regione.

4.2 Quality and importance of the site

Mosaico composto da vegetazione steppico (-mediterranea), prevalente, di tipo primitivo o secondario, alternata a colture (vigne, per lo più in abbandono) invase da arbusteti del Berberidion. Lembi di ceduo di roverella, degradati, molto xerofili; rade pinete transitorie di pino silvestre e lembi di faggeta termofila con affioramenti rupestri calcarei e non. Gli Orridi di Chianocco e Foresto sono forre con pareti a picco scavate nelle rocce calcaree.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PF05	medium	in	
PH04	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

A.I.N., 1980 - Orrido di Chianocco. Regione Piemonte. Assessorato alla Pianificazione del Territorio e Parchi Naturali. // Balletto E., Barberis G., Toso G. G., 1982 - Aspetti dell'ecologia dei lepidotteri ropaloceri nei consorzi erbacei delle Alpi italiane. Quaderni sulla "Struttura delle zoocenosi terrestri" CNR Roma 2 (II,1) Pubbl. AQ/1/193. // Balletto E., Cassulo L., Toso G. G., 1982 - Contributo alla biogeografia degli Zigenidi delle Alpi Liguri. Biogeographia. // Braun - Blanquet J., 1961 - Der inneralpine Trockenvegetation. Fischer, Stuttgart. // Charrier G., 1954 - Significato geobotanico delle Stazioni piemontesi di *Quercus ilex* L. Atti 16° congr. geogr. ital. Lega, Faenza. // Della Beffa G., 1994 - Quindici anni di ricerche entomologiche nei parchi della Regione Piemonte. Atti XVII Congresso nazionale italiano di Entomologia, Udine (13-18 giugno). // Gardini Peccenini S., 1997 - Données sur la distribution et l'écologie de *Leuzea conifera* (Compositae) en Italie nord-occidentale. Boccone, 5: 691-702. // I.P.L.A., 1982 - Piano Naturalistico della Riserva Naturale Speciale dell'Orrido e Stazione di Leccio di Chianocco. Regione Piemonte. Assessorato alla Pianificazione Territoriale e Parchi Naturali. (redatto). // I.P.L.A., 2003 - Piano di Gestione Naturalistica delle Oasi xerothermiche della Val Susa - Orrido di Chianocco. Regione Piemonte. Settore Pianificazione Aree Protette. (redatto). // Minelli A., Zapparoli M., 1982 - I Chilopodi della regione ligure con particolare riguardo alle Alpi Liguri. Biogeographia. // Mondino G. P., 1966 - Note ecologiche sulla stazione relitta di *Quercus ilex* L. a Chianocco (Valle di Susa). Allionia, 12: 93-101. // Montacchini F., 1972 - Lineamenti della vegetazione dei boschi naturali in Valle di Susa. Allionia, 18: 195-252. // Montacchini F., Caramiello Lomagnolo R., Forneris G., Piervittori R., 1982 - Carta della vegetazione della Valle di Susa ed evidenziazione dell'influsso antropico. C.N.R. AQ 1/220.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Ente di gestione delle aree protette delle Alpi Cozie

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Via Fransuà Fontan, 1 - 10050 Salbertrand TO

5.1.4 Functional mailbox email address 5.1.5 Website with contact information
info.alpicozie@ruparpiemonte.it No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
ZSC IT1110030 OASI	http://www.regione.piemonte.it/parc		Not undefined
XEROTERMICHE DELLA VALLE	hi/cms/dati-territoriali-new/aree-prot		
DI SUSA - ORRIDO DI	ette-e-rn2000/pianificazione-e-nor		
CHIANOCCO PIANO DI	me.html		
GESTIONE			

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures
Necessary conservation measures are included in the management plan(s)
Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures
Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?
Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier
6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)