

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Pra - Barant (IT1110032 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110032

1.3 Site name

Pra - Barant

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/19/193/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

4120

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3220	Alpine rivers and the herbaceous vegetation along their banks	No		206		veryLimited	
4060	Alpine and Boreal heaths	No		247.2		veryLimited	
6170	Alpine and subalpine calcareous grasslands	No		370.8		veryLimited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		206		veryLimited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		206		veryLimited	
6520	Mountain hay meadows	No		206		veryLimited	
7220	Petrifying springs with tufa formation (Cratoneurion)	No		4.12		veryLimited	
7240	Alpine pioneer formations of the Caricion bicoloris-atrofuscae	No		4.12		veryLimited	
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No		206		veryLimited	
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietalia rotundifolii)	No		412		veryLimited	

8210	Calcareous rocky slopes with chasmophytic vegetation	No	824	veryLimited
8220	Siliceous rocky slopes with chasmophytic vegetation	No	206	veryLimited
9110	Luzulo-Fagetum beech forests	No	57.68	veryLimited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	12.36	veryLimited
9420	Alpine Larix decidua and/or Pinus cembra forests	No	848.72	veryLimited
9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	24.72	veryLimited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3220	Alpine rivers and the herbaceous vegetation along their banks	No	non-significant									202412
4060	Alpine and Boreal heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A					B	202412
6170	Alpine and subalpine calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6520	Mountain hay meadows	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9110	Luzulo-Fagetum beech forests	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

9180	Tilio-Acerion forests of slopes, scree and ravines	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
I	6199	Euplagia qua dripunctaria			p				P	insufficient	
M	1352	Canis lupus			p	1	1	p		limited	
M	1321	Myotis emarginatus			c				P	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	C	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
M	1321	Myotis emarginatus	c	non-significant											202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
-------	-------	-------	-------	-------	---------	---------	---------	-------

Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A	1213	Rana temporaria		no				P
A	1179	Salamandra lanzai		no				P
B	A223	Aegolius funereus		no				P
B	A412	Alectoris graeca saxatilis		no				P
B	A091	Aquila chrysaetos		no				P
B	A080	Circaetus gallicus		no				P
B	A236	Dryocopus martius		no				P
B	A076	Gypaetus barbatus		no				P
B	A713	Lagopus muta helvetica		no				P
B	A338	Lanius collurio		no				P
B	A876	Lyrurus tetrix tetrix		no				P
B	A346	Pyrrhocorax pyrrhocorax		no				P
I		Albulina palaeno		no				P
I		Aricia nicias		no				P
I		Colias palaeno		no				P
I		Eupolybothrus longicornis		no				P
I	1058	Maculinea arion		no				P
I	1057	Parnassius apollo		no				P
I	1056	Parnassius mnemosyne		no				P
I		Parnassius phoebus		no				P
I	1053	Zerynthia polyxena		no				P
M	1375	Capra ibex		no				P

M		Capreolus capreolus	no	P
M	1334	Lepus timidus	no	P
M	1369	Rupicapra rupicapra	no	P
P		Aconitum anthora	no	P
P		Androsace brigantiaca	no	P
P		Androsace carnea	no	P
P	1480	Aquilegia alpina	no	P
P	1762	Arnica montana	no	C
P		Artemisia atrata	no	P
P	1764	Artemisia genipi	no	P
P		Campanula alpestris All.	no	P
P		Carex fimbriata Schkuhr	no	P
P		Cerastium lineare All.	no	P
P		Fritillaria tubaeformis G. et G..	no	P
P		Galium pseudohelveticum Ehrend.	no	P
P		Isatis allionii	no	P
P		Leontopodium alpinum Cass.	no	P
P	1413	Lycopodium spp.	no	P
P		Pleurospermum austriacum (L.) Hoffm.	no	P
P	1522	Saxifraga valdensis	no	P

P		Thlaspi sylvium Gaudin	no	P
P		Tulipa australis Link	no	P
P		Veronica allionii Vill.	no	P
R	1283	Coronella austriaca	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P
R		Zootoca vivipara	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Aconitum anthora															X
A223	Aegolius funereus				X											
	Albulina palaeno															X
A412	Alectoris graeca saxatilis				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Androsace brigantiaca							X								
	Androsace carnea							X								
A091	Aquila chrysaetos				X											
1480	Aquilegia alpina		X													
	Aricia nicias							X								
1762	Arnica montana			X												
	Artemisia atrata															X
1764	Artemisia genipi			X												
	Campanula alpestris All.							X								
1375	Capra ibex			X												
	Capreolus capreolus											X				
	Carex fimbriata Schkuhr							X								
	Cerastium lineare All.							X								
A080	Circaetus gallicus				X											
	Colias palaeno							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1283	Coronella austriaca		X													
A236	Dryocopus martius				X											
	Eupolybothrus longicornis															X
	Fritillaria tubaeformis G. et G..							X								
	Galium pseudohelveticum Ehrend.							X								
A076	Gypaetus barbatus				X											
	Isatis allionii							X								
5179	Lacerta bilineata		X													
A713	Lagopus muta helvetica				X											
A338	Lanius collurio				X											
	Leontopodium alpinum Cass.							X								
1334	Lepus timidus			X												
1413	Lycopodium spp.			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A876	Lyrurus tetrix tetrix				X											
1058	Maculinea arion		X													
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
	Parnassius phoebus							X								
	Pleurospermum austriacum (L.) Hoffm.															X
1256	Podarcis muralis		X													
A346	Pyrrhocorax pyrrhocorax				X											
1213	Rana temporaria			X												
1369	Rupicapra rupicapra			X												
1179	Salamandra lanzai		X													
1522	Saxifraga valdensis		X													
	Thlaspi sylvium Gaudin							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Tulipa australis Link							X								
	Veronica allionii Vill.							X								
	Vipera aspis											X				
1053	Zerynthia polyxena		X													
	Zootoca vivipara											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Presenza di importante popolazione di Salamandra Lanzai, endemica del gruppo del M. Viso. Unica stazione nota sulle Alpi occidentali piemontesi di Lacerta vivipara. Popolazione reintrodotta di Capra ibex. Specie endemiche: Isatis allionii e Saxifraga valdensis.

4.2 Quality and importance of the site

Ambiente ambiente con prevalenza di habitat rocciosi, praterie alpine e foreste di conifere.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA07	low	in	
PA23	high	in	
PE01	medium	in	
PF03	medium	in	
PF05	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

A.B.A.C., 2001 - Progetto sperimentale di cartografia tematica per la protezione, gestione e valorizzazione della biodiversità del Queyras e della Val Pellice. Modulo Cartografia tematica della biodiversità vegetale. Comunità Montana Val Pellice, Regione Piemonte, Unione Europea. pp. 110. AA.VV., 2006 - Applicazione di modelli di gestione

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Città metropolitana di Torino - Direzione "Sistemi naturali"

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Corso Inghilterra 7/9 - 10122 Torino

5.1.4 Functional mailbox email address

protocollo@cert.cittametropolitana.torino.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Deliberazione n.10-398/2024/XII del 21/11/2024

<https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta>

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)