

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Stagni di Poirino - Favari (IT1110035 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1110035

1.3 Site name

Stagni di Poirino - Favari

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1844

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.8		veryLimited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		19.4		veryLimited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	non-significant									202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
A	1199	Pelobates fuscus insubricus			r	400	400	i		complete	
A	1215	Rana latastei			p				V	insufficient	
A	1167	Triturus carnifex			p	10	50	i		complete	
F	5304	Cobitis bilineata			p				R	insufficient	
I	1060	Lycaena dispar			p				R	insufficient	
M	1324	Myotis myotis			c	5	5	localities		complete	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
A	1199	Pelobates fuscus insubricus	r	significant		B	Calcolata come rapporto tra la media dei valori di popolazione riportata per il sito e la popolazione complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	C					A	C	202512
A	1215	Rana latastei	p	non-significant											202412
A	1167	Triturus carnifex	p	significant		C		C					C	B	202412
F	5304	Cobitis bilineata	p	non-significant											202412
I	1060	Lycaena dispar	p	significant		C		B					C	C	202412
M	1324	Myotis myotis	c	significant		C		C					C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
A		Triturus vulgaris		no				P
B	A229	Alcedo atthis		no				P
B	A026	Egretta garzetta		no				P
B	A338	Lanius collurio		no				P
B	A073	Milvus migrans		no				P

B	A023	Nycticorax nycticorax	no	P
M	2016	Pipistrellus kuhlii	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A229	Alcedo atthis				X											
	Bufo bufo											X				
6962	Bufo viridis Complex		X													
A026	Egretta garzetta				X											
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X									X				
5179	Lacerta bilineata		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A338	Lanius collurio				X											
A073	Milvus migrans				X											
	Natrix natrix											X				
A023	Nycticorax nycticorax				X											
6976	Pelophylax esculentus			X												
2016	Pipistrellus kuhlii		X													
1256	Podarcis muralis		X													
1209	Rana dalmatina		X													
	Triturus vulgaris											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Questo biotopo, sito in una zona a prevalenti coltivazioni agrarie, ospita i principali siti riproduttivi, nonché la popolazione più florida in assoluto, di *Pelobates fuscus insubricus*.

4.2 Quality and importance of the site

"Peschiera", stagni di origine prevalentemente artificiale circondati da aree agricole. Il sito è stato proposto quale sito della Rete Natura 2000 principalmente per la presenza di una delle ultime popolazioni di *Pelobates fuscus insubricus*, anfibio endemico della Pianura Padana, dov'è a rischio di estinzione. Il sito è di primaria importanza anche per la conservazione di altre specie di anfibii, molte delle quali presenti negli elenchi della Direttiva. Alcune specie floristiche rare tra cui *Lemna trisulca*, *Peplis portula* e *Wolffia arrhiza*, rarissima in Piemonte quasi scomparsa dalla pianura Padana.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA03	medium	in	
PA14	medium	in	
PA21	medium	in	
PA22	low	in	
PB09	low	in	
PF01	low	in	
PF13	low	in	
PI01	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreone F., 1995 - Valutazione e categorizzazione dello status della batracofauna in Piemonte e Valle d'Aosta. Quaderni della Civica Stazione Idrobiologica, 19: 27-40. // Andreone F., Fortina R., Chiminello A., 1993 - Natural history, ecology and conservation of the Italian spadefoot toad, *Pelobates fuscus insubricus*. Scientific Reports, Soc. Zool. La Torbiera, 2: 1-96. // Andreone F., Sindaco R. (eds.), 1999 - Erpetologia del Piemonte e della Valle d'Aosta. Atlante degli Anfibi e dei Rettili. Monografie XXVI (1998). Mus. Reg. Sci. Nat. Torino: 1-283. // Borghesio L. in: IPLA, 2005 - Studio per il Piano Forestale Territoriale dell'Area Forestale 57. Regione Piemonte. // Brehm K., Luneburg H., Theede J., 1992 - The first toad tunnel and drift fence system without interference of geomagnetic orientation of Amphibians. Quaderni della Civica Stazione Idrobiologica, 19: 79-92. // Evangelista M., 2009 - *Apalus bimaculatus* (L., 1761) (Coleoptera, Meloidae) specie nuova per il Piemonte. Riv. Piem. St. Nat., 30: 169-172. // Evangelista M., 2009 - Note floristiche piemontesi n. 220. *Lemna trisulca* L. (Lemnaceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 30: 328. // Evangelista M., 2009 - Note floristiche piemontesi n. 221. *Ludwigia palustris* (L.) Elliott (Onagraceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 30: 329. // Evangelista M., 2009 - Note floristiche piemontesi n. 224. *Peplis portula* L. (Lythraceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 30: 329. // Evangelista M., 2009 - Note floristiche piemontesi n. 226. *Wolffia arrhiza* (L.) Horkel ex Wimm. (Lemnaceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 30: 330. // Evangelista M., 2009 - Segnalazioni faunistiche italiane. 483. *Coenagrion scitulum* (Rambur, 1842) (Odonata Coenagrionidae). Boll. Soc. entomol. Ital., 141 (2): 113. // Evangelista M., 2011 - Le libellule del SIC "IT1110035 - Stagni di Poirino - Favari" (Piemonte, provincia di Torino). Riv. Piem. St. Nat., 32: 103-110. // Evangelista M., Vallinotto E. (a cura di), 2009 - Indagine preliminare sugli invertebrati nel Sito di Importanza Comunitaria IT1110035 "Stagni di Poirino-Favari". Associazione Natura Cascina Bellezza Onlus, WWF Italia. (relazione tecnica non pubblicata). // Fortina R., Marocco R., 1994 - Distribuzione del Pelobate insubrico, *Pelobates fuscus insubricus* Cornalia, in Piemonte. Riv. Piem. St. nat.,

15, 1994: 117-126. // I.P.L.A., 2001 - Stagni di Poirino Favari. Piano di Gestione Naturalistica. Regione Piemonte. Settore Pianificazione Aree Protette. (redatto). // Lo Presti R., Vallinotto E. (a cura di), 2009 - Il pelobate fosco e gli anfibii sintopici nel Sito di Importanza Comunitaria IT1110035 "Stagni di Poirino-Favari". Associazione Natura Cascina Bellezza Onlus, WWF Italia. (relazione tecnica non pubblicata). // per il Piemonte. Riv. Piem. St. Nat., 30: 169-172. // Scoccianti C., 2001 - Amphibia: aspetti di ecologia della conservazione. WWF Italia, Sezione Toscana. Editore Guido Persichino Grafica, Firenze: XIII + 430 pp., 70 figg. // Sindaco R., 2000 - Priorità di conservazione dell'erpeto fauna italiana in base ai dati della distribuzione geografica.- Atti 1° Congresso Nazionale della Societas Herpetologica Italica, Torino 2-6 ottobre 1996. Mus. Reg. Sci. Nat. Torino: 677- 690. // Sindaco R., Doria G., Razzetti E. & Bernini F. (eds.), 2006 - Atlante degli Anfibi e dei Rettili d'Italia / Atlas of Italian Amphibians and Reptiles. Societas Herpetologica Italica, Edizioni Polistampa, Firenze, pp. 792. // Sindaco R., Selvaggi A., 2002 - Priorità di conservazione dell'erpeto fauna italiana. 2. Considerazioni sul concetto di rarità. Atti 2° Convegno per la Protezione degli Anfibi, Morbegno (SO), 15-16 maggio 1997; Regione Lombardia.// Vallinotto E. (a cura di), 2009 - Mappaggio dei territori 2009 per i siti Natura Cascina Bellezza, Tetti Elia, Cascina Lai e Baija. Associazione Natura Cascina Bellezza Onlus, WWF Italia. (relazione tecnica non pubblicata). // Vallinotto E. (a cura di), 2009 - Resoconto ornitologico 2008. L'inanellamento a Cascina Bellezza. Sito di Importanza Comunitaria "Stagni di Poirino-Favari" (SIC IT1110035). Associazione Natura Cascina Bellezza Onlus, WWF Italia. (relazione tecnica non pubblicata). //

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Città metropolitana di Torino - Direzione "Sistemi naturali"

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Corso Inghilterra 7/9 - 10122 Torino

5.1.4 Functional mailbox email address

protocollo@cert.cittametropolitana.torino.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del Sito della	http://www.regione.piemonte.it/parc		Undefined
Rete Natura 2000 IT1110035	hi/cms/dati-territoriali-new/aree-protette-e-rn2000/pianificazione-e-norme.html		
"Stagni di Poirino - Favari"			

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?	Are the established measures implemented?
--	--

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)