

# NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]  
Serra di Ivrea (IT1110057 - SCI)

## Table of contents

1.Site identification   2.Site location   3.Ecological information   4.Site description   5.Site protection status  
6.Site management   7.Map of the site

## 1. Site identification

### 1.1 Site type

B

### 1.2 Site code

IT1110057

### 1.3 Site name

Serra di Ivrea

### 1.3.1 Site name non-latin alphabet (optional)

### 1.4 Respondent

#### 1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,  
Energia, Territorio - Settore Biodiversità e  
Aree Naturali

#### 1.4.2 Contact point in the organisation (optional)

#### 1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

#### 1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

#### 1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

### 1.5 Site classification/proposal/designation dates

#### 1.5.1 Date site first classified as SPA

#### 1.5.2 SPA classification act (URI or free text)

#### 1.5.3 Date site first proposed as SCI

1995-09

#### Date confirmed as SCI

populated by EEA on behalf of the European Commission

#### 1.5.4 Date site designated as SAC

2017-05

#### 1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

#### 1.5.6 Explanations (optional)

## 2. Site location

### 2.1 Location calculated by the European Environment Agency

#### Longitude

calculated by the EEA after release in  
Reportnet 3

#### Latitude

calculated by the EEA after release in Reportnet 3

#### 2.1.1 Area (ha)

4572

#### 2.1.2 Reason for area difference with spatial dataset (if any)

#### 2.1.3 Reason for area difference – explanations

## 2.2 Administrative region (optional)

| 2.2.1 Administrative region code | 2.2.2 Administrative region name |
|----------------------------------|----------------------------------|
| ITC1                             | PIEMONTE                         |

## 2.3 Biogeographical and marine regions

| 2.3.1 Region code | 2.3.2 Percentage | Fully marine SCI/SAC (100 %) must be attributed to a biogeographical |
|-------------------|------------------|----------------------------------------------------------------------|
| Alpine            | 100              |                                                                      |

## 3. Ecological information

### 3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

#### 3.1.a Essential information (habitat type)

| Annex I habitat types |                                                                                                                              |               |             |            |                |              |                      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|------------|----------------|--------------|----------------------|
| 3.1.1                 |                                                                                                                              | 3.1.2         | 3.1.3       | 3.1.4      | 3.1.5          | 3.1.6        | 3.1.7                |
| Code                  | Name                                                                                                                         | Priority form | Not present | Cover [ha] | Caves [number] | Method cover | Last data collection |
| 3130                  | Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea | No            |             | 0.07       |                | limited      |                      |
| 3150                  | Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation                                               | No            |             | 0.2        |                | limited      |                      |
| 6510                  | Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)                                                          | No            |             | 434.34     |                | limited      |                      |
| 9160                  | Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli                                          | No            |             | 292.71     |                | limited      |                      |
| 9180                  | Tilio-Acerion forests of slopes, screes and ravines                                                                          | No            |             | 4.57       |                | veryLimited  |                      |
| 91E0                  | Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)                   | No            |             | 123.44     |                | limited      |                      |
| 9260                  | Castanea sativa woods                                                                                                        | No            |             | 2638.04    |                | limited      |                      |

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Not Present:** Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Cover:** Shows the size of habitat type as decimal values.

**Caves:** For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

**Method used for cover:** Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

**Last data collection:** Date or period of the last data collection.

### 3.1.b Site assessment (habitat type)

| 3.1.1 |                                                                                                                               | 3.1.2         | 3.1.8        | 3.1.9            | 3.1.10                                                                                                                                                        | 3.1.12.1     | 3.1.12.2          | 3.1.12.3            | 3.1.13                  | 3.1.14                         | 3.1.15 | 3.1.16      |
|-------|-------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|---------------------|-------------------------|--------------------------------|--------|-------------|
| Code  | Name                                                                                                                          | Priority form | Significance | Representativity | Relative surface                                                                                                                                              | Conservation | Conservation area | Conservation method | Conservation objectives | Objectives further explanation | Global | Update date |
| 3130  | Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Najasjuncetum | No            | significant  | B                | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | C            |                   |                     |                         |                                | B      | 202412      |
| 3150  | Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation                                                | No            | significant  | B                | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | C            |                   |                     |                         |                                | B      | 202412      |

|      |                                                                                     |    |                 |   |                                                                                                                                                               |   |   |        |
|------|-------------------------------------------------------------------------------------|----|-----------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|--------|
| 6510 | Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)                 | No | significant     | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | B | 202412 |
| 9160 | Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli | No | significant     | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | B | 202412 |
| 9180 | Tilio-Acerion forests of slopes, screes and ravines                                 | No | non-significant |   |                                                                                                                                                               |   |   | 202412 |

|      |                                                                                                                                          |    |             |   |                                                                                                                                                               |   |   |        |
|------|------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|--------|
| 91E0 | Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i> ) | No | significant | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | C | 202412 |
| 9260 | <i>Castanea sativa</i> woods                                                                                                             | No | significant | A | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | A | 202412 |

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Significance:** Indicates if the occurrence is significant or not.

**Representativity:** Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

**Relative Surface:** Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

**Conservation area:** Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

**Conservation method:** Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

**Global:** Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

**Updated date:** Date or period of the last update.

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

#### 3.2.a Essential information (species)

| Species |       |                            | Population in the site |             |       |          |          |         |           |                      |                      |
|---------|-------|----------------------------|------------------------|-------------|-------|----------|----------|---------|-----------|----------------------|----------------------|
| 3.2.1   | 3.2.2 |                            | 3.2.4                  | 3.2.5       | 3.2.6 | 3.2.7.1  | 3.2.7.1  | 3.2.7.2 | 3.2.8     | 3.2.9                | 3.2.10               |
| Group   | Code  | Scientific name            | Sensitive              | Not present | Type  | Size min | Size max | Unit    | Abundance | Mehod Populaton size | Last data collection |
| A       | 1167  | Triturus carnifex          |                        |             | p     |          |          |         | P         | insufficient         |                      |
| I       | 1092  | Austropotamo bius pallipes |                        |             | p     |          |          |         | P         | insufficient         |                      |
| I       | 6199  | Euplagia qua dripunctaria  |                        |             | p     |          |          |         | P         | insufficient         |                      |
| I       | 1060  | Lycaena dispar             |                        |             | p     |          |          |         | P         | insufficient         |                      |
| P       | 1898  | Eleocharis carniolica      |                        |             | p     |          |          |         | P         | insufficient         |                      |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not Present:** Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Type:** Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

**Method Population size:** Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

**Last data collection:** Date or period of the last data collection.

### 3.2.b Site assessment (species)

| 3.2.1 | 3.2.2 | 3.2.3                     | 3.2.6 | 3.2.11       | 3.2.12             | 3.2.13     | 3.2.14                         | 3.2.15       | 3.2.15.2                                | 3.2.15.3                      | 3.2.16                  | 3.2.17                         | 3.2.18    | 3.2.19 | 3.2.20      |
|-------|-------|---------------------------|-------|--------------|--------------------|------------|--------------------------------|--------------|-----------------------------------------|-------------------------------|-------------------------|--------------------------------|-----------|--------|-------------|
| Group | Code  | Scientific Name           | Type  | Significance | SPA classification | Population | Population further explanation | Conservation | Conservation occupied % area (optional) | Conservation occupied % class | Conservation objectives | Objectives further explanation | Isolation | Global | Update date |
| A     | 1167  | Triturus carnifex         | p     | significant  |                    | C          |                                | B            |                                         |                               |                         |                                | C         | B      | 202412      |
| I     | 1092  | Austropotamobius pallipes | p     | significant  |                    | C          |                                | B            |                                         |                               |                         |                                | C         | B      | 202412      |
| I     | 6199  | Euplagia quadripunctaria  | p     | significant  |                    | C          |                                | B            |                                         |                               |                         |                                | C         | B      | 202412      |
| I     | 1060  | Lycaena dispar            | p     | significant  |                    | C          |                                | B            |                                         |                               |                         |                                | C         | B      | 202412      |
| P     | 1898  | Eleocharis carniolica     | p     | significant  |                    | C          |                                | C            |                                         |                               |                         |                                | C         | C      | 202412      |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Significance:** Indicates if the occurrence is significant or not.

**SPA classification:** Indicate if the bird species met the ornithological criteria used to justify SPA classification.

**Population:** Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

**Isolation:** Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

**Global:** Global assessment of the species in the site: A = excellent; B = good; C = significant.

**Global:** Date or period of the last update.

### 3.3 Other important species of flora and fauna (optional)

| 3.3.1<br>Group | 3.3.2<br>Code | 3.3.3<br>Scientific name                    | 3.3.4<br>Sensitive | 3.3.5<br>Not present | 3.3.6.1<br>Size min | 3.3.6.1<br>Size max | 3.3.6.2<br>Population unit | 3.3.7<br>Abundance |
|----------------|---------------|---------------------------------------------|--------------------|----------------------|---------------------|---------------------|----------------------------|--------------------|
| A              | 5358          | Hyla intermedia                             |                    | no                   |                     |                     |                            | P                  |
| A              | 6976          | Pelophylax<br>esculentus                    |                    | no                   |                     |                     |                            | P                  |
| A              | 1209          | Rana dalmatina                              |                    | no                   |                     |                     |                            | P                  |
| A              |               | Triturus vulgaris                           |                    | no                   |                     |                     |                            | P                  |
| B              | A224          | Caprimulgus<br>europaeus                    |                    | no                   |                     |                     |                            | P                  |
| B              | A338          | Lanius collurio                             |                    | no                   |                     |                     |                            | P                  |
| B              | A072          | Pernis apivorus                             |                    | no                   |                     |                     |                            | P                  |
| I              |               | Neptis rivularis                            |                    | no                   |                     |                     |                            | P                  |
| I              | 1053          | Zerynthia polyxena                          |                    | no                   |                     |                     |                            | P                  |
| M              |               | Meles meles                                 |                    | no                   |                     |                     |                            | P                  |
| M              |               | Sciurus vulgaris                            |                    | no                   |                     |                     |                            | P                  |
| P              | 1762          | Arnica montana                              |                    | no                   |                     |                     |                            | R                  |
| P              |               | Calamagrostis<br>canescens (Weber)<br>Roth  |                    | no                   |                     |                     |                            | P                  |
| P              |               | Drosera intermedia<br>Hayne                 |                    | no                   |                     |                     |                            | P                  |
| P              |               | Juncus bulbosus L.                          |                    | no                   |                     |                     |                            | P                  |
| P              | 1725          | Lindernia<br>procumbens                     |                    | no                   |                     |                     |                            | P                  |
| P              |               | Ludwigia palustris<br>(L.) Elliott          |                    | no                   |                     |                     |                            | P                  |
| P              |               | Nymphoides<br>peltata (Gmelin) O.<br>Kuntze |                    | no                   |                     |                     |                            | P                  |

|   |      |                                      |    |   |
|---|------|--------------------------------------|----|---|
| P |      | Pseudostellaria europaea Schaeftlein | no | P |
| P |      | Rhynchospora alba (L.) Vahl          | no | P |
| P | 1849 | Ruscus aculeatus                     | no | P |
| P |      | Scutellaria minor Hudson             | no | P |
| R | 1283 | Coronella austriaca                  | no | P |
| R | 5670 | Hierophis viridiflavus               | no | P |
| R | 5179 | Lacerta bilineata                    | no | P |
| R | 1256 | Podarcis muralis                     | no | P |
| R | 6091 | Zamenis longissimus                  | no | P |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Code:** For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not present:** Indicates whether the species is no longer present (noLongerPresent) on the site.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

### 3.3.8 Motivation

| Code | Name                                 | H.D.<br>Annex II | H.D.<br>Annex IV | H.D.<br>Annex V | B.D.<br>Annex I | Migrat.<br>birds | CFP<br>prohib. | National<br>red list | EU<br>red list | Global<br>red list | Endemic<br>species | Int.<br>conv. | H.D.<br>Annex I | CWR/<br>FRG | IAS<br>Union | Other<br>reason |
|------|--------------------------------------|------------------|------------------|-----------------|-----------------|------------------|----------------|----------------------|----------------|--------------------|--------------------|---------------|-----------------|-------------|--------------|-----------------|
| 1762 | Arnica montana                       |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Calamagrostis canescens (Weber) Roth |                  |                  |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              | X               |

| Code | Name                                     | H.D.<br>Annex II | H.D.<br>Annex IV | H.D.<br>Annex V | B.D.<br>Annex I | Migrat.<br>birds | CFP<br>prohib. | National<br>red list | EU<br>red list | Global<br>red list | Endemic<br>species | Int.<br>conv. | H.D.<br>Annex I | CWR/<br>FRG | IAS<br>Union | Other<br>reason |
|------|------------------------------------------|------------------|------------------|-----------------|-----------------|------------------|----------------|----------------------|----------------|--------------------|--------------------|---------------|-----------------|-------------|--------------|-----------------|
| A224 | Caprimulgus europaeus                    |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1283 | Coronella austriaca                      |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Drosera intermedia Hayne                 |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
| 5670 | Hierophis viridiflavus                   |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 5358 | Hyla intermedia                          |                  | X                |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
|      | Juncus bulbosus L.                       |                  |                  |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              | X               |
| 5179 | Lacerta bilineata                        |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| A338 | Lanius collurio                          |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1725 | Lindernia procumbens                     |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Ludwigia palustris (L.) Elliott          |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
|      | Meles meles                              |                  |                  |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
|      | Neptis rivularis                         |                  |                  |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              | X               |
|      | Nymphoides peltata (Gmelin)<br>O. Kuntze |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |

| Code | Name                                       | H.D.<br>Annex II | H.D.<br>Annex IV | H.D.<br>Annex V | B.D.<br>Annex I | Migrat.<br>birds | CFP<br>prohib. | National<br>red list | EU<br>red list | Global<br>red list | Endemic<br>species | Int.<br>conv. | H.D.<br>Annex I | CWR/<br>FRG | IAS<br>Union | Other<br>reason |
|------|--------------------------------------------|------------------|------------------|-----------------|-----------------|------------------|----------------|----------------------|----------------|--------------------|--------------------|---------------|-----------------|-------------|--------------|-----------------|
| 6976 | Pelophylax<br>esculentus                   |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| A072 | Pernis apivorus                            |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1256 | Podarcis muralis                           |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Pseudostellaria<br>europaea<br>Schaeftlein |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
| 1209 | Rana dalmatina                             |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Rhynchospora<br>alba (L.) Vahl             |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
| 1849 | Ruscus<br>aculeatus                        |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Sciurus vulgaris                           |                  |                  |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
|      | Scutellaria minor<br>Hudson                |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
|      | Triturus vulgaris                          |                  |                  |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
| 6091 | Zamenis<br>longissimus                     |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1053 | Zerynthia<br>polyxena                      |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |

**Motivation:** The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

## 4. Site description

### 4.1 Site characteristics

Vegetazione nemorale con formazioni a cerreta attualmente in regressione. Il sito per le sue caratteristiche ecologiche viene attribuito alla regione biogeografica continentale, anche se ricade per il 79% nella regione alpina all'interno dei 7 Km di buffer.

### 4.2 Quality and importance of the site

La Serra di Ivrea è il massimo esempio, a livello europeo, di morena laterale, intatta, dei ghiacciai wurmiani a sud delle Alpi, in gran parte ricoperta da boschi di latifoglie.

### 4.3 Pressures on the site

| 4.3.1<br>Pressure code | 4.3.2<br>Rank | 4.3.3<br>Location | 4.3.4<br>Further details |
|------------------------|---------------|-------------------|--------------------------|
| PA05                   | low           | in                |                          |
| PF05                   | low           | in                |                          |
| PJ03                   | low           | in                |                          |

**Pressure code:** Pressure code

**Rank:** Relative importance of a pressure in the categories high, medium, low.

**Location:** Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

### 4.3.5 Last update of the information on the pressures on the site

202512

### 4.4 Documentation

Badino A., Sella A., Soldano A., 1986 - Stazioni di *Pseudostellaria europaea* Schaeftlein (Dicotyledonae, Caryophyllaceae) e di *Erica cinerea* L. (Dicotyledonae, Ericaceae) in provincia di Vercelli. Rivista Piemont. Storia Nat., 7: 101-105. // Capra F., Galletti P. A., 1978 - Odonati di Piemonte e Valle d'Aosta. Ann. Mus. Civ. St. Nat. "G. Doria", Genova, 82: 1-71. // Desfayes M., 1993 - Flore des lacs et étangs de l'amphithéâtre morainique d'Ivrée et de quelques autres zones humides du Canavais. Rev. Valdôtaine Hist. Nat., 47: 75-82. // Eusebio Bergò P., 2004 - Aggiornamento della Carta Ittica della Provincia di Biella (monitoraggio 2004). Master in Conservazione e Gestione dell'Ambiente e della Fauna. Università di Pavia. // Forneris G., Pistarino A., Siniscalco C., 2003 - Gli erbari come archivi tematici: la flora acquatica e palustre del Piemonte. In Montacchini F., Soldano A. (ed.), 2003 - Atti del Convegno Nazionale "Botanica delle zone umide" (Vercelli - Albano Vercellese 10 - 11 Novembre 2000). pp. 11-61. Mus. Reg. Sci. Nat. Torino. // GRAIA, 2002 - Piano Ittico della Provincia di Biella. Provincia di Biella, settore tutela ambientale e agricoltura. // Lonati M., 2006 - Note floristiche piemontesi n. 32. *Nymphoides peltata* (Gmelin) O. Kuntze (Menyanthaceae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 435. // Minuzzo C., Bergò Eusebio P., 2008 - Note floristiche piemontesi n.129. *Adiantum capillus-veneris* L. (Adiantaceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 29: 439-474. // Raviglione M., Boggio F., 2001 - Le Farfalle del Biellese. Collana Ambiente. Assessorato alla Tutela Ambientale. Provincia di Biella. // Soldano A., Sella A., 2000 - Flora spontanea della provincia di Biella. Edizioni dell'Orso, Alessandria.

#### 4.4.1 Link(s)

#### 4.4.2 Last update of the documentation information

202412

## 5. Site management

### 5.1 Body responsible for the site management

#### 5.1.1 Name of the organization

Regione Piemonte- Settore Biodiversità e Aree naturali

#### 5.1.2 Contact point in the organisation (optional)

No information provided

#### 5.1.3 Postal address

**5.1.4 Functional mailbox email address**  
biodiversita@regione.piemonte.it

**5.1.5 Website with contact information**  
No information provided

**5.2 Management plans**

**5.2.1 Existence of management plan(s)**  
Preparation

**5.2.2 Reference and validity of the management plan(s)**

| Name of the plan | Link to the plan (URI) | Validity of the plan (start date) | Duration (number of months) |
|------------------|------------------------|-----------------------------------|-----------------------------|
|------------------|------------------------|-----------------------------------|-----------------------------|

**5.2.3 Further explanations**

**5.3 Conservation measures**

**5.3.1 Detailed information on measures**

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

| 5.3.1.b Title | 5.3.1.c Link to online resource |
|---------------|---------------------------------|
|---------------|---------------------------------|

Deliberazione n.10-398/2024/XII del 21/11/2024

<https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta>

**Further explanations on detailed conservation measures**  
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

**5.3.2 Status of conservation measures**

Are the necessary measures established?

Are the established measures implemented?

**5.4 Management effectiveness**

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

**6. Geospatial representation of the site**

**6.1 INSPIRE identifier**

**6.1.1 Namespace**

**6.1.2 Local identifier**

**6.1.3 Version identifier (optional)**