

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Val Troncea (IT1110080 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1110080

1.3 Site name

Val Troncea

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2006-10

1.5.2 SPA classification act (URI or free text)

D.G.R. n.76-2950 del 22/05/2006

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

10130

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3220	Alpine rivers and the herbaceous vegetation along their banks	No		8.75		complete	
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		0.56		complete	
4060	Alpine and Boreal heaths	No		674.79		complete	
4080	Sub-Arctic <i>Salix</i> spp. scrub	No		11.73		complete	
6150	Siliceous alpine and boreal grasslands	No		1425.01		complete	
6170	Alpine and subalpine calcareous grasslands	No		1620.37		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No		66.32		complete	
6230	Species-rich <i>Nardus</i> grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		23.8		complete	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		0.1		complete	

6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No	23.28	complete
6520	Mountain hay meadows	No	277.36	complete
7220	Petrifying springs with tufa formation (Cratoneurion)	No	0.1	complete
7230	Alkaline fens	No	0.1	complete
7240	Alpine pioneer formations of the Caricion bicoloris-atrofuscae	No	1.61	complete
8110	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	No	1756.45	complete
8120	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	No	89.91	complete
8210	Calcareous rocky slopes with chasmophytic vegetation	No	78.9	complete
8220	Siliceous rocky slopes with chasmophytic vegetation	No	859.93	complete
9110	Luzulo-Fagetum beech forests	No	49.7	complete
9130	Asperulo-Fagetum beech forests	No	49.7	complete
9420	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	No	2771.83	complete
9430	Subalpine and montane <i>Pinus uncinata</i> forests (* if on gypsum or limestone)	No	31.07	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3220	Alpine rivers and the herbaceous vegetation along their banks	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

4060	Alpine and Boreal heaths	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
4080	Sub-Arctic Salix spp. scrub	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6150	Siliceous alpine and boreal grasslands	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
6170	Alpine and subalpine calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C	C	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	B	202412

6520	Mountain hay meadows	No	significant	B	C	C	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	A	C	B	A	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

7230	Alkaline fens	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
7240	Alpine pioneer formations of the <i>Caricion bicoloris -atrofuscae</i>	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	20241 2

8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

9110	Luzulo-Fagetum beech forests	No	significant	C	C	C	20241 2	
Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								
9130	Asperulo-Fagetu m beech forests	No	significant	C	C	B	C	20241 2
Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								

9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512
9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A474	Acanthis flammea			r				P	insufficient	
B	A085	Accipiter gentilis			p				P	insufficient	
B	A086	Accipiter nisus			p				P	insufficient	
B	A324	Aegithalos caudatus			p				P	insufficient	
B	A223	Aegolius funereus			p				P	insufficient	
B	A223	Aegolius funereus			r	10	15	p		complete	

B	A247	<i>Alauda arvensis</i>	r				R	insufficient
B	A412	<i>Alectoris graeca saxatilis</i>	r	30	40	p		complete
B	A412	<i>Alectoris graeca saxatilis</i>	p				P	insufficient
B	A256	<i>Anthus trivialis</i>	r				P	insufficient
B	A091	<i>Aquila chrysaetos</i>	r	3	3	p		complete
B	A091	<i>Aquila chrysaetos</i>	p				P	insufficient
B	A215	<i>Bubo bubo</i>	p				P	insufficient
B	A215	<i>Bubo bubo</i>	r	2	3	p		complete
B	A364	<i>Carduelis carduelis</i>	r				P	insufficient
B	A334	<i>Certhia familiaris</i>	p				P	insufficient
B	A363	<i>Chloris chloris</i>	r				P	insufficient
B	A264	<i>Cinclus cinclus</i>	p				P	insufficient
B	A113	<i>Coturnix coturnix</i>	r				R	insufficient
B	A212	<i>Cuculus canorus</i>	r				P	insufficient
B	A236	<i>Dryocopus martius</i>	p				P	insufficient
B	A236	<i>Dryocopus martius</i>	r				C	insufficient
B	A378	<i>Emberiza cia</i>	r				P	insufficient
B	A376	<i>Emberiza citrinella</i>	r				P	insufficient

B	A379	Emberiza hortulana	r				P	insufficient
B	A269	Erithacus rubecula	r				P	insufficient
B	A359	Fringilla coelebs	r				P	insufficient
B	A342	Garrulus glandarius	r				P	insufficient
B	A217	Glaucidium passerinum	r	1	1	p		complete
B	A217	Glaucidium passerinum	p				P	insufficient
B	A076	Gypaetus barbatus	c	1	3	i		limited
B	A233	Jynx torquilla	r				P	insufficient
B	A713	Lagopus muta helvetica	p				P	insufficient
B	A713	Lagopus muta helvetica	r	40	60	p		complete
B	A338	Lanius collurio	r				P	insufficient
B	A476	Linaria cannabina	r				P	insufficient
B	A497	Lophophanes cristatus	p				P	insufficient
B	A369	Loxia curvirostra	p				P	insufficient
B	A876	Lyrurus tetrix tetrix	p				P	insufficient
B	A876	Lyrurus tetrix tetrix	r	80	120	p		complete
B	A280	Monticola saxatilis	r				P	insufficient

B	A358	Montifringilla nivalis	p				P	insufficient
B	A261	Motacilla cinerea	r				P	insufficient
B	A344	Nucifraga caryocatactes	p				P	insufficient
B	A277	Oenanthe oenanthe	r				P	insufficient
B	A473	Periparus ater	p				P	insufficient
B	A273	Phoenicurus ochruros	r				P	insufficient
B	A499	Phylloscopus bonelli	r				R	insufficient
B	A572	Phylloscopus collybita	r				P	insufficient
B	A866	Picus viridis	p				P	insufficient
B	A492	Poecile montanus	p				P	insufficient
B	A267	Prunella collaris	p				P	insufficient
B	A266	Prunella modularis	r				P	insufficient
B	A346	Pyrrhonorax pyrrhonorax	p				P	insufficient
B	A346	Pyrrhonorax pyrrhonorax	r	15	20	p		complete
B	A372	Pyrrhula pyrrhula	p				P	insufficient
B	A317	Regulus regulus	p				P	insufficient
B	A275	Saxicola rubetra	r				C	insufficient
B	A361	Serinus serinus	r				P	insufficient
B	A310	Sylvia borin	r				R	insufficient

B	A574	Sylvia curruca	r				R	insufficient
B	A333	Tichodroma muraria	p				P	insufficient
B	A265	Troglodytes troglodytes	r				P	insufficient
B	A283	Turdus merula	r				P	insufficient
B	A285	Turdus philomelos	r				R	insufficient
B	A284	Turdus pilaris	r				P	insufficient
B	A282	Turdus torquatus	r				P	insufficient
B	A287	Turdus viscivorus	r				P	insufficient
I	1065	Euphydryas aurinia	p	3	3	grids1x1		complete
I	6199	Euplagia qua dripunctaria	p				P	insufficient
M	1308	Barbastella barbastellus	p	4	4	grids1x1		complete
M	1352	Canis lupus	p	1	1	p		complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
B	A474	Acanthis flammea	r	significant		C		A					C	B	202412
B	A085	Accipiter gentilis	p	significant		C		A					C	B	202412
B	A086	Accipiter nisus	p	significant		C		A					C	B	202412
B	A324	Aegithalos caudatus	p	significant		C		A					C	B	202412
B	A223	Aegolius funereus	p	significant		C		A					B	B	202412
B	A223	Aegolius funereus	r	significant		C		A					B	B	202412
B	A247	Alauda arvensis	r	significant		C		B					C	B	202412
B	A412	Alectoris graeca saxatilis	r	significant		C		B					C	B	202412
B	A412	Alectoris graeca saxatilis	p	significant		C		B					C	B	202412
B	A256	Anthus trivialis	r	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	r	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	p	significant		C		A					C	B	202412
B	A215	Bubo bubo	p	significant		C		A					C	B	202412

B	A21 5	Bubo bubo	r	significant	C	A	C	B	20241 2
B	A36 4	Carduelis carduelis	r	significant	C	A	C	B	20241 2
B	A33 4	Certhia familiaris	p	significant	C	A	C	B	20241 2
B	A36 3	Chloris chloris	r	significant	C	A	C	B	20241 2
B	A26 4	Cinclus cinclus	p	significant	C	A	C	B	20241 2
B	A11 3	Coturnix coturnix	r	significant	C	C	C	C	20241 2
B	A21 2	Cuculus canorus	r	significant	C	A	C	B	20241 2
B	A23 6	Dryocopus martius	p	significant	C	B	C	B	20241 2
B	A23 6	Dryocopus martius	r	significant	C	B	C	B	20241 2
B	A37 8	Emberiza cia	r	significant	C	A	C	B	20241 2
B	A37 6	Emberiza citrinella	r	significant	C	A	C	B	20241 2
B	A37 9	Emberiza hortulana	r	significant	C	B	C	B	20241 2
B	A26 9	Erithacus rubecula	r	significant	C	A	C	B	20241 2
B	A35 9	Fringilla coelebs	r	significant	C	A	C	B	20241 2
B	A34 2	Garrulus glandarius	r	significant	C	A	C	B	20241 2

B	A217	Glaucidium passerinum	r	significant	C	A	C	B	202412
B	A217	Glaucidium passerinum	p	significant	C	A	C	B	202412
B	A076	Gypaetis barbatus	c	significant	C	C	B	C	202412
B	A233	Jynx torquilla	r	significant	C	A	C	B	202412
B	A713	Lagopus muta helvetica	p	significant	C	A	B	B	202412
B	A713	Lagopus muta helvetica	r	significant	C	A	B	B	202412
B	A338	Lanius collurio	r	significant	C	B	C	B	202412
B	A476	Linaria cannabina	r	significant	C	A	C	B	202412
B	A497	Lophophanes cristatus	p	significant	C	A	C	B	202412
B	A369	Loxia curvirostra	p	significant	C	A	C	B	202412
B	A876	Lyrurus tetrix tetrix	p	significant	C	B	C	B	202412
B	A876	Lyrurus tetrix tetrix	r	significant	C	B	C	B	202412
B	A280	Monticola saxatilis	r	significant	C	A	C	B	202412
B	A358	Montifringilla nivalis	p	significant	C	A	C	B	202412

B	A26 1	Motacilla cinerea	r	significant	C	A	C	B	20241 2
B	A34 4	Nucifrag a caryoc atactes	p	significant	C	A	C	B	20241 2
B	A27 7	Oenanthe e oenanthe	r	significant	C	A	C	B	20241 2
B	A47 3	Periparu s ater	p	significant	C	A	C	B	20241 2
B	A27 3	Phoenicu rus ochruros	r	significant	C	A	C	B	20241 2
B	A49 9	Phyllosc opus bonelli	r	significant	C	B	C	B	20241 2
B	A57 2	Phyllosc opus collybita	r	significant	C	A	C	B	20241 2
B	A86 6	Picus viridis	p	significant	C	A	C	B	20241 2
B	A49 2	Poecile montanu s	p	significant	C	A	C	B	20241 2
B	A26 7	Prunella collaris	p	significant	C	A	C	B	20241 2
B	A26 6	Prunella modulari s	r	significant	C	A	C	B	20241 2
B	A34 6	Pyrrhoco rax pyrrh ocorax	p	significant	C	A	C	B	20241 2
B	A34 6	Pyrrhoco rax pyrrh ocorax	r	significant	C	A	C	B	20241 2
B	A37 2	Pyrrhula pyrrhula	p	significant	C	A	C	B	20241 2

B	A317	Regulus regulus	p	significant	C	A	C	B	202412
B	A275	Saxicola rubetra	r	significant	C	B	C	B	202412
B	A361	Serinus serinus	r	significant	C	A	C	B	202412
B	A310	Sylvia borin	r	significant	C	B	C	B	202412
B	A574	Sylvia curruca	r	significant	C	B	C	B	202412
B	A333	Tichodroma muraria	p	significant	C	B	C	B	202412
B	A265	Troglodytes troglodytes	r	significant	C	A	C	B	202412
B	A283	Turdus merula	r	significant	C	B	C	B	202412
B	A285	Turdus philomelos	r	significant	C	B	C	B	202412
B	A284	Turdus pilaris	r	significant	C	B	C	B	202412
B	A282	Turdus torquatus	r	significant	C	B	C	B	202412
B	A287	Turdus viscivorus	r	significant	C	B	C	B	202412
I	1065	Euphryas aurinia	p	significant	C	B	C	B	202412
I	6199	Euplagia quadripunctaria	p	significant	C	B	C	B	202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
M	1352	Canis lupus	p	significant	C	B	C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	1213	Rana temporaria		no				P
A	1179	Salamandra lanzai		no				P
A		Salamandra salamandra		no				P
B	A237	Dendrocopos major		no				P
B	A282	Turdus torquatus		no				P
I		Agriades glandon		no				P
I		Albulina optilete		no				P
I		Albulina orbitulus		no				P
I		Aricia nicias		no				P
I		Boloria napaea		no				P

I		Boloria pales	no	P
I		Carabus cychroides	no	P
I		Carabus fairmairei fenestrellanus	no	P
I		Coenonympha gardetta	no	P
I		Coenonympha glycerion	no	P
I		Colias palaeno	no	P
I		Colias phicomone	no	P
I		Erebia aethiopella	no	P
I		Erebia albertanus	no	P
I		Erebia carmentis	no	P
I		Erebia epiphron	no	P
I		Erebia euryale	no	P
I		Erebia neoridas	no	P
I		Erebia pandrose	no	P
I		Erebia pluto	no	P
I		Euphydryas cynthia	no	P
I		Lycaena eurydame	no	P
I	1058	Maculinea arion	no	P
I		Mellicta varia	no	P
I		Oeneis glacialis	no	P
I	1057	Parnassius apollo	no	P
I	1056	Parnassius mnemosyne	no	P
I		Parnassius phoebus	no	P
I		Polyommatus eros	no	P

M	1375	Capra ibex	no	P
M		Capreolus capreolus	no	P
M		Chionomys nivalis	no	P
M		Eliomys quercinus	no	P
M		Lepus europaeus	no	P
M	1334	Lepus timidus	no	P
M		Marmota marmota	no	P
M		Martes foina	no	P
M	1357	Martes martes	no	P
M		Meles meles	no	P
M	1341	Muscardinus avellanarius	no	P
M		Mustela erminea	no	P
M		Mustela nivalis	no	P
M	1330	Myotis mystacinus	no	P
M	1326	Plecotus auritus	no	P
M	1369	Rupicapra rupicapra	no	P
M		Sciurus vulgaris	no	P
M		Sorex araneus	no	P
M		Sorex minutus	no	P
P		Androsace brigantiaca	no	P
P		Androsace carnea	no	P
P	1480	Aquilegia alpina	no	P
P	1762	Arnica montana	no	C
P	1764	Artemisia genipi	no	P
P		Astragalus danicus	no	P

P		Astragalus depressus	no	P
P		Campanula alpestris All.	no	P
P		Carex atrofusca Schkuhr	no	P
P		Carex fimbriata Schkuhr	no	P
P		Cortusa matthioli L.	no	P
P		Gagea pratensis (Pers.) Dumort.	no	P
P		Galium pseudohelveticum Ehrend.	no	P
P	1657	Gentiana lutea	no	P
P		Gentiana schleicheri (Vaccari) Kunz	no	P
P		Juncus arcticus Willd.	no	P
P		Kobresia simpliciuscula (Wahlenb.) Mack.	no	P
P		Lactuca tenerrima Pourret	no	P
P		Leontopodium alpinum Cass.	no	P
P		Minuartia biflora (L.) Sch. et Th.	no	P
P		Orchis cruenta	no	P
P		Rhynchosinapis richeri (Vill.) Heyw.	no	P
P		Saxifraga biflora All.	no	P
P	1522	Saxifraga valdensis	no	P

P		Tulipa australis Link	no	P
P		Veronica allionii Vill.	no	P
R		Anguis fragilis	no	P
R	1283	Coronella austriaca	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Agriades glandon															X
	Albulina optilete							X								
	Albulina orbitulus															X
	Androsace brigantiaca							X								
	Androsace carnea							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Anguis fragilis											X				
1480	Aquilegia alpina		X													
	Aricia nicias							X								
1762	Arnica montana			X												
1764	Artemisia genipi			X												
	Astragalus danicus															X
	Astragalus depressus															X
	Boloria napaea															X
	Boloria pales															X
	Campanula alpestris All.							X								
1375	Capra ibex			X												
	Capreolus capreolus											X				
	Carabus cychroides							X								
	Carabus fairmairei fenestrellanus										X					
	Carex atrofusca Schkuhr							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Carex fimbriata Schkuhr							X								
	Chionomys nivalis											X				
	Coenonympha gardetta										X					
	Coenonympha glycerion															X
	Colias palaeno							X								
	Colias phicomone															X
1283	Coronella austriaca		X													
	Cortusa matthioli L.							X								
A237	Dendrocopos major					X						X				
	Eliomys quercinus											X				
	Erebia aethiopella										X					
	Erebia alberganus															X
	Erebia carmentis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Erebia epiphron															X
	Erebia euryale															X
	Erebia neoridas															X
	Erebia pandrose															X
	Erebia pluto										X					
	Euphydryas cynthia															X
	Gagea pratensis (Pers.) Dumort.															X
	Galium pseudoh elveticum Ehrend.							X								
1657	Gentiana lutea			X												
	Gentiana schleicheri (Vaccari) Kunz							X								
	Juncus arcticus Willd.															X
	Kobresia simpliciuscula (Wahlenb.) Mack.															X
5179	Lacerta bilineata		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Lactuca tenerrima Pourret															X
	Leontopodium alpinum Cass.							X								
	Lepus europaeus											X				
1334	Lepus timidus			X												
	Lycaena eurydame															X
1058	Maculinea arion		X													
	Marmota marmota											X				
	Martes foina											X				
1357	Martes martes			X												
	Meles meles											X				
	Mellicta varia															X
	Minuartia biflora (L.) Sch. et Th.							X								
1341	Musccardinus avellanarius		X													
	Mustela erminea											X				
	Mustela nivalis											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1330	Myotis mystacinus		X													
	Natrix natrix											X				
	Oeneis glacialis										X					
	Orchis cruenta															X
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
	Parnassius phoebus							X								
1326	Plecotus auritus		X													
1256	Podarcis muralis		X													
	Polyommatus eros															X
1213	Rana temporaria			X												
	Rhynchosinapis richeri (Vill.) Heyw.							X								
1369	Rupicapra rupicapra			X												
1179	Salamandra lanzai		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Salamandra salamandra											X				
	Saxifraga biflora All.															X
1522	Saxifraga valdensis		X													
	Sciurus vulgaris											X				
	Sorex araneus											X				
	Sorex minutus											X				
	Tulipa australis Link							X								
A282	Turdus torquatus					X						X				
	Veronica allionii Vill.							X								
	Vipera aspis											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Sito caratterizzato dall'azione di fenomeni erosivo-gravitativi, tutt'ora in corso, sulla preesistente morfologia glaciale. Paesaggio dominato dagli ambienti legati alle tipiche cenosi vegetali che si susseguono dal piano montano superiore a quello alto-alpino, con arbusteti subalpini diffusi su tutto il territorio e cenosi boschive essenzialmente costituite da lariceti. Formazioni erbacee costituite da praterie, prato-pascoli e praterie rupicole, sostituite alle quote superiori dalla vegetazione discontinua che colonizza macereti e rupi.

4.2 Quality and importance of the site

Presenti 14 ambienti di interesse comunitario. Notevole ricchezza floristica: circa 650 specie (tra cui endemismi e specie rare o rarissime) nella sola area del Parco Naturale della Val Troncea. Riguardo all'avifauna, per la sola Val Troncea segnalate 62 specie (11 delle quali inserite nell'All. I della Dir. Uccelli) di cui 54 nidificanti. Mammalofauna conta 26 specie tra cui anche lupo ed una popolazione di stambecco numericamente importante. Invertebrati rappresentati da importanti popolazioni di coleotteri e lepidotteri.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	high	in	
PA07	low	in	
PA08	low	in	
PB04	low	in	
PF03	low	in	
PF14	low	in	
PJ03	high	in	
PL06	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreone F., Sindaco R. (Editors), 1998 - Erpetologia del Piemonte e della Valle d'Aosta. Mus. Reg. Scienze Nat. (Monografie XXVI) Torino; Bisio L., 1986 - *Nebria gagates* Bonelli specie interessante del Piemonte e della Valle d'Aosta: nuovi reperti. Riv. Piem. St. Nat., 7: 107-112; Bisio L., 1994 - Contributo alla conoscenza di Alcuni *Pterostichus* orofili del Piemonte (Coleoptera, Carabidae). Riv. Piem. St. Nat., 15: 67-98; Bouvet D., Pivani F., 1998 - Contributo alla conoscenza della flora della Val Troncea (Piemonte, Alpi Cozie). Riv. Piem. St. Nat., 19: 17-42; Cucco M., Levi L., Maffei G., Pulcher C., 1996 - Atlante degli uccelli di Piemonte e Valle d'Aosta in inverno (1996-1992). Mus. Reg. Scienze Nat. (Monografie XIX) Torino; Giovo M., Rosselli D. - La popolazione di Stambecco (*Capra ibex*) reintrodotta in val Troncea e val Germanasca (Alpi Cozie, Torino): distribuzione, consistenza e demografia (1987-2001); Giovo M., Rosselli D., 2002 - Lo stambecco in Val Troncea e Val Germanasca ? Regione Piemonte, Parco Naturale Val Troncea, Quaderni del Parco 1; I.P.L.A., 1982 - Piano Naturalistico del Parco Naturale della Val Troncea. Regione Piemonte. Dipartimento Affari Economico Istituzionali Assessorato alla Programmazione Economica e alla Pianificazione del Territorio, Servizio Parchi (approvato); Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980- 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Rosselli D., Felizia B., Campantico P., 1996 - Occupazione di cassette nido da parte della Civetta capogrosso (*Aegolius funereus*) nel Parco Naturale della Val Troncea: aspetti riproduttivi e trofici. Avocetta, 20 (1): 26-32 Rosselli D., Giovo M., 1999 - La dieta della Civetta capogrosso (*Aegolius funereus*) nel Parco Naturale Val Troncea (Torino) - Avocetta, 23: 117 Atti del X Convegno Italiano di Ornitologia (Caorle 1999). Giovo M., Pivani F., 2002 - Situazione della colonia di Stambecco (*Capra ibex*) del Parco Naturale Val Troncea (Alpi Cozie, Torino, Italia) a 10 anni dalla reintroduzione. - Peracino V. (a cura di) Note sullo Stambecco del Gran Paradiso e sulla sua reintroduzione sull'arco alpino, 43-54. Parco Nazionale Gran Paradiso. Giovo M., Rosselli D., 2003 - La popolazione di Stambecco *Capra ibex* reintrodotta in Val Troncea e Val

Germanasca (Alpi Cozie, Torino): distribuzione, consistenza e demografia (1987-2001) - Rivista Piemontese di Storia Naturale, Vol. XXIV: 327-344. Giovo M., Rosselli D., 2004 - Rivista Piemontese di Storia Naturale, Vol. XXIV: 327-344. - L'habitat stagionale dello Stambecco Capra ibex in Val Chisone e Val Germanasca (Alpi Cozie, Torino) - Rivista Piemontese di Storia Naturale, Vol. XXV: 115-137. Rastelli M., Curletti G., 2007 – Note sui coleotteri xilofagi del Parco Naturale Val Troncea – Pragelato (To) (Coleoptera: Cerambycidae, Buprestidae) - Rivista Piemontese di Storia Naturale, Vol. XXVIII. Maurino L., Probo M., Gorlier A., Lonati M., 2013 – Status of rock partridge *Alectoris graeca saxatilis* in Val Troncea Regional Park (Piedmont, north-west Italy) – Avocetta 37: 129-132 Maurino L., 2012 - La pernice bianca *Lagopus mutus* nel Parco Naturale Val Troncea.. In Benussi E. & Perco F. (a cura di). Atti del XIV Convegno Nazionale di Ornitologia – Riv. Ital. Orn., 82: 189-192. Maurino L., 2012 - Analisi dei censimenti primaverili di coturnice *Alectoris graeca* nel Parco Naturale Val Troncea.. In Benussi E. & Perco F. (a cura di). Atti del XIV Convegno Nazionale di Ornitologia – Riv. Ital. Orn., 82: 187-189. Maurino L. & Giovo M., 2012 - Winter census of Alpine ibex *Capra ibex* in Chisone, Germanasca and Pellice Valleys (Piedmont, Italy). Atti del 22 st Meeting of the Alpine Ibex European Specialist Group. (Zernez CH, 26-28 ottobre 2012). Maurino L. & Rosselli D., 2012- Monitoraggio estivo del fagiano di monte *Tetrao tetrix* nel SIC – ZPS Val Troncea. Convegno finale del progetto Alcotra Galliformi Alpini. I Galliformi Alpini sulle Alpi Occidentali come indicatori ambientali: Monitoraggio, conservazione e gestione delle specie. Torino 5 Luglio 2012.

http://www.regione.piemonte.it/agri/area_tecnico_scientifica/osserv_faun/progetti/alcotra.htm Maurino L., Alberti S., Boetto E., Fornero C., Peyrot V. Rosselli D., Usseglio B., 2012-Monitoraggio invernale dello stambecco *Capra ibex* nel parco Naturale Val Troncea. Atti del VIII Congresso Italiano di Teriologia (Piacenza PC, 9-11 maggio 2012) *Hystrix*, It. J. Mamm. (n.s.) Supp. 2012. Maurino L., Probo M., Lonati M., 2011- Eight years monitoring of Rock Partridge *Alectoris graeca saxatilis* in Val Troncea Regional Park. Abstract book of the first Conference on mediterranean population of the genus *Alectoris* Alessandria Italy 14-15 novembre 2011 Maurino L. & Doglio S., 2010 - Vivere al limite nelle Alpi piemontesi: la rana temporaria nel Parco Naturale Val Troncea. Atti dell'VIII Congresso Nazionale Societas Herpetologica Italica (Chieti, 22-26 settembre 2010) Maurino L., 2010 - Applicazione del distance sampling nel monitoraggio degli ungulati nel Parco Naturale Val Troncea (Alpi Cozie, Italia). Atti del VII Congresso Italiano di Teriologia (Fabriano AN, 5-7 maggio 2010) *Hystrix*, It. J. Mamm. (n.s.) Supp. 2010. Maurino L., Alberti S., Rosselli D., Doglio S., 2009 - Segnalazione all'Osservatorio Herpetologico Italiano su Colonia di Rana temporaria al Lago Fauri. *Hacta Herpetologica* 4 (2):198, 2009 Maurino L., Monitoraggio del camoscio *Rupicapra rupicapra* nel Parco Naturale Val Troncea: distance sampling e pointage flash, 2008 - Atti del VI Congresso Italiano di Teriologia (Cles TN, 16-18 aprile 2008) *Hystrix*, It. J. Mamm. (n.s.) Supp. 2008. Maurino L., Alberti S., Boetto E., Fornero C., Peyrot V. Rosselli D., Usseglio B., 2008 - Alpine ibex *Capra ibex* in Val Troncea Natural Park: census methodologies and results. Atti del 21 st Meeting of the Alpine Ibex European Specialist Group. Parco Nazionale Gran Paradiso 11-12 dicembre 2008.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle aree protette delle Alpi Cozie

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Fransuà Fontan, 1 - 10050 Salbertrand TO

5.1.4 Functional mailbox email address

info.alpicozie@ruparpiemonte.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione siti natura 2000	http://www.regione.piemonte.it/parc		Not undefined
ZSC IT1110080 Val Troncea	hi/cms/dati-territoriali-new/aree-protette-e-rn2000/pianificazione-e-norme.html		

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)