

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Bosco della Partecipanza di Trino (IT1120002 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1120002

1.3 Site name

Bosco della Partecipanza di Trino

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1075

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		488.98		complete	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		59.13		complete	
91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No		76.5		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					A	202512
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A					A	202412

91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			r				P	insufficient	
B	A229	Alcedo atthis			r	1	1	p		complete	
B	A229	Alcedo atthis			p				P	insufficient	
B	A773	Ardea alba			r	1	3	p		complete	
B	A029	Ardea purpurea			c				P	insufficient	
B	A024	Ardeola ralloides			r	61	61	p		complete	
B	A025	Bubulcus ibis			r	247	247	p		complete	
B	A861	Calidris pugnax			c				P	insufficient	
B	A197	Chlidonias niger			c				P	insufficient	
B	A031	Ciconia ciconia			c				P	insufficient	
B	A030	Ciconia nigra			c	1	1	i		limited	
B	A081	Circus aeruginosus			c				P	insufficient	
B	A082	Circus cyaneus			w				P	insufficient	
B	A207	Columba oenas			w				P	insufficient	
B	A026	Egretta garzetta			r	1121	1121	p		complete	
B	A103	Falco peregrinus			p				P	insufficient	
B	A131	Himantopus himantopus			c				P	insufficient	
B	A022	Ixobrychus minutus			r				P	insufficient	

B	A338	Lanius collurio	r				C	insufficient
B	A073	Milvus migrans	r	1	1	p		complete
B	A023	Nycticorax nycticorax	r	1311	1311	p		complete
B	A072	Pernis apivorus	r				P	insufficient
B	A034	Platalea leucorodia	r	1	3	p		complete
B	A032	Plegadis falcinellus	r	2	2	p		complete
B	A166	Tringa glareola	c				P	insufficient
F	5331	Telestes muticellus	p				P	insufficient
I	1071	Coenonympha oedippus	p				P	insufficient
I	1083	Lucanus cervus	p				P	insufficient
I	1060	Lycaena dispar	p				P	insufficient
I	1037	Ophiogomphus cecilia	p				V	insufficient
M	1308	Barbastella barbastellus	p	2	2	localities		veryLimited
M	1352	Canis lupus	p				P	insufficient
M	1321	Myotis emarginatus	p				P	insufficient
M	1304	Rhinolophus ferrumequinum	p				P	insufficient
P	1428	Marsilea quadrifolia	p				V	insufficient
R	1220	Emys orbicularis	r	1	1	localities		complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	1167	Triturus carnifex	r	significant		C		B					C	B	202412
B	A229	Alcedo atthis	r	non-significant											202412
B	A229	Alcedo atthis	p	non-significant											202412
B	A773	Ardea alba	r	significant		B		B					B	B	202412
B	A029	Ardea purpurea	c	non-significant											202412
B	A024	Ardeola ralloides	r	significant		B		B					C	B	202412
B	A025	Bubulcus ibis	r	significant		B		B					C	B	202412
B	A861	Calidris pugnax	c	significant		C		B					C	B	202412
B	A197	Chlidonias niger	c	non-significant											202412
B	A031	Ciconia ciconia	c	non-significant											202412
B	A030	Ciconia nigra	c	non-significant											202512
B	A081	Circus aeruginosus	c	significant		C		B					C	B	202412
B	A082	Circus cyaneus	w	significant		C		B					C	B	202412
B	A207	Columba oenas	w	significant		C		B					C	C	202412

B	A02 6	Egretta garzetta	r	significant	B	B	C	B	20241 2
B	A10 3	Falco per egrinus	p	significant	C	B	C	B	20241 2
B	A13 1	Himanto pus hima ntopus	c	significant	C	C	C	C	20241 2
B	A02 2	Ixobrych us minutus	r	significant	C	B	C	B	20241 2
B	A33 8	Lanius collurio	r	significant	C	C	C	C	20241 2
B	A07 3	Milvus migrans	r	significant	C	B	C	B	20241 2
B	A02 3	Nycticora x nyctico rax	r	significant	B	B	C	B	20241 2
B	A07 2	Pernis apivorus	r	significant	C	A	C	B	20241 2
B	A03 4	Platalea l eucorodi a	r	significant	C	B	B	B	20241 2
B	A03 2	Plegadis falcinellu s	r	non-significan t					20241 2
B	A16 6	Tringa glareola	c	significant	C	B	C	B	20241 2
F	5331	Telestes muticellu s	p	non-significan t					20241 2
I	1071	Coenony mpha oedippus	p	significant	C	A	B	A	20241 2
I	1083	Lucanus cervus	p	significant	C	A	C	A	20241 2
I	1060	Lycaena dispar	p	significant	C	B	C	B	20241 2

I	1037	Ophiogomphus cecilia	p	significant	C	C	A	C	202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
M	1352	Canis lupus	p	non-significant					202412
M	1321	Myotis emarginatus	p	non-significant					202412
M	1304	Rhinolophus ferrumequinum	p	non-significant					202412
P	1428	Marsilea quadrifolia	p	significant	C	C	C	C	202412
R	1220	Emys orbicularis	r	significant	C	C	B	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A		Triturus vulgaris		no				P
B	A340	Lanius excubitor		no				R
I		Carabus granulatus		no				P
I		Cupido argiades		no				P
I		Heteropterus morpheus		no				P
I		Limenitis camilla		no				P
I		Minois dryas		no				P
I		Nadigella formosanta		no				P
M	1341	Muscardinus avellanarius		no				P
M	1314	Myotis daubentonii		no				P
M	1322	Myotis nattereri		no				P
M	1331	Nyctalus leisleri		no				P
M	1312	Nyctalus noctula		no				P
M	2016	Pipistrellus kuhlii		no				P
M	1317	Pipistrellus nathusii		no				P
M	1309	Pipistrellus pipistrellus		no				P
M	1326	Plecotus auritus		no				P

P		Gladiolus imbricatus L.	no	P
P		Potentilla supina L.	no	P
P		Ranunculus flammula L.	no	P
P	1849	Ruscus aculeatus	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Bufo bufo											X				
6962	Bufotes viridis Complex		X													
	Carabus granulatus							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Cupido argiades															X
	Gladiolus imbricatus L.															X
	Heteropterus morpheus							X								
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X									X				
5179	Lacerta bilineata		X													
A340	Lanius excubitor					X										
	Limenitis camilla															X
	Minois dryas															X
1341	Musccardinus avellanarius		X													
1314	Myotis daubentonii		X													
1322	Myotis nattereri		X													
	Nadigella formosanta															X
	Natrix natrix											X				
1331	Nyctalus leisleri		X													
1312	Nyctalus noctula		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
6976	Pelophylax esculentus			X												
2016	Pipistrellus kuhlii		X													
1317	Pipistrellus nathusii		X													
1309	Pipistrellus pipistrellus		X													
1326	Plecotus auritus		X													
1256	Podarcis muralis		X													
	Potentilla supina L.							X								
	Ranunculus flammula L.							X								
1849	Ruscus aculeatus			X												
	Triturus vulgaris											X				
	Vipera aspis											X				
6091	Zamenis longissimus		X				X									

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Si tratta del bosco planiziale più esteso della pianura piemontese, con presenza di tratti paludosi nelle aree più basse, isolato in mezzo ad una vasta area risicola. Sottoposto a gestione comunitaria sin dal Basso Medio Evo ed ora regolato da un piano di gestione forestale a carattere più conservativo, con una parte riservata all'evoluzione naturale.

4.2 Quality and importance of the site

Il bosco ospita una ricca e diversificata fauna planiziale ed una delle maggiori garzaie del Piemonte (e d'Italia).

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA02	medium	in	
PA14	high	in	
PA17	high	in	
PI01	high	in	
PI02	low	in	
PL06	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Alessandria G., Carpegna F., Della Toffola M., 1991 - L'Airone guardabuoi, *Bubulcus ibis*, nidifica in Piemonte. Riv. Ital. Orn., II-61, ¾: 119-123; Balletto E., Toso G.G., Barberis G. 1982 - Le comunità di Lepidotteri ropaloceri di alcuni ambienti relitti della padania. Quaderni sulla "Struttura delle Zoocenosi terrestri" CNR, Roma 4. Pubbl. AQ/1/183; Barbieri F., Fasola M., Prigioni C., Bogliani G. 1979 - Le garzaie dell'Italia nord-occidentale, 1978. Avocetta; Boano G., 1976 - Gli Ardeidi nidificanti nelle garzaie piemontesi. Gli Uccelli d'Italia, 1: 129-131; Boano G., 1980 - Contributo degli inanellamenti allo studio degli Ardeidi gregari del Piemonte. Riv. Piem. St. Nat., I: 161-170; Casale A., 1983 - Cenosi carabidologica del Bosco della Partecipanza o Bosco Lucedio (Piemonte, Trino Vercellese). Animalia; Corbetta F., Giuliano W., Ubaldi D., Zanotti A.L., 1988 - Il bosco della Partecipanza e Lucedio. Arch. Bot.; Fasola M., Barbieri F., Prigioni C., Bogliani G., 1981 - Le Garzaie in Italia. Avocetta; GPSO, 1982/1995 ? Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta. Riv. Piem. St. Nat. N° 3, 4, 5, 6, 7,8,9,11,12,13,14,15; Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980-1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Moltoni E., 1927 - La nidificazione di *Plegadis falcinellus* (L.) e di *Ardeola ralloides* (Scop.) in Piemonte. Atti Soc. Ital. Sci. Nat.; Mondino G.P., Terzuolo P.G., 1996 - Natural value silvicultural recovery in the "Bosco delle Sorti della Partecipanza" (Trino vercellese). Allionia 34: 333-335; Regione Piemonte - Assessorato ai beni Culturali ed Ambientali, Pianificazione Territoriale, Parchi, Enti Locali, 1990- Piano di assestamento forestale del Parco Naturale del Bosco delle Sorti della Partecipanza di Trino (approvato); Regione Piemonte, 1994 - Piano di Assestamento forestale della Zona di salvaguardia del Bosco della Partecipanza e di Lucedio (approvato); Regione Piemonte. Assessorato Pianificazione Territoriale, Settore Parchi, 2000 ? Piano Naturalistico del Parco Naturale del Bosco delle Sorti della Partecipanza di Trino (redatto); Terzuolo P., 1998 - Un esempio di gestione forestale polifunzionale nel Parco Naturale del Bosco delle Sorti della Partecipanza di Trino (VC). Sherwood - Foreste ed Alberi Oggi, n°31 (2/98)

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address

parcopopiemontese@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Deliberazione n.10-398/2024/XII del 21/11/2024

<https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta>

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)