

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Monte Fenera (IT1120003 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1120003

1.3 Site name

Monte Fenera

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

3348

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.01		limited	
4030	European dry heaths	No		23.64		complete	
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No		0.01		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		5.04		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		5.72		complete	
7220	Petrifying springs with tufa formation (Cratoneurion)	No		0.01		limited	
7230	Alkaline fens	No		0.01		limited	
8130	Western Mediterranean and thermophilous scree	No		0.01		limited	
8210	Calcareous rocky slopes with chasmophytic vegetation	No		2.97		complete	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		0.06		limited	
8310	Caves not open to the public	No			80	limited	

9110	Luzulo-Fagetum beech forests	No	111.64	complete
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	395.66	complete
9180	Tilio-Acerion forests of slopes, screes and ravines	No	104.08	complete
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	12.47	complete
9260	Castanea sativa woods	No	1837.27	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	non-significant									202412
4030	European dry heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	non-significant									202412

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
7220	Petrifying springs with tufa formation (Cratoneurion)	No	non-significant					202412
7230	Alkaline fens	No	non-significant					202412

8130	Western Mediterranean and thermophilous scree	No	non-significant							202412
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	A	C	A			A	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17					
8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	C	C	B			B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17					

8310	Caves not open to the public	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
9110	Luzulo-Fagetum beech forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	B	B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	B	C	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9260	<i>Castanea sativa</i> woods	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
F	1097	Lethenteron zanandreaei			p	1	1	localities		complete	
F	5331	Telestes muticellus			p	6	6	localities		complete	
I	1092	Austropotamo bius pallipes			p	3	5	localities		complete	
I	1071	Coenonymph a oedippus			p	1	1	localities		complete	
I	6199	Euplagia qua dripunctaria			p				P	insufficient	
M	1308	Barbastella barbastellus			p	4	4	localities		complete	

M	1352	Canis lupus	p				R	insufficient
M	1307	Myotis blythii	p	9	9	localities		complete
M	1321	Myotis emarginatus	p	2	2	localities		complete
M	1324	Myotis myotis	p	9	9	localities		complete
M	1304	Rhinolophus ferrumequinum	w	50	150	i		complete
M	1303	Rhinolophus hipposideros	w				P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
F	1097	Lethenteron zana ndreai	p	non-significant											202412
F	5331	Telestes muticellus	p	significant		C		B					C	C	202412
I	1092	Austropotamobius pallipes	p	significant		C		C					C	C	202412
I	1071	Coenonympha oedippus	p	significant		C		C					B	C	202412
I	6199	Euplagia quadripunctaria	p	non-significant											202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	C	202412
M	1352	Canis lupus	p	non-significant											202412
M	1307	Myotis blythii	p	significant		C		B					C	C	202412
M	1321	Myotis emarginatus	p	significant		C		B					C	C	202412
M	1324	Myotis myotis	p	significant		C		B					C	C	202412
M	1304	Rhinolophus ferrumequinum	w	significant		C		A					C	A	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Triturus vulgaris		no				P
B	A229	Alcedo atthis		no				P
B	A030	Ciconia nigra		no	1	1	p	
B	A103	Falco peregrinus		no				P
B	A073	Milvus migrans		no				P
B	A072	Pernis apivorus		no				P
I		Carterocephalus palaemon		no				P
I		Minois dryas		no				P

I		Neptis rivularis	no	P
I	1057	Parnassius apollo	no	P
I	1053	Zerynthia polyxena	no	P
M	1322	Myotis nattereri	no	P
M	1326	Plecotus auritus	no	P
M	1333	Tadarida teniotis	no	P
P		Gentiana pneumonanthe L.	no	P
P		Osmunda regalis L.	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A229	Alcedo atthis				X											
	Carterocephalus palaemon											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A030	Ciconia nigra				X											
A103	Falco peregrinus				X											
	Gentiana pneumonanthe L.							X								
5670	Hierophis viridiflavus		X													
5179	Lacerta bilineata		X													
A073	Milvus migrans				X											
	Minois dryas															X
1322	Myotis nattereri		X													
	Neptis rivularis															X
	Osmunda regalis L.															X
1057	Parnassius apollo		X													
A072	Pernis apivorus				X											
1326	Plecotus auritus		X													
1256	Podarcis muralis		X													
1333	Tadarida teniotis		X													
	Triturus vulgaris											X				
6091	Zamenis longissimus		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1053	Zerynthia polyxena		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Rilievo calcareo isolato in un'area caratterizzata da rocce acide, estesamente boscato, con sviluppati fenomeni carsici, pareti rocciose e ripari utilizzati in epoca preistorica. Il sito per le sue caratteristiche ecologiche viene attribuito alla regione biogeografica continentale, anche se ricade per il 84% nella regione alpina all'interno dei 7 Km di buffer.

4.2 Quality and importance of the site

Unico sito italiano di nidificazione di *Ciconia nigra*. Nelle grotte è presente una ricca fauna cavernicola, tra cui invertebrati endemici, molluschi e chiroteri (*Rhinolophus ferrumequinum* e *myotis myotis*). Nel sito sono segnalate oltre 400 specie di flora. Uniche stazioni note in Piemonte di *Bromus stenophyllus* e *Carex ferruginea* subsp. *austroalpina*.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	high	in	
PB04	low	in	
PI02	medium	in	
PM03	low	in	
PM07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

AA.VV., 2002 - La Flora del Fenera tra Miti, Storia e Natura. Edizioni Mercurio, Vercelli. // Bertolani Marchetti D., 1954 - Ricerche sulla vegetazione della Valsesia. I. L'opera e le raccolte dell'abate Carestia in Valsesia. Nuovo Giorn. Bot. Ital., n.s., 61: 515-578. // Debernardi P., Patriarca E., Toffoli R., 2007 - Monitoraggio delle colonie di Chiroteri riproduttive e svernanti di particolare interesse conservazionistico presenti in Piemonte. Rapporto 2006-2007. Parco Naturale dei Laghi di Avigliana - Piemonte Parchi. (Rapporto inedito). // I.P.L.A., 1992 - Parco naturale del Monte Fenera: Piano di assestamento forestale (1992-2006). Regione Piemonte. Assessorato ai beni Culturali ed Ambientali, Pianificazione Territoriale, Parchi, Enti Locali. Settore Parchi naturali. (approvato). // Lana E., 2001 - Biospeleologia del Piemonte. Atlante fotografico sistematico. Regione Piemonte. Associazione Gruppi Speleologici Piemontesi. pp. 260. // Marchetti D., Soster M., 1992 - Note su tre felci nuove per la Valsesia (Piemonte) e rare per l'Italia: *Asplenium trichomanes* L. subsp. *pachyrachis* (Christ.) Lovis et Reichst., *Asplenium adulterinum* Milde subsp. *adulterinum* e *Dryopteris remota* (A. Braun) Druce. Boll. Mus. reg. Sci. nat. Torino, 10 (1): 113-124. // Pascutto T., 1998 - Indagini biospeleologiche in cavità del Piemonte settentrionale. C.A.I. sezione di Biella, Tipolitografia di Borgosesia. // Rotti G., 1991 - La vite selvatica del Fenera. Not. C.A.I. Varallo, 5 (2): 43-44. // Rotti G., 1992 - Uno studio monografico sulla flora del monte Fenera. Not. C.A.I. Varallo, 6 (35). // Soldano A., Badino A., 1989 - Flora del Monte Fenera (Bassa Valsesia). Riv. Piem. St. Nat., 10: 93-112. // Soldano M., 1990 - Nuovi dati sulla distribuzione di *Carterocephalus palaemon* Pallas in Piemonte. Riv. Piem. St. Nat., 11: 125-128. // Soster M., 1986 - Le nostre felci. Trattato sulle felci con indagine della loro presenza e distribuzione in Valsesia. CAI-Sezione di Varallo, Varallo. // Soster M., 2004 - Flora eletta valesiana. Regione Piemonte, Parco Naturale Alta Valsesia, Torino; 329 pp.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle Aree protette della Valsesia

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Corso Roma, 35 - 13019 Varallo VC

5.1.4 Functional mailbox email address

info@areeprotettevallesesia.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
SITO DI IMPORTANZA COMUNITARIA e ZONA di PROTEZIONE SPECIALE IT1120003 – Monte Fenera PIANO DI GESTIONE	<a href="http://www.regione.piemonte.it/parc
hi/cms/dati-territoriali-new/aree-prot
ette-e-rn2000/pianificazione-e-nor
me.html">http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)