

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Palude di S. Genuario (IT1120007 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1120007

1.3 Site name

Palude di S. Genuario

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

426

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		3.2		limited	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		5.9		limited	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No		3		limited	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		45		complete	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412

3260	Water courses of plain to montane levels with the Ranunculus fluitans and Callitriche-Batrachion vegetation	No	significant	A	C Calcolata come rapporto tra il valore di $F_{3,1_4}$ habitat cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B	A	2021 2
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	C	C Calcolata come rapporto tra il valore di $F_{3,1_4}$ habitat cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B	C	2021 2

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
A	1167	Triturus carnifex			p				P	insufficient	
F	5304	Cobitis bilineata			p	1	1	localities		complete	
F	1097	Lethenteron zanandreaei			p	3	3	localities		complete	
F	5962	Protochondrostoma genei			p				P	insufficient	
F	1114	Rutilus pigus			p				P	insufficient	
F	1991	Sabanejewia larvata			p	1	1	localities		complete	

F	5331	Telestes muticellus	p	2	2	localities	complete
I	1060	Lycaena dispar	p			P	insufficient
M	1352	Canis lupus	p			P	insufficient
M	1304	Rhinolophus ferrumequinum	p	5	5	localities	complete
P	1428	Marsilea quadrifolia	p			V	insufficient
R	1220	Emys orbicularis	p	156	156	i	complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
F	5304	Cobitis bilineata	p	significant		C		B					C	B	202412
F	1097	Lethenteron zanaandreae	p	significant		C		B					C	C	202412
F	5962	Protochondrostoma genei	p	non-significant											202412
F	1114	Rutilus pigus	p	non-significant											202412
F	1991	Sabanejewia larvata	p	significant		C		C					C	C	202412
F	5331	Telestes muticellus	p	significant		C		B					C	B	202412
I	1060	Lycaena dispar	p	significant		C		B					C	B	202412
M	1352	Canis lupus	p	non-significant											202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	B	202412
P	1428	Marsilea quadrifolia	p	significant		C		B					C	B	202412

R	1220	Emys or bicularis	p	significant	C	Calcolata come rapporto tra la media dei valori di popolazione riportata per il sito e la popolazione complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B		C	B	20251 2
---	------	----------------------	---	-------------	---	---	---	--	---	---	------------

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A	6962	Bufotes viridis Complex		no				P

A	5358	Hyla intermedia	no				P
A	6976	Pelophylax esculentus	no				P
B	A298	Acrocephalus arundinaceus	no	9	20	p	P
B	A293	Acrocephalus melanopogon	no	6	10	i	P
B	A295	Acrocephalus schoenobaenus	no				P
B	A297	Acrocephalus scirpaceus	no	45	60	p	P
B	A229	Alcedo atthis	no	3	3	p	P
B	A054	Anas acuta	no				P
B	A052	Anas crecca	no	63	63	i	P
B	A053	Anas platyrhynchos	no	144	144	i	P
B	A773	Ardea alba	no	10	15	i	P
B	A029	Ardea purpurea	no	37	37	p	P
B	A024	Ardeola ralloides	no				P
B	A222	Asio flammeus	no				P
B	A221	Asio otus	no	10	15	i	P
B	A061	Aythya fuligula	no				P
B	A060	Aythya nyroca	no				P
B	A021	Botaurus stellaris	no	6	6	p	P
B	A861	Calidris pugnax	no				P
B	A224	Caprimulgus europaeus	no				P
B	A288	Cettia cetti	no	9	9	p	P
B	A197	Chlidonias niger	no				P
B	A031	Ciconia ciconia	no				P
B	A030	Ciconia nigra	no				P

B	A080	Circaetus gallicus	no	1	1	i	P
B	A081	Circus aeruginosus	no	3	3	p	P
B	A082	Circus cyaneus	no				P
B	A207	Columba oenas	no				P
B	A480	Cyanecula svecica	no				P
B	A026	Egretta garzetta	no	5	10	i	P
B	A381	Emberiza schoeniclus	no	6	10	p	P
B	A098	Falco columbarius	no				P
B	A103	Falco peregrinus	no				P
B	A097	Falco vespertinus	no				P
B	A154	Gallinago media	no				P
B	A135	Glareola pratincola	no				P
B	A127	Grus grus	no				P
B	A092	Hieraaetus pennatus	no				P
B	A131	Himantopus himantopus	no				P
B	A022	Ixobrychus minutus	no	10	15	p	P
B	A338	Lanius collurio	no	3	5	p	P
B	A292	Locustella luscinioides	no				P
B	A246	Lullula arborea	no				P
B	A855	Mareca penelope	no				P
B	A889	Mareca strepera	no				P
B	A073	Milvus migrans	no				P
B	A074	Milvus milvus	no				P
B	A768	Numenius arquata	no				P

B	A023	Nycticorax nycticorax	no	P
B	A094	Pandion haliaetus	no	P
B	A072	Pernis apivorus	no	P
B	A034	Platalea leucorodia	no	P
B	A032	Plegadis falcinellus	no	P
B	A119	Porzana porzana	no	P
B	A118	Rallus aquaticus	no	P
B	A336	Remiz pendulinus	no	P
B	A155	Scolopax rusticola	no	P
B	A857	Spatula clypeata	no	P
B	A856	Spatula querquedula	no	P
B	A193	Sterna hirundo	no	P
B	A166	Tringa glareola	no	P
B	A892	Zapornia parva	no	P
I		Dolomedes plantarius	no	R
I	6182	Sympecma paedisca	no	R
I		Sympetrum depressiusculum	no	P
I	1033	Unio elongatulus	no	P
M	1327	Eptesicus serotinus	no	P
M	1341	Muscardinus avellanarius	no	P
M	2016	Pipistrellus kuhlii	no	P
P	1725	Lindernia procumbens	no	R
P		Osmunda regalis L.	no	P

P		Potamogeton filiformis Pers.	no	P
P		Sagittaria sagittifolia L.	no	P
P		Utricularia australis R. Br.	no	P
P		Vallisneria spiralis L.	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A298	Acrocephalus arundinaceus					X										
A293	Acrocephalus melanopogon				X											
A295	Acrocephalus schoenobaenus					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A297	Acrocephalus scirpaceus					X										
A229	Alcedo atthis				X											
A054	Anas acuta					X										
A052	Anas crecca					X										
A053	Anas platyrhynchos					X										
A773	Ardea alba				X											
A029	Ardea purpurea				X											
A024	Ardeola ralloides				X											
A222	Asio flammeus				X											
A221	Asio otus					X										
A061	Aythya fuligula					X										
A060	Aythya nyroca				X											
A021	Botaurus stellaris				X											
6962	Bufo viridis Complex		X													
A861	Calidris pugnax				X											
A224	Caprimulgus europaeus				X											
A288	Cettia cetti					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A197	Chlidonias niger				X											
A031	Ciconia ciconia				X											
A030	Ciconia nigra				X											
A080	Circaetus gallicus				X											
A081	Circus aeruginosus				X											
A082	Circus cyaneus				X											
A207	Columba oenas					X										
A480	Cyanecula svecica				X											
	Dolomedes plantarius															X
A026	Egretta garzetta				X											
A381	Emberiza schoeniclus					X										
1327	Eptesicus serotinus		X													
A098	Falco columbarius				X											
A103	Falco peregrinus				X											
A097	Falco vespertinus				X											
A154	Gallinago media				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A135	Glareola pratincta				X											
A127	Grus grus				X											
A092	Hieraaetus pennatus				X											
5670	Hierophis viridiflavus		X													
A131	Himantopus himantopus				X											
5358	Hyla intermedia		X									X				
A022	Ixobrychus minutus				X											
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
1725	Lindernia procumbens		X					X								
A292	Locustella luscinioides					X										
A246	Lullula arborea				X											
A855	Mareca penelope					X										
A889	Mareca strepera					X										
A073	Milvus migrans				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A074	Milvus milvus				X											
1341	Musccardinus avellanarius		X													
	Natrix natrix											X				
A768	Numenius arquata arquata					X										
A023	Nycticorax nycticorax				X											
	Osmunda regalis L.															X
A094	Pandion haliaetus				X											
6976	Pelophylax esculentus			X												
A072	Pernis apivorus				X											
2016	Pipistrellus kuhlii		X									X				
A034	Platalea leucorodia				X											
A032	Plegadis falcinellus				X											
1256	Podarcis muralis		X													
A119	Porzana porzana				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Potamogeton filiformis Pers.							X								
A118	Rallus aquaticus					X										
A336	Remiz pendulinus					X										
	Sagittaria sagittifolia L.							X								
A155	Scolopax rusticola					X										
A857	Spatula clypeata					X										
A856	Spatula querquedula					X										
A193	Sterna hirundo				X											
6182	Sympecma paedisca		X									X				
	Sympetrum depressiusculum															X
A166	Tringa glareola				X											
1033	Unio elongatulus			X												
	Utricularia australis R. Br.							X								
	Vallisneria spiralis L.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A892	Zapornia parva				X											

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Uno dei due siti accertati di nidificazione di *Circus aeruginosus* e *Botaurus stellaris*. Unico sito regionale di svernamento di *Acrocephalus melanopogon*. *Valeriana dioica* e *Viola palustris*, specie montano - subalpine. E' presente una delle più vitali popolazioni regionali di *Emys orbicularis*. Presenza di importanti formazioni a canneto.

4.2 Quality and importance of the site

Il sito rappresenta una delle poche zone umide naturali ancora presenti nella piana risicola vercellese ed è di fondamentale importanza a livello europeo per l'avifauna. Unico sito regionale in cui nidificano contemporaneamente *Botaurus stellaris* (8 nidi), *Ardea purpurea* (48 coppie), *Circus aeruginosus* (3 nidi) e *Ixobrychus minutus* (10-15 coppie, in regresso rispetto agli anni precedenti). Il sito risulta di notevole importanza anche per l'aspetto vegetazionale: sono state rinvenute cenosi igrofile di margine (è da sottolineare la presenza di *Osmunda regalis* e di varie specie del genere *Rumex* presumibilmente vitali per il lepidottero *Lycaena dispar*; cenosi igrofile a *Phragmites australis* e *Utricularia vulgaris*; popolamenti igrofili a *Carex* spp.; cenosi igrofile a *Carex acutiformis* e *Juncus effusus*; cenosi erbaceo-arbustive a *Juncus* spp. e *Salix caprea*. La presenza di habitat di interesse locale, e funzionali per la conservazione delle specie di interesse comunitario presenti, quali i canneti e le cenosi igrofile ad alte erbe insediate lungo i canali, aumenta il già elevato valore conservazionistico del sito. Di notevole rilievo, la presenza di un lembo di bosco planiziale a quercu-carpineto (Habitat 9160).

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA14	medium	in	
PA17	medium	in	
PA21	low	in	
PB10	low	in	
PI01	high	in	
PI02	high	in	
PL01	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address
parcopopiemontese@pec.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano Naturalistico dell'Area Protetta	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)