

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Isolotto del Ritano (Dora Baltea) (IT1120013 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1120013

1.3 Site name

Isolotto del Ritano (Dora Baltea)

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/19/193/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

253

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		5.06		limited	
3260	Water courses of plain to montane levels with the <i>Ranunculum fluitantis</i> and <i>Callitriche-Batrachion</i> vegetation	No		0.1		limited	
3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidenton</i> p.p. vegetation	No		4		limited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No		1.27		limited	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the <i>Carpinion betuli</i>	No		10.88		limited	
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i> , <i>Alnion incanae</i> , <i>Salicion albae</i>)	No		6.58		limited	

91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No	5.06	limited
------	--	----	------	---------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
3260	Water courses of plain to montane levels with the <i>Ranunculon fluitantis</i> and <i>Callitricho-Batrachion</i> vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidens p.p. vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	202412

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1199	Pelobates fuscus insubricus			p	613	613	i		limited	
A	1167	Triturus carnifex			p				P	insufficient	
B	A296	Acrocephalus palustris			r				P	insufficient	
B	A297	Acrocephalus scirpaceus			r				P	insufficient	
B	A247	Alauda arvensis			p				P	insufficient	
B	A229	Alcedo atthis			p				P	insufficient	
B	A259	Anthus spinoletta			p				P	insufficient	
B	A226	Apus apus			c				P	insufficient	
B	A773	Ardea alba			w				P	insufficient	
B	A773	Ardea alba			c	1	2	i		complete	
B	A061	Aythya fuligula			w				P	insufficient	
B	A136	Charadrius dubius			p				P	insufficient	
B	A264	Cinclus cinclus			w				P	insufficient	
B	A082	Circus cyaneus			p	1	1	i		limited	
B	A113	Coturnix coturnix			r				P	insufficient	
B	A212	Cuculus canorus			r				P	insufficient	
B	A738	Delichon urbicum			c				P	insufficient	

B	A026	Egretta garzetta	p				P	insufficient
B	A381	Emberiza schoeniclus	w				C	insufficient
B	A099	Falco subbuteo	r	1	1	p		complete
B	A300	Hippolais polyglotta	r				P	insufficient
B	A251	Hirundo rustica	c				P	insufficient
B	A233	Jynx torquilla	r				R	insufficient
B	A340	Lanius excubitor	w				R	insufficient
B	A271	Luscinia megarhynchos	r				P	insufficient
B	A230	Merops apiaster	r				P	insufficient
B	A260	Motacilla flava	p				P	insufficient
B	A319	Muscicapa striata	r				P	insufficient
B	A023	Nycticorax nycticorax	p				P	insufficient
B	A337	Oriolus oriolus	r				P	insufficient
B	A072	Pernis ptilorhynchus	c	2	2	p		complete
B	A572	Phylloscopus collybita	p				P	insufficient
B	A856	Spatula querquedula	p				P	insufficient
B	A193	Sterna hirundo	p				P	insufficient
B	A210	Streptopelia turtur	r				P	insufficient

B	A311	Sylvia atricapilla	p	C	insufficient
B	A165	Tringa ochropus	p	C	insufficient
F	5086	Barbus caninus	p	P	insufficient
F	1137	Barbus plebejus	p	P	insufficient
F	5304	Cobitis bilineata	p	P	insufficient
F	1163	Cottus gobio	p	P	insufficient
F	1097	Lethenteron zanandreaei	p	P	insufficient
F	1107	Salmo marmoratus	p	P	insufficient
F	5331	Telestes muticellus	p	P	insufficient
I	1083	Lucanus cervus	p	P	insufficient
I	1060	Lycaena dispar	p	P	insufficient
M	1308	Barbastella barbastellus	p	P	insufficient
M	1307	Myotis blythii	p	P	insufficient
M	1304	Rhinolophus ferrumequinum	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
A	1199	Pelobates fuscus insubricus	p	significant		A4	Calcolata come rapporto tra la media dei valori di popolazione riportata per il sito e la popolazione complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	C					A	C	202512
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	r	significant		C		B					C	B	202412
B	A297	Acrocephalus scirpaceus	r	significant		C		B					C	B	202412
B	A247	Alauda arvensis	p	significant		C		B					C	B	202412
B	A229	Alcedo atthis	p	significant		C		B					C	B	202412
B	A259	Anthus spinoletta	p	significant		C		B					C	B	202412
B	A226	Apus apus	c	significant		C		B					C	B	202412
B	A773	Ardea alba	w	significant		C		C					C	C	202412

B	A77 3	Ardea alba	c	significant	C	B	C	B	20241 2
B	A06 1	Aythya fuligula	w	significant	C	B	C	B	20241 2
B	A13 6	Charadri us dubius	p	significant	C	B	C	B	20241 2
B	A26 4	Cinclus cinclus	w	significant	C	B	C	B	20241 2
B	A08 2	Circus cyaneus	p	non-significan t					20251 2
B	A11 3	Coturnix coturnix	r	significant	C	B	C	B	20241 2
B	A21 2	Cuculus canorus	r	significant	C	B	C	B	20241 2
B	A73 8	Delichon urbicum	c	significant	C	B	C	B	20241 2
B	A02 6	Egretta garzetta	p	significant	C	B	C	B	20241 2
B	A38 1	Emberiz a schoen iclus	w	significant	C	B	C	B	20241 2
B	A09 9	Falco subbuteo	r	significant	C	B	C	B	20241 2
B	A30 0	Hippolais polyglott a	r	significant	C	B	C	B	20241 2
B	A25 1	Hirundo rustica	c	significant	C	B	C	B	20241 2
B	A23 3	Jynx torquilla	r	significant	C	B	C	B	20241 2
B	A34 0	Lanius excubitor	w	significant	C	B	C	B	20241 2
B	A27 1	Luscinia megarhy nchos	r	significant	C	B	C	B	20241 2

B	A230	Merops apiaster	r	significant	C	B	C	B	202412
B	A260	Motacilla flava	p	significant	C	B	C	B	202412
B	A319	Muscica pa striata	r	significant	C	B	C	B	202412
B	A023	Nycticora x nyctico rax	p	significant	C	B	C	B	202412
B	A337	Oriolus oriolus	r	significant	C	B	C	B	202412
B	A072	Pernis apivorus	c	significant	C	B	C	B	202412
B	A572	Phyllosc opus collybita	p	significant	C	B	C	B	202412
B	A856	Spatula querque dula	p	significant	C	B	C	B	202412
B	A193	Sterna hirundo	p	significant	B	B	C	B	202412
B	A210	Streptop elia turtur	r	significant	C	B	C	B	202412
B	A311	Sylvia atr icapilla	p	significant	C	B	C	B	202412
B	A165	Tringa ochropus	p	significant	C	B	C	B	202412
F	5086	Barbus caninus	p	significant	C	B	C	B	202412
F	1137	Barbus plebejus	p	significant	C	B	C	B	202412
F	5304	Cobitis bilineata	p	significant	C	B	C	B	202412
F	1163	Cottus gobio	p	significant	C	B	C	B	202412

F	1097	Lethenteron zana ndraei	p	significant	C	B	C	C	202412
F	1107	Salmo marmoratus	p	significant	C	B	C	B	202412
F	5331	Telestes muticellus	p	significant	C	B	C	B	202412
I	1083	Lucanus cervus	p	non-significant					202412
I	1060	Lycaena dispar	p	significant	C	B	C	B	202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
M	1307	Myotis blythii	p	significant	C	B	C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant	C	B	C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no	20	100	i	
A	6976	Pelophylax esculentus		no	10	50	i	
A		Triturus vulgaris		no	10	50	i	
B	A168	Actitis hypoleucos		no				P
B	A053	Anas platyrhynchos		no				P
B	A028	Ardea cinerea		no				P
B	A061	Aythya fuligula		no				P
B	A208	Columba palumbus		no				P

B	A627	Corvus corone	no	P
B	A359	Fringilla coelebs	no	P
B	A123	Gallinula chloropus	no	P
B	A342	Garrulus glandarius	no	P
B	A459	Larus cachinnans	no	P
B	A604	Larus michahellis	no	P
B	A179	Larus ridibundus	no	P
B	A343	Pica pica	no	P
B	A118	Rallus aquaticus	no	P
B	A332	Sitta europaea	no	P
B	A856	Spatula querquedula	no	P
B	A210	Streptopelia turtur	no	P
B	A219	Strix aluco	no	P
B	A351	Sturnus vulgaris	no	P
F		Esox lucius	no	P
F		Padogobius martensii	no	P
F		Phoxinus phoxinus	no	P
I		Apatura ilia	no	P
I		Everes argiades	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A168	Actitis hypoleucos					X						X				
A053	Anas platyrhynchos					X						X				
	Apatura ilia											X				
A028	Ardea cinerea					X										
A061	Aythya fuligula					X						X				
	Bufo bufo											X				
6962	Bufotes viridis Complex		X													
A208	Columba palumbus					X						X				
A627	Corvus corone					X						X				
	Esox lucius							X								
	Everes argiades															X
A359	Fringilla coelebs					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A123	Gallinula chloropus					X						X				
A342	Garrulus glandarius					X						X				
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X													
5179	Lacerta bilineata		X													
A459	Larus cachinnans					X						X				
A604	Larus michahellis					X						X				
A179	Larus ridibundus					X						X				
	Natrix natrix											X				
	Padogobius martensii										X					
6976	Pelophylax esculentus			X								X				
	Phoxinus phoxinus							X								
A343	Pica pica					X						X				
1256	Podarcis muralis		X													
A118	Rallus aquaticus					X						X				
A332	Sitta europaea					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A856	Spatula querquedula					X						X				
A210	Streptopelia turtur					X						X				
A219	Strix aluco					X						X				
A351	Sturnus vulgaris					X						X				
	Triturus vulgaris											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Lembo isolato di bosco planiziale e ripario relitto alternato a vegetazione xerofila di banchi ciottolosi stabilizzati; l'isolone ospita una formazione boschiva con notevole varietà di specie arboree e arbustive.

4.2 Quality and importance of the site

Presenza di specie arboree ed arbustive rare nel contesto planiziale vercellese (farnia, cerro, tiglio a foglie larghe, olmo cigliato, viburno lantana e spin cervino). Greti aridi stabilizzati con specie xerotermofile e orchidee. Riproduzione di 5 specie di uccelli (seppure con contingenti numericamente ridotti)

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA01	high	in	
PA22	high	in	
PI01	medium	in	
PI02	high	in	
PL05	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreotti A., Rossi G.L., 1995 - L'avifauna nidificante sull'Isolone del Ritano (Saluggia - VC). Riv. Piem. St. Nat., 16: 221-232;
Mingozzi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Soldano A., 1991 - Novità floristiche, specialmente in siti significativi, per il vercellese. Riv. Piem. St. Nat., 12: 13-20; Soldano M., 2004 ? Biodiversità. Indagine naturalistica sugli aspetti rilevanti nella provincia di Vercelli

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address

parcopopiemontese@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di Gestione approvato con D.G.R.n. 27-3014 del 7/3/2016	http://www.regione.piemonte.it/parchi/cms/dati-territoriali-new/aree-protezione-e-rn2000/pianificazione-e-norme.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/attach/103982024XII21112024.pdf

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)