

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Isola di Santa Maria (IT1120023 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1120023

1.3 Site name

Isola di Santa Maria

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

2002-06

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

721

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		25.82		complete	
3260	Water courses of plain to montane levels with the <i>Ranunculum fluitantis</i> and <i>Callitriche-Batrachion</i> vegetation	No		3.79		complete	
3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidentium</i> p.p. vegetation	No		24.65		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No		28.84		complete	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		10		complete	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the <i>Carpinus betuli</i>	No		10.72		complete	
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i> , <i>Alnion incanae</i> , <i>Salicion albae</i>)	No		63.71		complete	

91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No	26.11	complete
------	--	----	-------	----------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412
3260	Water courses of plain to montane levels with the <i>Ranunculon fluitantis</i> and <i>Callitricho-Batrachion</i> vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					A	202412

3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidentium</i> p.p. vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmenion minoris</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1215	Rana latastei			p				P	insufficient	
A	1167	Triturus carnifex			p				P	insufficient	
F	1137	Barbus plebejus			p				R	insufficient	
F	5304	Cobitis bilineata			p	3	3	localities		complete	
F	1163	Cottus gobio			p				P	insufficient	
F	1097	Lethenteron zanandreai			p	3	3	localities		complete	

F	5962	Protochondrostoma genei	p				V	insufficient
F	1991	Sabanejewia larvata	p	1	1	localities		complete
F	1107	Salmo marmoratus	p				P	insufficient
F	5331	Telestes muticellus	p	2	2	localities		complete
I	1060	Lycaena dispar	p	2	2	grids1x1		veryLimited
M	1307	Myotis blythii	r	2	2	localities		complete
M	1324	Myotis myotis	r	2	2	localities		complete
M	1304	Rhinolophus ferrumequinum	p	1	2	i		limited

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
A	1215	Rana latastei	p	significant		C		C					B	C	202412
A	1167	Triturus carnifex	p	significant		C		C					C	C	202412
F	1137	Barbus plebejus	p	non-significant											202412
F	5304	Cobitis bilineata	p	significant		C		B					C	B	202412
F	1163	Cottus gobio	p	significant		C		B					C	B	202412
F	1097	Lethenteron zanaandrei	p	significant		C		B					C	B	202412
F	5962	Protochondrostoma genei	p	non-significant											202412
F	1991	Sabanejewia larvata	p	non-significant											202412
F	1107	Salmo marmoratus	p	non-significant											202412
F	5331	Telestes muticellus	p	non-significant											202412
I	1060	Lycaena dispar	p	significant		C		C					C	C	202412
M	1307	Myotis blythii	r	significant		B		B					C	B	202412

M	1324	Myotis myotis	r	significant	B	B	C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant	C	B	B	B	202512

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
B	A296	Acrocephalus palustris		no				P

B	A168	Actitis hypoleucos	no				V
B	A247	Alauda arvensis	no				P
B	A229	Alcedo atthis	no				P
B	A054	Anas acuta	no				P
B	A052	Anas crecca	no	20	30	i	P
B	A053	Anas platyrhynchos	no	3128	3128	i	P
B	A257	Anthus pratensis	no				P
B	A773	Ardea alba	no				P
B	A028	Ardea cinerea	no	169	169	p	P
B	A029	Ardea purpurea	no				P
B	A024	Ardeola raloides	no				P
B	A021	Botaurus stellaris	no				P
B	A861	Calidris pugnax	no				P
B	A136	Charadrius dubius	no	1	5	p	P
B	A197	Chlidonias niger	no				P
B	A031	Ciconia ciconia	no				P
B	A081	Circus aeruginosus	no				P
B	A082	Circus cyaneus	no				P
B	A084	Circus pygargus	no				P
B	A289	Cisticola juncidis	no				P
B	A869	Dryobates minor	no				P
B	A026	Egretta garzetta	no				P
B	A381	Emberiza schoeniclus	no				P
B	A098	Falco columbarius	no				P
B	A103	Falco peregrinus	no				P
B	A099	Falco subbuteo	no	1	5	p	P
B	A321	Ficedula albicollis	no				P

B	A322	Ficedula hypoleuca	no						P
B	A359	Fringilla coelebs	no						P
B	A360	Fringilla montifringilla	no						P
B	A153	Gallinago gallinago	no						P
B	A131	Himantopus himantopus	no						P
B	A300	Hippolais polyglotta	no						P
B	A251	Hirundo rustica	no						P
B	A022	Ixobrychus minutus	no						P
B	A233	Jynx torquilla	no						P
B	A338	Lanius collurio	no						P
B	A271	Luscinia megarhynchos	no						P
B	A230	Merops apiaster	no	6		10		p	P
B	A073	Milvus migrans	no						P
B	A074	Milvus milvus	no						P
B	A261	Motacilla cinerea	no						P
B	A260	Motacilla flava	no						P
B	A319	Muscicapa striata	no						P
B	A158	Numenius phaeopus	no						P
B	A023	Nycticorax nycticorax	no						P
B	A277	Oenanthe oenanthe	no						P
B	A337	Oriolus oriolus	no						P
B	A094	Pandion haliaetus	no						P
B	A473	Periparus ater	no						P
B	A072	Pernis apivorus	no						P

B	A017	Phalacrocorax carbo	no					P
B	A274	Phoenicurus phoenicurus	no					P
B	A315	Phylloscopus collybita	no					P
B	A034	Platalea leucorodia	no					P
B	A266	Prunella modularis	no					P
B	A317	Regulus regulus	no					P
B	A249	Riparia riparia	no					P
B	A275	Saxicola rubetra	no					P
B	A276	Saxicola torquatus	no					P
B	A332	Sitta europaea	no					P
B	A857	Spatula clypeata	no					P
B	A856	Spatula querquedula	no					P
B	A478	Spinus spinus	no					V
B	A193	Sterna hirundo	no	11	50	p		P
B	A885	Sternula albifrons	no	11	50	p		P
B	A311	Sylvia atricapilla	no					P
B	A309	Sylvia communis	no					P
B	A166	Tringa glareola	no					P
B	A164	Tringa nebularia	no					P
B	A165	Tringa ochropus	no					P
B	A285	Turdus philomelos	no					P
B	A284	Turdus pilaris	no					P
B	A232	Upupa epops	no	1	5	p		P
F		Esox lucius	no					P
F		Phoxinus phoxinus	no					P
I	1033	Unio elongatulus	no					P

M	1314	Myotis daubentonii	no	P
M	1322	Myotis nattereri	no	P
M	2016	Pipistrellus kuhlii	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R	1250	Podarcis siculus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A296	Acrocephalus palustris					X										
A168	Actitis hypoleucos					X						X				
A247	Alauda arvensis					X										
A229	Alcedo atthis				X											
A054	Anas acuta					X										
A052	Anas crecca					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A053	Anas platyrhynchos					X										
A257	Anthus pratensis					X										
A773	Ardea alba				X											
A028	Ardea cinerea					X										
A029	Ardea purpurea				X											
A024	Ardeola ralloides				X											
A021	Botaurus stellaris				X											
6962	Bufo viridis Complex		X													
A861	Calidris pugnax				X											
A136	Charadrius dubius					X										
A197	Chlidonias niger				X											
A031	Ciconia ciconia				X											
A081	Circus aeruginosus				X											
A082	Circus cyaneus				X											
A084	Circus pygargus				X											
A289	Cisticola juncidis					X										
A869	Dryobates minor					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A026	Egretta garzetta				X											
A381	Emberiza schoeniclus					X						X				
	Esox lucius															X
A098	Falco columbarius				X											
A103	Falco peregrinus				X											
A099	Falco subbuteo					X										
A321	Ficedula albicollis				X											
A322	Ficedula hypoleuca					X										
A359	Fringilla coelebs					X										
A360	Fringilla montifringilla					X										
A153	Gallinago gallinago					X										
5670	Hierophis viridiflavus		X									X				
A131	Himantopus himantopus				X											
A300	Hippolais polyglotta					X										
A251	Hirundo rustica					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5358	Hyla intermedia		X									X				
A022	Ixobrychus minutus				X											
A233	Jynx torquilla					X										
5179	Lacerta bilineata	X														
A338	Lanius collurio				X											
A271	Luscinia megarhynchos					X										
A230	Merops apiaster					X										
A073	Milvus migrans				X											
A074	Milvus milvus				X											
A261	Motacilla cinerea					X						X				
A260	Motacilla flava					X										
A319	Muscicapa striata					X										
1314	Myotis daubentonii		X													
1322	Myotis nattereri	X														
A158	Numenius phaeopus					X										
A023	Nycticorax nycticorax				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A277	Oenanthe oenanthe					X										
A337	Oriolus oriolus					X										
A094	Pandion haliaetus				X											
6976	Pelophylax esculentus			X												
A473	Periparus ater					X										
A072	Pernis apivorus				X											
A017	Phalacrocorax carbo					X										
A274	Phoenicurus phoenicurus					X										
	Phoxinus phoxinus															X
A315	Phylloscopus collybita					X										
2016	Pipistrellus kuhlii		X													
A034	Platalea leucorodia				X											
1256	Podarcis muralis		X									X				
1250	Podarcis siculus		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A266	Prunella modularis					X										
1209	Rana dalmatina		X													
A317	Regulus regulus					X						X				
A249	Riparia riparia					X										
A275	Saxicola rubetra					X										
A276	Saxicola torquatus					X										
A332	Sitta europaea					X						X				
A857	Spatula clypeata					X										
A856	Spatula querquedula					X										
A478	Spinus spinus					X						X				
A193	Sterna hirundo				X											
A885	Sternula albifrons				X											
A311	Sylvia atricapilla					X										
A309	Sylvia communis					X										
A166	Tringa glareola				X											
A164	Tringa nebularia					X										
A165	Tringa ochropus					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A285	Turdus philomelos					X										
A284	Turdus pilaris					X										
1033	Unio elongatulus			X												
A232	Upupa epops					X										

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Ambiente fluviale soggetto prevalentemente a dinamica naturale, caratterizzato da ampio greto ciottoloso con isoloni fluviali e canali e lanche collegati.

4.2 Quality and importance of the site

Importante area lungo le rotte migratorie dell'avifauna. Presenza di Garzaia di Airone cinerino. Le specie di cui al punto 3.3 hanno areale particolarmente frammentato e sono divenute rare nell'area pianiziale.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	high	in	
PA14	medium	in	
PA17	high	in	
PB10	low	in	
PI01	high	in	
PI02	medium	in	
PL05	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

AA.VV., 2004 - Rilievi ittiofauna per Carta Ittica Regionale. Regione Piemonte. Direzione Pianificazione delle Risorse Idriche. / Agnoloni S., 2003 - Inquadramento climatico del del Parco Fluviale del Po tratto vercellese-alessandrino. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Bari A., Mastrone A., 2003 - Indagine relativa alla qualità dell'aria nell'ambito del Parco del Po tratto vercellese-alessandrino. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Betta G., Minciardi M. R., Poma S., 2003 - La fauna del Parco del Po. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Debernardi P., Patriarca E., Toffoli R., 2007 - Monitoraggio delle colonie di Chiroteri riproduttive e svernanti di particolare interesse conservazionistico presenti in Piemonte. Rapporto 2006-2007. Parco Naturale dei Laghi di Avigliana - Piemonte Parchi. (Rapporto inedito). / Dragonero M., 2003 - Relazione geologica geomorfologica. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito) / Dragonero M., Bari A., 2003 - Caratterizzazione idrogeologica del Parco Fluviale del Po tratto VC-AL. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Ebone A., 1998 - Vegetazione di zone umide e rimboschimenti di specie autoctone nell'ambito del Parco del Po (Crescentino, Saluggia, Verolengo). Tesi di Laurea in Scienze Forestali e Ambientali. Università degli Studi di Torino, Facoltà di Agraria. / Gargini V., 2003 - La vegetazione e gli habitat. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Gargini V., Minciardi M. R., 2003 - La carta d'uso del suolo e la valutazione della naturalità e della vulnerabilità delle categorie d'uso del suolo. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). / Gola L., Zuarini S., Gagliardone M., Bruschini R., 2005 - Gli uccelli del Parco Fluviale del Po e dell'Orba (Resoconto delle osservazioni effettuate dal 1982 al 2001). Riv. Piem. St. Nat., 26: 293-320 / I.P.L.A (a cura di), 2005 - Biodiversità. Indagine naturalistica sugli aspetti rilevanti nella provincia di Vercelli.

Provincia di Vercelli. / Minciardi M. R., Azzollini R., Poma S., Rossi G. L., 2003 - L'applicazione dell'Indice di Funzionalità fluviale. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette", Ministero dell'Ambiente, ENEA. (inedito). / Mini P., 2003 - Analisi delle acque superficiali del Po: stazioni ricadenti nel Parco del Po tratto vercellese-alessandrino. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito).

4.4.1 Link(s)

4.4.2 Last update of the documentation information
202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address
parcopopiemontese@pec.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures
Necessary conservation measures are included in the management plan(s)
Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures
Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)