

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Val Sessera (IT1130002 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1130002

1.3 Site name

Val Sessera

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

10787

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
4060	Alpine and Boreal heaths	No		567.31		veryLimited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		2837.44		veryLimited	
6520	Mountain hay meadows	No		1.27		veryLimited	
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No		900		veryLimited	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		43		veryLimited	
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No		1		veryLimited	
9110	Luzulo-Fagetum beech forests	No		2586.55		veryLimited	
9130	Asperulo-Fagetum beech forests	No		11.89		veryLimited	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		8.79		veryLimited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		12.74		veryLimited	
9260	Castanea sativa woods	No		127.79		veryLimited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
4060	Alpine and Boreal heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A					B	202412
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202512

6520	Mountain hay meadows	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

9110	Luzulo-Fagetum beech forests	No	significant	A	B	B	20251 2	
Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								
9130	Asperulo-Fagetu m beech forests	No	significant	C	C	B	C	20241 2
C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								
9180	Tilio-Acerion forests of slopes, scree and ravines	No	non-significa nt					20241 2

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	non-significant	202412
9260	<i>Castanea sativa</i> woods	No	non-significant	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species					Population in the site						
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
F	1163	Cottus gobio			p				P	insufficient	

F	1107	Salmo marmoratus	p	P	insufficient
I	1080	Carabus olympiae	p	P	insufficient
I	6199	Euplagia qua dripunctaria	p	P	insufficient
P	4066	Asplenium adulterinum	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
F	1163	Cottus gobio	p	significant		C		B					C	C	202412
F	1107	Salmo marmoratus	p	non-significant											202412
I	1080	Carabus olympiae	p	significant		A1		B					A	B	202512
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	B	202412
P	4066	Asplenium adnigrum	p	significant		C		A					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	1213	Rana temporaria		no				P
B	A091	Aquila chrysaetos		no				P
B	A215	Bubo bubo		no				P
B	A224	Caprimulgus europaeus		no				P
B	A080	Circaetus gallicus		no				P
B	A236	Dryocopus martius		no				P
B	A103	Falco peregrinus		no				P
B	A338	Lanius collurio		no				P
B	A876	Lyrurus tetrix tetrix		no				P
B	A072	Pernis apivorus		no				P
I		Coenonympha darwiniana		no				P
I		Falkneria camerani		no				P
I		Neoplinthus dentimanus		no				P
M		Chionomys nivalis		no				P
M	1357	Martes martes		no				P
M	1341	Muscardinus avellanarius		no				P
M		Mustela nivalis		no				P
M	1369	Rupicapra rupicapra		no				P
M		Sorex alpinus		no				P
M		Sorex araneus		no				P
P		Allium narcissiflorum		no				P

P		Androsace vandellii	no	P
P	1762	Arnica montana	no	C
P		Drosera rotundifolia L.	no	P
P		Eriophorum vaginatum L.	no	P
P		Euphorbia carniolica	no	P
P		Gentiana pneumonanthe L.	no	P
P		Lycopodium annotinum	no	P
P		Osmunda regalis L.	no	P
P		Phyteuma humile Schleicher	no	P
P		Polystichum braunii (Spenner) Fée	no	P
P		Rhynchospora alba (L.) Vahl	no	P
P		Scopolia carniolica Jacq.	no	P
P		Sedum villosum L. ssp. villosum	no	P
P		Sparganium angustifolium Michx.	no	P
R	1283	Coronella austriaca	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R		Vipera walser	no	P
R		Zootoca vivipara	no	C

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Allium narcissiflorum							X								
	Androsace vandellii							X								
A091	Aquila chrysaetos				X											
1762	Arnica montana			X												
A215	Bubo bubo				X											
A224	Caprimulgus europaeus				X											
	Chionomys nivalis											X				
A080	Circaetus gallicus				X											
	Coenonympha darwiniana															X
1283	Coronella austriaca		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Drosera rotundifolia L.															X
A236	Dryocopus martius				X											
	Eriophorum vaginatum L.															X
	Euphorbia carniolica															X
A103	Falco peregrinus				X											
	Falkneria camerani															X
	Gentiana pneumonanthe L.							X								
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
	Lycopodium annotinum			X												
A876	Lyrurus tetrix tetrix				X											
1357	Martes martes			X												
1341	Musccardinus avellanarius		X													
	Mustela nivalis											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Neoplinthus dentimanus										X					
	Osmunda regalis L.															X
A072	Pernis apivorus				X											
	Phyteuma humile Schleicher							X								
1256	Podarcis muralis		X													
	Polystichum braunii (Spenner) Fée															X
1213	Rana temporaria			X												
	Rhynchospora alba (L.) Vahl							X								
1369	Rupicapra rupicapra			X												
	Scopolia carniolica Jacq.							X								
	Sedum villosum L. ssp. villosum							X								
	Sorex alpinus											X				
	Sorex araneus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Sparganium angustifolium Michx.							X								
	Vipera walser										X					X
	Zootoca vivipara															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Stazione isolata di *Scopolia carniolica*. Estremo limite occidentale di diffusione di *Euphorbia carniolica*. Esempi tipici di nardeti e di faggete dell' all. Luzulo-Fagion. Vegetazione caratteristica delle rupi e dei detriti cristallini. Begli esempi di ricolonizzazione di aree pascolate (betulla e *Cytisus scoparius*). presenza di *Carabus olympiae* (*Locus typicus*), di *Falkneria camerani*, il più minacciato mollusco d'Italia, e di *Neoplintus dentimanus*, endemico della Val Sessera.

4.2 Quality and importance of the site

Rimboschimenti relativamente estesi. Conversione a fustaia parziale delle faggete.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	medium	in	
PA07	low	in	
PA08	medium	in	
PB06	low	in	
PG12	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreone F., Sindaco R., 1989 - Materiali per un'erpetologia del Piemonte e della Valle d'Aosta. Riv. Piem. St. Nat., 10: 205-226. // Bordignon L., 1998 - Gli Uccelli del Biellese. Collana Ambiente. Assessorato alla Tutela Ambientale. Provincia di Biella. // Casale A., Vigna Taglianti A., 1982 - I Coleotteri Carabidi delle Alpi Liguri: composizione della fauna ed origine del popolamento. Biogeographia // Charrier G., 1949 - Nuova stazione di *Spiranthes aestivalis* Rich. nelle Alpi Cozie. Nuovo Giorn. Bot. Ital., n.s., 56: 240-241. // 434 I.P.L.A., 2004 - Piano di Gestione del Sito Natura 2000 Alta Val Sessera. Regione Piemonte. Settore Pianificazione Aree Protette. (redatto).561 // Lonati M., 2008 - Note floristiche piemontesi n.116. *Scopolia carniolica* Jacq (Solanaceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 29: 439-474. // Malausa J. C., Raviglione M. C., Boggio F., 1983 - Il *Carabus olympiae* Sella dell'Alta Val Sessera. Vigliano. // Monzini V., Pesarini C., 1986 - Le specie italiane del genere *Stomis* Clairville (Coleoptera Carabidae). Boll. Soc. Ent. Ital. Genova, 118: 83-92. // Negro M., Casale A., Migliore L., Palestini C., A. R., 2007 - The effect of local anthropogenic habitat heterogeneity on assemblages of carabids (Coleoptera, Caraboidea) endemic to the Alps. Biodivers Conserv, 16: 3919-3932 // Negro M., Casale A., Migliore L., Palestini C., A. R., 2008 - Habitat use and movement patterns in the endangered ground beetle species, *Carabus olympiae* (Coleoptera: Carabidae). Eur. J. Entomol., 105 (105-112). // Pollonera C., 1885 - Elenco dei Molluschi Terrestri viventi in Piemonte. Atti R. Acc. Sci. Torino, 20: 675-703 // Raviglione M. C., 1985 - Lepidotteri Ropaloceri del Biellese (Piemonte). Boll. Soc. ent. ital. Genova, 117 (1-3): 34-38. // Raviglione M. C., Boggio F., Raviglione M., 1994 - Lepidotteri ropaloceri dell'alta valle Sessera in Piemonte (Lepidoptera). Boll. Soc. ent. ital. Genova, 125: 255-258. // Rotti G., 1993 - Uno sguardo alla flora di aree confinanti con la Valsesia: segnalazione di qualche entità fra le più interessanti del Biellese. Not. C.A.I. Varallo, 7 (1): 52-57. // Rotti G., 1994 - Nuovi areali di *Asplenium adulterinum* Milde con speciale riferimento alla Valsesia ed alla valle Strona di Campello Monti. Not. C.A.I. Varallo, 8 (2): 48-64. // Sella A., 1988 - Dati relativi alla presenza della *Scopolia carniolica* Jacq. nel Biellese. Atti Ist. Bot. Lab. Crittog. Univ. Pavia, ser. 7, 7: 31-33. // Sindaco R., 1993 - Gli Anfibi e i Rettili della valle d'Aosta: sintesi bibliografica e dati inediti. Rev. Valdôtaine Hist. Nat., 47: 141-153. // Soldano A., Sella A., 2000 - Flora spontanea della provincia di Biella. Edizioni dell'Orso, Alessandria.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Regione Piemonte- Settore Biodiversità e Aree naturali

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

5.1.4 Functional mailbox email address

biodiversita@regione.piemonte.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

