

# NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]  
Campello Monti (IT1140003 - SCI)

## Table of contents

1.Site identification   2.Site location   3.Ecological information   4.Site description   5.Site protection status  
6.Site management   7.Map of the site

## 1. Site identification

### 1.1 Site type

B

### 1.2 Site code

IT1140003

### 1.3 Site name

Campello Monti

### 1.3.1 Site name non-latin alphabet (optional)

## 1.4 Respondent

### 1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,  
Energia, Territorio - Settore Biodiversità e  
Aree Naturali

### 1.4.2 Contact point in the organisation (optional)

### 1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

### 1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

### 1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

## 1.5 Site classification/proposal/designation dates

### 1.5.1 Date site first classified as SPA

### 1.5.2 SPA classification act (URI or free text)

### 1.5.3 Date site first proposed as SCI

1995-09

### Date confirmed as SCI

populated by EEA on behalf of the European Commission

### 1.5.4 Date site designated as SAC

2017-05

### 1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

### 1.5.6 Explanations (optional)

## 2. Site location

### 2.1 Location calculated by the European Environment Agency

#### Longitude

calculated by the EEA after release in  
Reportnet 3

#### Latitude

calculated by the EEA after release in Reportnet 3

### 2.1.1 Area (ha)

548

### 2.1.2 Reason for area difference with spatial dataset (if any)

### 2.1.3 Reason for area difference – explanations

## 2.2 Administrative region (optional)

| 2.2.1 Administrative region code | 2.2.2 Administrative region name |
|----------------------------------|----------------------------------|
| ITC1                             | PIEMONTE                         |

## 2.3 Biogeographical and marine regions

| 2.3.1 Region code | 2.3.2 Percentage | Fully marine SCI/SAC (100 %) must be attributed to a biogeographical |
|-------------------|------------------|----------------------------------------------------------------------|
| Alpine            | 100              |                                                                      |

## 3. Ecological information

### 3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

#### 3.1.a Essential information (habitat type)

| Annex I habitat types |                                                                                                                         |               |             |            |                |              |                      |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|-------------|------------|----------------|--------------|----------------------|
| 3.1.1                 |                                                                                                                         | 3.1.2         | 3.1.3       | 3.1.4      | 3.1.5          | 3.1.6        | 3.1.7                |
| Code                  | Name                                                                                                                    | Priority form | Not present | Cover [ha] | Caves [number] | Method cover | Last data collection |
| 4060                  | Alpine and Boreal heaths                                                                                                | No            |             | 167.1      |                | limited      |                      |
| 6150                  | Siliceous alpine and boreal grasslands                                                                                  | No            |             | 165        |                | limited      |                      |
| 6170                  | Alpine and subalpine calcareous grasslands                                                                              | No            |             | 0.55       |                | veryLimited  |                      |
| 6230                  | Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe) | No            |             | 38.7       |                | limited      |                      |
| 6430                  | Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels                                 | No            |             | 0.55       |                | veryLimited  |                      |
| 6520                  | Mountain hay meadows                                                                                                    | No            |             | 1.2        |                | limited      |                      |
| 7140                  | Transition mires and quaking bogs                                                                                       | No            |             | 1          |                | limited      |                      |
| 8110                  | Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)                        | No            |             | 73.1       |                | limited      |                      |
| 8220                  | Siliceous rocky slopes with chasmophytic vegetation                                                                     | No            |             | 32.9       |                | limited      |                      |
| 9110                  | Luzulo-Fagetum beech forests                                                                                            | No            |             | 2.4        |                | limited      |                      |
| 9420                  | Alpine Larix decidua and/or Pinus cembra forests                                                                        | No            |             | 23.4       |                | limited      |                      |

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Not Present:** Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Cover:** Shows the size of habitat type as decimal values.

**Caves:** For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

**Method used for cover:** Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

**Last data collection:** Date or period of the last data collection.

### 3.1.b Site assessment (habitat type)

| 3.1.1 |                                            | 3.1.2         | 3.1.8           | 3.1.9            | 3.1.10                                                                                                                                                        | 3.1.12.1     | 3.1.12.2          | 3.1.12.3            | 3.1.13                  | 3.1.14                         | 3.1.15 | 3.1.16      |
|-------|--------------------------------------------|---------------|-----------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|---------------------|-------------------------|--------------------------------|--------|-------------|
| Code  | Name                                       | Priority form | Significance    | Representativity | Relative surface                                                                                                                                              | Conservation | Conservation area | Conservation method | Conservation objectives | Objectives further explanation | Global | Update date |
| 4060  | Alpine and Boreal heaths                   | No            | significant     | B                | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | A            |                   |                     |                         |                                | B      | 202412      |
| 6150  | Siliceous alpine and boreal grasslands     | No            | significant     | B                | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B            |                   |                     |                         |                                | B      | 202412      |
| 6170  | Alpine and subalpine calcareous grasslands | No            | non-significant |                  |                                                                                                                                                               |              |                   |                     |                         |                                |        | 202412      |

|      |                                                                                                                                                       |    |             |   |                                                                                                                                                                                                                  |   |   |            |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|------------|
| 6230 | Species-rich<br>Nardus<br>grasslands, on<br>siliceous<br>substrates in<br>mountain areas<br>(and<br>submountain<br>areas in<br>Continental<br>Europe) | No | significant | B | C<br>Calcolata<br>come<br>rapporto<br>tra il valore<br>di F_3_1_<br>4_habitat_<br>cover e la<br>superficie<br>complessi<br>va<br>nazionale<br>riportata<br>nel V<br>Rapporto<br>ai sensi de<br>ll'articolo<br>17 | B | B | 20241<br>2 |
| 6430 | Hydrophilous tall<br>herb fringe<br>communities of<br>plains and of the<br>montane to<br>alpine levels                                                | No | significant | B | C<br>Calcolata<br>come<br>rapporto<br>tra il valore<br>di F_3_1_<br>4_habitat_<br>cover e la<br>superficie<br>complessi<br>va<br>nazionale<br>riportata<br>nel V<br>Rapporto<br>ai sensi de<br>ll'articolo<br>17 | A | B | 20241<br>2 |

|      |                                   |    |             |   |                                                                                                                                                               |   |   |        |
|------|-----------------------------------|----|-------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|--------|
| 6520 | Mountain hay meadows              | No | significant | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | B | 202412 |
| 7140 | Transition mires and quaking bogs | No | significant | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | B | B | 202412 |

|      |                                                                                                  |    |                 |   |                                                                                                                                                               |   |   |        |
|------|--------------------------------------------------------------------------------------------------|----|-----------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|--------|
| 8110 | Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani) | No | significant     | A | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | A | A | 202412 |
| 8220 | Siliceous rocky slopes with chasmophytic vegetation                                              | No | significant     | B | C<br>Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17 | A | A | 202412 |
| 9110 | Luzulo-Fagetum beech forests                                                                     | No | non-significant |   |                                                                                                                                                               |   |   | 202412 |
| 9420 | Alpine Larix decidua and/or Pinus cembra forests                                                 | No | non-significant |   |                                                                                                                                                               |   |   | 202412 |

**Priority Form:** For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

**Significance:** Indicates if the occurrence is significant or not.

**Representativity:** Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

**Relative Surface:** Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

**Conservation area:** Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

**Conservation method:** Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

**Global:** Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

**Updated date:** Date or period of the last update.

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

#### 3.2.a Essential information (species)

| Species |       |                       |           |             | Population in the site |          |          |         |           |                      |                      |
|---------|-------|-----------------------|-----------|-------------|------------------------|----------|----------|---------|-----------|----------------------|----------------------|
| 3.2.1   | 3.2.2 |                       | 3.2.4     | 3.2.5       | 3.2.6                  | 3.2.7.1  | 3.2.7.1  | 3.2.7.2 | 3.2.8     | 3.2.9                | 3.2.10               |
| Group   | Code  | Scientific name       | Sensitive | Not present | Type                   | Size min | Size max | Unit    | Abundance | Mehod Populaton size | Last data collection |
| P       | 4066  | Asplenium adulterinum |           |             | p                      |          |          |         | P         | insufficient         |                      |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not Present:** Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

**Type:** Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

**Method Population size:** Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

**Last data collection:** Date or period of the last data collection.

### 3.2.b Site assessment (species)

| 3.2.1 | 3.2.2 | 3.2.3              | 3.2.6 | 3.2.11       | 3.2.12             | 3.2.13     | 3.2.14                         | 3.2.15       | 3.2.15.2                                | 3.2.15.3                      | 3.2.16                  | 3.2.17                         | 3.2.18    | 3.2.19 | 3.2.20      |
|-------|-------|--------------------|-------|--------------|--------------------|------------|--------------------------------|--------------|-----------------------------------------|-------------------------------|-------------------------|--------------------------------|-----------|--------|-------------|
| Group | Code  | Scientific Name    | Type  | Significance | SPA classification | Population | Population further explanation | Conservation | Conservation occupied % area (optional) | Conservation occupied % class | Conservation objectives | Objectives further explanation | Isolation | Global | Update date |
| P     | 4066  | Asplenium adnigrum | p     | significant  |                    | C          |                                | B            |                                         |                               |                         |                                | C         | B      | 202412      |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Significance:** Indicates if the occurrence is significant or not.

**SPA classification:** Indicate if the bird species met the ornithological criteria used to justify SPA classification.

**Population:** Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

**Conservation:** Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

**Conservation objectives:** prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

**Isolation:** Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

**Global:** Global assessment of the species in the site: A = excellent; B = good; C = significant.

**Global:** Date or period of the last update.

### 3.3 Other important species of flora and fauna (optional)

| 3.3.1 | 3.3.2 | 3.3.3                      | 3.3.4     | 3.3.5       | 3.3.6.1  | 3.3.6.1  | 3.3.6.2         | 3.3.7     |
|-------|-------|----------------------------|-----------|-------------|----------|----------|-----------------|-----------|
| Group | Code  | Scientific name            | Sensitive | Not present | Size min | Size max | Population unit | Abundance |
| A     | 1213  | Rana temporaria            |           | no          |          |          |                 | P         |
| B     | A412  | Alectoris graeca saxatilis |           | no          |          |          |                 | P         |
| B     | A091  | Aquila chrysaetos          |           | no          |          |          |                 | P         |

|   |      |                            |    |   |
|---|------|----------------------------|----|---|
| B | A713 | Lagopus muta helvetica     | no | P |
| B | A876 | Lyrurus tetrix tetrix      | no | P |
| I |      | Apatura ilia               | no | P |
| I |      | Carabus concolor           | no | P |
| I |      | Limenitis populi           | no | P |
| I |      | Lysandra coridon           | no | P |
| I |      | Pterostichus parnassius    | no | P |
| I |      | Reicheiodes fontanae       | no | P |
| I |      | Trechus salassus           | no | P |
| P |      | Androsace vandellii        | no | P |
| P | 1480 | Aquilegia alpina           | no | P |
| P | 1762 | Arnica montana             | no | C |
| P | 5187 | Diphasiastrum tristachyum  | no | P |
| P |      | Galium tendae              | no | P |
| P |      | Galium tendae Rchb.        | no | P |
| P | 1413 | Lycopodium spp.            | no | P |
| P |      | Phyteuma humile Schleicher | no | P |
| R | 1256 | Podarcis muralis           | no | P |
| R |      | Vipera walser              | no | P |

**Group:** The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

**Code:** For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

**Sensitive:** Species indicated with “true” are classified as sensitive.

**Not present:** Indicates whether the species is no longer present (noLongerPresent) on the site.

**Unit:** The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

**Abundance:** Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

### 3.3.8 Motivation

| Code | Name                          | H.D.<br>Annex II | H.D.<br>Annex IV | H.D.<br>Annex V | B.D.<br>Annex I | Migrat.<br>birds | CFP<br>prohib. | National<br>red list | EU<br>red list | Global<br>red list | Endemic<br>species | Int.<br>conv. | H.D.<br>Annex I | CWR/<br>FRG | IAS<br>Union | Other<br>reason |
|------|-------------------------------|------------------|------------------|-----------------|-----------------|------------------|----------------|----------------------|----------------|--------------------|--------------------|---------------|-----------------|-------------|--------------|-----------------|
| A412 | Alectoris graeca<br>saxatilis |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Androsace<br>vandellii        |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
|      | Apatura ilia                  |                  |                  |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
| A091 | Aquila<br>chrysaetos          |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1480 | Aquilegia alpina              |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| 1762 | Arnica montana                |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Carabus concolor              |                  |                  |                 |                 |                  |                |                      |                |                    | X                  |               |                 |             |              |                 |
| 5187 | Diphasiastrum<br>tristachyum  |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Galium tendae                 |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
|      | Galium tendae<br>Rchb.        |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |

| Code | Name                          | H.D.<br>Annex II | H.D.<br>Annex IV | H.D.<br>Annex V | B.D.<br>Annex I | Migrat.<br>birds | CFP<br>prohib. | National<br>red list | EU<br>red list | Global<br>red list | Endemic<br>species | Int.<br>conv. | H.D.<br>Annex I | CWR/<br>FRG | IAS<br>Union | Other<br>reason |
|------|-------------------------------|------------------|------------------|-----------------|-----------------|------------------|----------------|----------------------|----------------|--------------------|--------------------|---------------|-----------------|-------------|--------------|-----------------|
| A713 | Lagopus muta<br>helvetica     |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Limenitis populi              |                  |                  |                 |                 |                  |                |                      |                |                    |                    | X             |                 |             |              |                 |
| 1413 | Lycopodium spp.               |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
| A876 | Lyrurus tetrix<br>tetrix      |                  |                  |                 | X               |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Lysandra coridon              |                  |                  |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              | X               |
|      | Phyteuma humile<br>Schleicher |                  |                  |                 |                 |                  |                | X                    |                |                    |                    |               |                 |             |              |                 |
| 1256 | Podarcis muralis              |                  | X                |                 |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Pterostichus<br>parnassius    |                  |                  |                 |                 |                  |                |                      |                |                    | X                  |               |                 |             |              |                 |
| 1213 | Rana temporaria               |                  |                  | X               |                 |                  |                |                      |                |                    |                    |               |                 |             |              |                 |
|      | Reicheiodes<br>fontanae       |                  |                  |                 |                 |                  |                |                      |                |                    | X                  |               |                 |             |              |                 |
|      | Trechus salassus              |                  |                  |                 |                 |                  |                |                      |                |                    | X                  |               |                 |             |              | X               |
|      | Vipera walser                 |                  |                  |                 |                 |                  |                |                      |                |                    | X                  |               |                 |             |              |                 |

**Motivation:** The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

## 4. Site description

### 4.1 Site characteristics

Praterie e pascoli alpini, compresi tra le quote 1300 e 2250 m, con presenza di macereti e ambienti lacustri.

### 4.2 Quality and importance of the site

Praterie e pascoli alpini, compresi tra le quote 1300 e 2250 m, con presenza di macereti e ambienti lacustri.

### 4.3 Pressures on the site

| 4.3.1         | 4.3.2 | 4.3.3    | 4.3.4           |
|---------------|-------|----------|-----------------|
| Pressure code | Rank  | Location | Further details |
| PA05          | low   | in       |                 |
| PA08          | low   | in       |                 |

**Pressure code:** Pressure code

**Rank:** Relative importance of a pressure in the categories high, medium, low.

**Location:** Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

### 4.3.5 Last update of the information on the pressures on the site

202512

### 4.4 Documentation

- Abbà G., 1989 - Contributo alla conoscenza della flora del settore insubrico del Lago Maggiore: addendum. Boll. Mus. Regionale Sci. Nat. Torino, 7: 11-14.; - Antonietti A., 2002 - Primo contributo alla conoscenza della Flora delle Valli Ossolane. 64. Folge, Fortschritte in der Floristik der Schweizer Flora. Botanica Helvetica, 112 (2): 173-200.; - Bionda R., Bordignon L. (Eds.), 2006 - Atlante degli uccelli nidificanti nella provincia del Verbano Cusio Ossola. Quad. Nat. Paes. VCO, 6. Provincia del VCO, Verbania.; - Bionda R., Casale F., Pompilio L., 2002 - Check-List dei vertebrati del Verbano Cusio Ossola aggiornata al dicembre 2001. Quad. Nat. Paes. VCO, 1. Provincia del VCO, Verbania.; - Bisio L., 2002 - Terzo contributo alla conoscenza di Carabus del subg. Orinocarabus del Piemonte: Carabus concolor Fabricius, 1792. (Coleoptera Carabidae). Riv. Piem. St. Nat., 23: 155-166.; - 224 Casale F., Toninelli V. (eds.), 2005 - La conservazione della Biodiversità nelle Alpi occidentali. Quad. Nat. Paes. VCO 5. Provincia del VCO, Verbania.; - Magistretti M., 1965 - Fauna d'Italia, VIII (Coleoptera: Cicindelidae Carabidae). Catalogo topografico. Calderoni, Bologna. 1-512.; - Peroni A., Peroni G., 1999 - Contributo alla conoscenza della flora pteridologica della Valle Strona. Boll. Mus. reg. Sci. nat. Torino, 17 (1): 205-214.; - Pescarolo R., 1985 - Alcuni interessanti coleotteri del Piemonte. Riv. Piem. St. Nat., 6: 261- 268.; - Pistarino A., Forneris G., Fossa V., 1999 - Le collezioni di Giacinto Abbà. Catalogo e note critiche delle raccolte botaniche in Piemonte (1965-1998). Cataloghi XII. Museo Regionale di Scienze Naturali, Torino.; - Provincia del VCO, Università degli Studi di Pavia - DET, 2003 - Progetto Biodiversità. Aree di importanza naturalistica del Verbano Cusio Ossola. Provincia del VCO. Assessorato all'ambiente. Verbania. (Rel. tec. non pubbl.); - Ramella A., 2003 - Le farfalle diurne del Verbano Cusio Ossola. Quad. Nat. Paes. VCO, 2.; - Rotti G., 1994 - L'areale valsesiano di Galium tendae Rchb. Not. C.A.I. Varallo, 8 (1): 53-62.; - Rotti G., 1994 - Nuovi areali di Asplenium adulterinum Milde con speciale riferimento alla Valsesia ed alla valle Strona di Campello Monti. Not. C.A.I. Varallo, 8 (2): 48-64.; - Rotti G., 1995 - Nuovi areali di Asplenium adulterinum Milde con speciale riferimento alla Valsesia ed alla valle Strona di Campello Monti (II parte). Not. C.A.I. Varallo, 9 (1): 47-63.

#### 4.4.1 Link(s)

#### 4.4.2 Last update of the documentation information

202412

## 5. Site management

### 5.1 Body responsible for the site management

#### 5.1.1 Name of the organization

Ente di gestione delle Aree protette della Valsesia

#### 5.1.2 Contact point in the organisation (optional)

No information provided

### 5.1.3 Postal address

Corso Roma, 35 - 13019 Varallo VC

### 5.1.4 Functional mailbox email address

info@areeprotettevallesesia.it

### 5.1.5 Website with contact information

No information provided

## 5.2 Management plans

### 5.2.1 Existence of management plan(s)

Yes

### 5.2.2 Reference and validity of the management plan(s)

| Name of the plan           | Link to the plan (URI)                                                                      | Validity of the plan (start date) | Duration (number of months) |
|----------------------------|---------------------------------------------------------------------------------------------|-----------------------------------|-----------------------------|
| PIANO NATURALISTICO CON    | <a href="http://www.regione.piemonte.it/parc">http://www.regione.piemonte.it/parc</a>       |                                   | Not undefined               |
| VALENZA DI PIANO DI        | <a href="hi/cms/dati-territoriali-new/aree-prot">hi/cms/dati-territoriali-new/aree-prot</a> |                                   |                             |
| GESTIONE DELLA ZSC         | <a href="ette-e-rn2000/pianificazione-e-nor">ette-e-rn2000/pianificazione-e-nor</a>         |                                   |                             |
| IT1140003 "CAMPELLO MONTI" | <a href="me.html">me.html</a>                                                               |                                   |                             |

### 5.2.3 Further explanations

## 5.3 Conservation measures

### 5.3.1 Detailed information on measures

**Necessary conservation measures are included in the management plan(s)**

Necessary conservation measures are described in the following document(s)

| 5.3.1.b Title                                  | 5.3.1.c Link to online resource                                                                                                                                 |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Deliberazione n.10-398/2024/XII del 21/11/2024 | <a href="https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta">https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta</a> |

### Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024  
PdG adottato dal soggetto gestore

### 5.3.2 Status of conservation measures

**Are the necessary measures established?**

**Are the established measures implemented?**

## 5.4 Management effectiveness

**Is the effectiveness of the conservation measures periodically assessed?**

Further explanations on detailed conservation measures

## 6. Geospatial representation of the site

### 6.1 INSPIRE identifier

#### 6.1.1 Namespace

#### 6.1.2 Local identifier

#### 6.1.3 Version identifier (optional)