

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Greto del Fiume Toce (IT1140006 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1140006

1.3 Site name

Greto del Fiume Toce

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commision

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

DGR 2-8620/2024/XI DEL 27/05/2024 modifica della denominazione in "Greto del Fiume Toce" e ampliamento dell'estensione del sito

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1541

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.79		veryLimited	
3220	Alpine rivers and the herbaceous vegetation along their banks	No		133.85		limited	
3230	Alpine rivers and their ligneous vegetation with Myricaria germanica	No		7.87		limited	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		40.15		limited	
3260	Water courses of plain to montane levels with the Ranunculum fluitantis and Callitricho-Batrachion vegetation	No		157.22		veryLimited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		34.3		limited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		263.47		limited	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		6.87		limited	

91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	14.35	limited
------	---	----	-------	---------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	non-significant									202412
3220	Alpine rivers and the herbaceous vegetation along their banks	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412

3230	Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i>	No	significant	B	B	B	202512
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	B	C	B	202412

3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No	significant	B	B	B	C	202512
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C	B	C	202412

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C	C	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
F	5086	Barbus caninus			p	8	8	grids1x1		limited	
F	5304	Cobitis bilineata			p	3	3	grids1x1		limited	
F	1163	Cottus gobio			p	17	17	grids1x1		limited	
F	1097	Lethenteron zanandreaei			p	11	11	grids1x1		limited	
F	1107	Salmo marmoratus			p	21	21	grids1x1		limited	
F	5331	Telestes muticellus			p	12	12	grids1x1		limited	
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1304	Rhinolophus ferrumequinum			p				R	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
F	5086	Barbus caninus	p	significant		C		B					C	B	202412
F	5304	Cobitis bilineata	p	significant		C		B					C	B	202412
F	1163	Cottus gobio	p	significant		C		B					C	B	202412
F	1097	Lethenteron zandreae	p	significant		C		B					C	B	202412
F	1107	Salmo marmoratus	p	significant		C		B					C	B	202412
F	5331	Telestes muticellus	p	significant		C		B					C	B	202412
M	1308	Barbatula barbatulus	p	significant		C		B					C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
B	A168	Actitis hypoleucos		no				P
B	A229	Alcedo atthis		no	11	50	p	
B	A255	Anthus campestris		no	10	10	p	
B	A029	Ardea purpurea		no				P
B	A222	Asio flammeus		no				P
B	A215	Bubo bubo		no	4	5	p	
B	A133	Burhinus oedicephalus		no				P

B	A243	Calandrella brachydactyla	no	2	2	p	
B	A861	Calidris pugnax	no				P
B	A224	Caprimulgus europaeus	no	6	10	p	
B	A197	Chlidonias niger	no				P
B	A031	Ciconia ciconia	no				P
B	A080	Circaetus gallicus	no				P
B	A081	Circus aeruginosus	no				P
B	A082	Circus cyaneus	no				P
B	A084	Circus pygargus	no				P
B	A122	Crex crex	no				P
B	A480	Cyanecula svecica	no				P
B	A026	Egretta garzetta	no				P
B	A379	Emberiza hortulana	no				P
B	A103	Falco peregrinus	no				P
B	A097	Falco vespertinus	no				P
B	A321	Ficedula albicollis	no	1	1	p	
B	A092	Hieraaetus pennatus	no				P
B	A022	Ixobrychus minutus	no				P
B	A338	Lanius collurio	no	11	50	p	
B	A246	Lullula arborea	no	5	5	p	
B	A073	Milvus migrans	no				P
B	A074	Milvus milvus	no				P
B	A023	Nycticorax nycticorax	no				P
B	A094	Pandion haliaetus	no				P
B	A072	Pernis apivorus	no				P
B	A307	Sylvia nisoria	no	10	10	p	

B	A166	Tringa glareola	no	P
F	1109	Thymallus thymallus	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1292	Natrix tessellata	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A168	Actitis hypoleucos					X										
A229	Alcedo atthis				X											
A255	Anthus campestris				X											
A029	Ardea purpurea				X											
A222	Asio flammeus				X											
A215	Bubo bubo				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
6962	Bufotes viridis Complex		X													
A133	Burhinus oedicephalus				X											
A243	Calandrella brachydactyla				X											
A861	Calidris pugnax				X											
A224	Caprimulgus europaeus				X											
A197	Chlidonias niger				X											
A031	Ciconia ciconia				X											
A080	Circaetus gallicus				X											
A081	Circus aeruginosus				X											
A082	Circus cyaneus				X											
A084	Circus pygargus				X											
A122	Crex crex				X											
A480	Cyanecula svecica				X											
A026	Egretta garzetta				X											
A379	Emberiza hortulana				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A103	Falco peregrinus				X											
A097	Falco vespertinus				X											
A321	Ficedula albicollis				X											
A092	Hieraaetus pennatus				X											
5670	Hierophis viridiflavus		X													
5358	Hyla intermedia		X													
A022	Ixobrychus minutus				X											
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
A246	Lullula arborea				X											
A073	Milvus migrans				X											
A074	Milvus milvus				X											
1292	Natrix tessellata		X									X				
A023	Nycticorax nycticorax				X											
A094	Pandion haliaetus				X											
6976	Pelophylax esculentus			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A072	Pernis apivorus				X											
1256	Podarcis muralis		X													
A307	Sylvia nisoria				X											
1109	Thymallus thymallus			X												
A166	Tringa glareola				X											

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Le acque del Toce ospitano un significativo popolamento ittico, composto da alcune specie della D.H: il barbo canino (*Barbus caninus*), il vairone (*Telestes muticellus*), la trota marmorta (*Salmo marmoratus*), il cobite comune (*Cobitis bilineata*) e lo scazzone (*Cottus gobio*), tutte inserite in All.II.

4.2 Quality and importance of the site

Greto alluvionale ciottoloso a saliceto con isoloni in alveo, formazioni idrofile riparie di salice bianco e pioppo. Lunghi tratti arginati con scoliere in massi in cemento.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	low	in	
PD02	low	in	
PI02	medium	inout	
PI03	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Andreone F., Sindaco R. (Eds), 1999 - Erpetologia del Piemonte e della Valle d'Aosta. Atlante degli Anfibi e dei Rettili. (Monografie XXVI) (1998) Mus. Reg. Scienze Nat., Torino. //Antonietti A., 2002 - Primo contributo alla conoscenza della Flora delle Valli Ossolane. 64. Folge, Fortschritte in der Floristik der Schweizer Flora. Botanica Helvetica. Vol. 112/2: 173-200. //Bionda R., Casale F., Pompilio L., 2002 - Check-List dei vertebrati del Verbano Cusio Ossola aggiornata al dicembre 2001. Quad. Nat. Paes. VCO, 1, Provincia del VCO, Verbania. //Bionda R., Bordignon L., in prep - Atlante degli uccelli nidificanti nella provincia del Verbano Cusio Ossola. //Cucco M., Levi L., Maffei G., Pulcher C. (Red.), 1996 - Atlante degli uccelli di Piemonte e Valle d'Aosta in inverno (1986 – 1992). (Monografie XIX) Mus. Reg. Scienze Nat., Torino. //GRAIA, 2000 - Carta ittica della Provincia del Verbano Cusio Ossola. Provincia del Verbano Cusio Ossola. Settore Tutela faunistica, Agricoltura, Montagna e Parchi. (Rel. tec. non pubbl.) //Lardelli R., 1986 - Nidification de l'Alouette calandrelle, *Calandrella brachydactyla*, dans la Vallée d'Ossola (Piemont, Italie). Nos Oiseaux, 38 : 294- 295. //Marchesi P., Rey A., 2001 - Découverte de la salamandre tachetée (*Salamandra s. salamandra*) au Simplon et du crapaud vert (*Bufo viridis*) à Domodossola. In : KARCH, Résumés des communications présentées lors du 8ème Colloque herpétologique du Centre de coordination pour la protection des amphibiens et des reptiles de Suisse, Fribourg, Svizzera. //Meriggi A., Pompilio L., Borgo A., Durio P., Perrone A., D'Andrea L., (Red), 1999 - Piano faunistico-venatorio provinciale. Provincia del Verbano Cusio Ossola. Settore Tutela faunistica, Agricoltura, Montagna e Parchi. (Rel. tec. non pubbl.) //Mingozzi T., Boano G., Pulcher C. e coll., 1988 - Atlante degli uccelli nidificanti in Piemonte e Valle d'Aosta 1980 - 1984. (Monografie VII) Mus. Reg. Scienze Nat., Torino. //Provincia del VCO e Università di Pavia – DET, 2003 - Progetto Biodiversità. Aree di importanza naturalistica del Verbano Cusio Ossola. Provincia del VCO, Verbania. (Rel. tec. non pubbl.) //Ramella A., 2003 - Le farfalle diurne del Verbano Cusio Ossola. Quad. Nat. Paes. VCO, 2. Provincia del VCO, Verbania. //Regione Piemonte. Direzione Pianificazione delle Risorse Idriche, 2004 - Rilievi ittiofaunali per la Carta ittica Regionale. //

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Provincia del Verbano Cusio Ossola – Servizio Pianificazione Territoriale e Infrastrutture

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Via dell'Industria, 25 – 28924 Verbania

5.1.4 Functional mailbox email address 5.1.5 Website with contact information
protocollo@cert.provincia.verbania.it No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del Sito della	http://www.regione.piemonte.it/parc		Undefined
Rete Natura 2000 IT1140006	hi/cms/dati-territoriali-new/aree-prot		
“Greto T.te Toce tra Domodossola	ette-e-rn2000/pianificazione-e-nor		
e Villadossola”	me.html		

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)