

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Val Grande (IT1140011 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1140011

1.3 Site name

Val Grande

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2006-10

1.5.2 SPA classification act (URI or free text)

D.G.R. n.76-2950 del 22/05/2006

1.5.3 Date site first proposed as SCI

2008-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-11

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/12/04/283/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

11855

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	No		0.5		limited	
4030	European dry heaths	No		1407.66		limited	
4060	Alpine and Boreal heaths	No		432.56		limited	
4070	Bushes with Pinus mugo and Rhododendron hirsutum (Mugo-Rhododendretum hirsuti)	No		3.44		limited	
6150	Siliceous alpine and boreal grasslands	No		656.71		limited	
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No		25.52		limited	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		1692.22		limited	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		14.55		limited	
7140	Transition mires and quaking bogs	No		0.5		limited	

8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	103.12	limited
8220	Siliceous rocky slopes with chasmophytic vegetation	No	1431.55	limited
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	0.64	limited
8310	Caves not open to the public	No	4	limited
9110	Luzulo-Fagetum beech forests	No	3461.21	limited
9130	Asperulo-Fagetum beech forests	No	210.24	limited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	237.94	limited
9190	Old acidophilous oak woods with Quercus robur on sandy plains	No	21.03	limited
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	18.66	limited
9260	Castanea sativa woods	No	1406.53	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Najuncetea	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
4030	European dry heaths	No	significant	B	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202512

4060	Alpine and Boreal heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
4070	Bushes with Pinus mugo and Rhododendron hirsutum (Mugo-Rhododendretum hirsuti)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6150	Siliceous alpine and boreal grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	B	B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

7140	Transition mires and quaking bogs	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

8310	Caves not open to the public	No	significant	C	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
9110	Luzulo-Fagetum beech forests	No	significant	B	B	B	B	202512
					B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

9130	Asperulo-Fagetum beech forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B	B	202412
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B	B	202412

9190	Old acidophilous oak woods with <i>Quercus robur</i> on sandy plains	No	significant	B	B	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202512
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	B	C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202412

9260	Castanea sativa woods	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202412
------	-----------------------	----	-------------	---	---	---	--------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A085	Accipiter gentilis			r				P	insufficient	
B	A223	Aegolius funereus			p	5	10	p		limited	
B	A412	Alectoris graeca saxatilis			r				P	insufficient	
B	A412	Alectoris graeca saxatilis			p	20	50	p		complete	
B	A255	Anthus campestris			c	5	10	i		complete	
B	A091	Aquila chrysaetos			p	5	6	p		complete	
B	A091	Aquila chrysaetos			r				P	insufficient	
B	A104	Bonasa bonasia			r				P	insufficient	
B	A104	Bonasa bonasia			p	2	5	p		limited	
B	A215	Bubo bubo			p	3	3	p		complete	
B	A215	Bubo bubo			r				P	insufficient	
B	A224	Caprimulgus europaeus			r	8	16	p		complete	
B	A080	Circaetus gallicus			r	5	5	p		complete	
B	A081	Circus aeruginosus			c	5	20	i		complete	
B	A082	Circus cyaneus			w	1	2	i		complete	
B	A082	Circus cyaneus			c	1	5	i		complete	

B	A480	Cyanecula svecica	c	1	2	i	veryLimited
B	A869	Dryobates minor	r			P	insufficient
B	A236	Dryocopus martius	p	12	15	p	complete
B	A236	Dryocopus martius	r			P	insufficient
B	A378	Emberiza cia	r			P	insufficient
B	A727	Eudromias morinellus	c	1	1	i	veryLimited
B	A098	Falco columbarius	c	1	2	i	complete
B	A103	Falco peregrinus	p	3	4	p	complete
B	A217	Glaucidium passerinum	c	1	1	i	limited
B	A127	Grus grus	c	10	100	i	complete
B	A076	Gypaetus barbatus	c	1	1	i	complete
B	A078	Gyps fulvus	c	1	4	i	complete
B	A713	Lagopus muta helvetica	c	1	5	i	complete
B	A713	Lagopus muta helvetica	p			P	insufficient
B	A338	Lanius collurio	r	2	5	p	complete
B	A246	Lullula arborea	c	1	10	i	complete
B	A876	Lyrurus tetrix tetrix	r			P	insufficient
B	A876	Lyrurus tetrix tetrix	p	100	150	i	complete

B	A073	Milvus migrans	c	5	20	i		complete
B	A074	Milvus milvus	c	1	5	i		complete
B	A281	Monticola solitarius	r				P	insufficient
B	A094	Pandion haliaetus	c	1	3	i		complete
B	A072	Pernis apivorus	r	5	7	p		complete
B	A866	Picus viridis	r				P	insufficient
B	A333	Tichodroma muraria	r				P	insufficient
F	1163	Cottus gobio	p	3	3	localities		limited
F	5331	Telestes muticellus	p	2	2	localities		limited
I	1092	Austropotamo bius pallipes	p	3	3	localities		limited
I	1065	Euphydryas aurinia	p				V	insufficient
I	6199	Euplagia qua dripunctaria	p	7	7	localities		veryLimited
I	1083	Lucanus cervus	p				P	insufficient
I	1084	Osmoderma eremita	p				V	insufficient
I	1087	Rosalia alpina	p	13	13	localities		limited
M	1308	Barbastella barbastellus	p	2	2	localities		limited
M	1352	Canis lupus	p	2	3	p		limited
M	1324	Myotis myotis	p	2	2	localities		limited
M	1354	Ursus arctos	p	1	1	i		limited
P	4066	Asplenium adulterinum	p	3	3	localities		limited

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
B	A085	Accipiter gentilis	r	significant		C		A					C	A	202412
B	A223	Aegolius funereus	p	significant		C		B					B	B	202412
B	A412	Alectoris graeca saxatilis	r	significant		C		A					C	B	202412
B	A412	Alectoris graeca saxatilis	p	significant		C		B					B	B	202412
B	A255	Anthus campestris	c	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	p	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	r	significant		C		A					C	B	202412
B	A104	Bonasa bonasia	r	significant		C		A					C	B	202412
B	A104	Bonasa bonasia	p	significant		C		B					B	B	202412
B	A215	Bubo bubo	p	significant		C		A					C	B	202412
B	A215	Bubo bubo	r	significant		C		A					C	B	202412
B	A224	Caprimulgus europaeus	r	significant		C		B					C	B	202412
B	A080	Circus gallicus	r	significant		C		A					C	B	202412

B	A08 1	Circus a eruginos us	c	significant	C	A	C	B	20241 2
B	A08 2	Circus cyaneus	w	significant	C	A	C	B	20241 2
B	A08 2	Circus cyaneus	c	significant	C	A	C	B	20241 2
B	A48 0	Cyanecul a svecica	c	significant	C	A	C	B	20241 2
B	A86 9	Dryobate s minor	r	significant	C	B	C	B	20241 2
B	A23 6	Dryocop us martius	p	significant	C	A	C	B	20241 2
B	A23 6	Dryocop us martius	r	significant	C	A	C	B	20241 2
B	A37 8	Emberiz a cia	r	significant	C	B	C	B	20241 2
B	A72 7	Eudromi as morin ellus	c	significant	C	B	C	B	20241 2
B	A09 8	Falco col umbarius	c	significant	C	A	C	B	20241 2
B	A10 3	Falco per egrinus	p	significant	C	A	C	B	20241 2
B	A21 7	Glaucidium passer inum	c	significant	C	B	B	B	20241 2
B	A12 7	Grus grus	c	significant	C	A	C	B	20241 2
B	A07 6	Gypaetu s barbatus	c	significant	C	A	C	B	20241 2
B	A07 8	Gyps fulvus	c	significant	C	A	C	B	20241 2

B	A71 3	Lagopus muta helvetica	c	significant	C	B	C	B	20241 2
B	A71 3	Lagopus muta helvetica	p	non-significan t					20241 2
B	A33 8	Lanius collurio	r	significant	C	B	C	B	20241 2
B	A24 6	Lullula arborea	c	significant	C	A	C	B	20241 2
B	A87 6	Lyrurus tetrix tetrix	r	significant	C	B	C	B	20241 2
B	A87 6	Lyrurus tetrix tetrix	p	significant	C	B	C	B	20241 2
B	A07 3	Milvus migrans	c	significant	C	A	C	B	20241 2
B	A07 4	Milvus milvus	c	significant	C	A	C	B	20241 2
B	A28 1	Monticol a solitarius	r	significant	C	B	C	B	20241 2
B	A09 4	Pandion haliaetus	c	significant	C	A	C	B	20241 2
B	A07 2	Pernis apivorus	r	significant	C	A	C	B	20241 2
B	A86 6	Picus viridis	r	significant	C	B	C	C	20241 2
B	A33 3	Tichodro ma muraria	r	significant	C	A	C	B	20241 2
F	1163	Cottus gobio	p	significant	C	B	B	B	20241 2
F	5331	Telestes muticellu s	p	significant	C	B	B	B	20241 2

I	1092	Austropo- tamobius pallipes	p	significant	C	C	A	B	20241 2
I	1065	Euphydr- yas aurinia	p	significant	C	B	C	B	20241 2
I	6199	Euplagia quadripu- nctaria	p	significant	C	A	C	B	20241 2
I	1083	Lucanus cervus	p	significant	C	B	C	B	20241 2
I	1084	Osmoder- ma eremita	p	significant	C	B	C	B	20241 2
I	1087	Rosalia alpina	p	significant	C	B	C	B	20241 2
M	1308	Barbaste- lla barba- stellus	p	significant	C	A	C	B	20241 2
M	1352	Canis lupus	p	significant	C	A	C	C	20241 2
M	1324	Myotis myotis	p	significant	C	A	C	B	20241 2
M	1354	Ursus arctos	p	non-significan- t					20241 2
P	4066	Aspleniu- m adulter- inum	p	significant	C	B	A	B	20241 2

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	1213	Rana temporaria		no				P
A		Salamandra salamandra		no				P
B	A085	Accipiter gentilis		no	3	5	p	C
B	A247	Alauda arvensis		no	3	5	p	R
B	A257	Anthus pratensis		no	200	500	i	C
B	A256	Anthus trivialis		no	50	70	p	
B	A623	Carduelis citrinella		no	20	50	p	R
B	A869	Dryobates minor		no	5	10	p	R
B	A378	Emberiza cia		no	70	100	males	C
B	A376	Emberiza citrinella		no	5	10	p	R

B	A096	Falco tinnunculus	no	10	15	p	C
B	A360	Fringilla montifringilla	no	50	300	i	C
B	A476	Linaria cannabina	no	1	5	p	R
B	A280	Monticola saxatilis	no	5	10	p	R
B	A281	Monticola solitarius	no	4	5	p	R
B	A260	Motacilla flava	no	10	30	i	R
B	A319	Muscicapa striata	no	10	30	p	R
B	A277	Oenanthe oenanthe	no	5	7	p	R
B	A235	Picus viridis	no	10	15	p	C
B	A492	Poecile montanus	no	15	20	p	R
B	A372	Pyrrhula pyrrhula	no	20	30	p	R
B	A317	Regulus regulus	no	40	60	p	C
B	A333	Tichodroma muraria	no	5	10	p	R
B	A286	Turdus iliacus	no	50	200	i	C
I		Apatura iris	no				P
I		Carabus leptinus	no				P
I		Oeneis glacialis	no				P
I	1057	Parnassius apollo	no				P
I	1056	Parnassius mnemosyne	no				P
M		Capreolus capreolus	no	700	800	i	C
M		Cervus elaphus	no	20	50	i	P
M	1327	Eptesicus serotinus	no				P
M		Erinaceus europaeus	no				P
M		Glis glis	no				P

M	5365	Hypsugo savii	no					C
M		Lepus europaeus	no					P
M		Martes foina	no					C
M	1357	Martes martes	no					P
M		Meles meles	no					P
M	1341	Muscardinus avellanarius	no					P
M		Mustela erminea	no					R
M		Mustela nivalis	no					R
M	1320	Myotis brandtii	no					R
M	1314	Myotis daubentonii	no					P
M	1322	Myotis nattereri	no					P
M	1331	Nyctalus leisleri	no					C
M	2016	Pipistrellus kuhlii	no					C
M	1317	Pipistrellus nathusii	no					R
M	1309	Pipistrellus pipistrellus	no					C
M	5009	Pipistrellus pygmaeus	no					R
M	1326	Plecotus auritus	no					P
M	1369	Rupicapra rupicapra	no	1000	1200	i		C
M		Sciurus vulgaris	no					P
M	1333	Tadarida teniotis	no					P
P		Allium victorialis L.	no					P
P		Androsace vandellii	no					P
P	1480	Aquilegia alpina	no					P
P	1762	Arnica montana	no					P

P		<i>Butrychium multifidum</i> (S.G.Gmel.) Rupr.	no	P
P		<i>Chamorchis alpina</i> (L.) Rich.	no	P
P		<i>Coincya cheiranthos</i> (Vill.) Greuter & Burdet	no	P
P		<i>Corydalis lutea</i> (L.) DC.	no	P
P		<i>Delphinium dubium</i> (Rouy & Fouc.) Powl.	no	P
P		<i>Drosera rotundifolia</i> L.	no	P
P		<i>Epipogium aphyllum</i> Sw.	no	P
P		<i>Eriophorum vaginatum</i> L.	no	P
P	1657	<i>Gentiana lutea</i>	no	P
P		<i>Gentiana pneumonanthe</i> L.	no	P
P		<i>Lycopodium annotinum</i>	no	P
P		<i>Lycopodium clavatum</i>	no	P
P		<i>Osmunda regalis</i> L.	no	P
P		<i>Phyteuma humile</i> Schleicher	no	P
P		<i>Polystichum braunii</i> (Spencer) Fée	no	P
P		<i>Potentilla grammopetala</i> Moretti	no	P
P		<i>Rhynchospora alba</i> (L.) Vahl	no	P

P	1849	Ruscus aculeatus	no	P
P		Saussurea discolor (Willd.) DC.	no	P
P		Senecio halleri Dandy	no	P
P		Sparganium angustifolium Michx.	no	P
P	1900	Spiranthes aestivalis	no	P
P		Tulipa australis Link	no	P
P		Woodsia alpina (Bolton) Gray	no	P
R		Anguis fragilis	no	C
R	1283	Coronella austriaca	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	C
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P
R	6091	Zamenis longissimus	no	P
R		Zootoca vivipara	no	R

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A085	Accipiter gentilis					X										
A247	Alauda arvensis					X		X				X				
	Allium victorialis L.							X								
	Androsace vandellii							X								
	Anguis fragilis											X				
A257	Anthus pratensis					X						X				
A256	Anthus trivialis					X		X								
	Apatura iris															X
1480	Aquilegia alpina		X													
1762	Arnica montana			X												
	Bufo bufo											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Butrychium multifidum (S.G.Gmel.) Rupr.							X								
	Capreolus capreolus											X				
	Carabus lepontinus															X
A623	Carduelis citrinella					X										
	Cervus elaphus											X				
	Chamorchis alpina (L.) Rich.											X				
	Coincya cheiranthos (Vill.) Greuter & Burdet							X								
1283	Coronella austriaca		X													
	Corydalis lutea (L.) DC.															X
	Delphinium dubium (Rouy & Fouc.) Powl.															X
	Drosera rotundifolia L.							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A869	Dryobates minor					X										
A378	Emberiza cia					X										
A376	Emberiza citrinella					X						X				
	Epipogium aphyllum Sw.							X				X				
1327	Eptesicus serotinus		X													
	Erinaceus europaeus											X				X
	Eriophorum vaginatum L.							X								
A096	Falco tinnunculus					X						X				
A360	Fringilla montifringilla					X										
1657	Gentiana lutea			X												
	Gentiana pneumonanthe L.							X								
	Glis glis											X				
5670	Hierophis viridiflavus		X									X				
5365	Hypsugo savii		X													
5179	Lacerta bilineata		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Lepus europaeus											X				
A476	Linaria cannabina					X						X				
	Lycopodium annotinum			X												
	Lycopodium clavatum			X												
	Martes foina											X				
1357	Martes martes			X												
	Meles meles											X				
A280	Monticola saxatilis					X		X								
A281	Monticola solitarius					X										
A260	Motacilla flava					X						X				
1341	Musccardinus avellanarius		X													
A319	Muscicapa striata					X						X				
	Mustela erminea											X				
	Mustela nivalis											X				
1320	Myotis brandtii		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1314	Myotis daubentonii		X													
1322	Myotis nattereri		X													
	Natrix natrix											X				
1331	Nyctalus leisleri		X													
A277	Oenanthe oenanthe					X		X								
	Oeneis glacialis										X					
	Osmunda regalis L.							X								
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
	Phyteuma humile Schleicher							X								
A235	Picus viridis					X										
2016	Pipistrellus kuhlii		X													
1317	Pipistrellus nathusii		X													
1309	Pipistrellus pipistrellus		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5009	Pipistrellus pygmaeus		X													
1326	Plecotus auritus		X													
1256	Podarcis muralis		X													
A492	Poecile montanus					X						X				
	Polystichum braunii (Spenner) Fée							X								X
	Potentilla grammopetala Moretti							X								
A372	Pyrrhula pyrrhula					X		X								
1213	Rana temporaria			X												
A317	Regulus regulus					X										
	Rhynchospora alba (L.) Vahl							X								
1369	Rupicapra rupicapra			X												
1849	Ruscus aculeatus			X												
	Salamandra salamandra											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Saussurea discolor (Willd.) DC.															X
	Sciurus vulgaris											X				
	Senecio halleri Dandy															X
	Sparganium angustifolium Michx.							X								
1900	Spiranthes aestivalis		X													
1333	Tadarida teniotis		X													
A333	Tichodroma muraria					X										
	Tulipa australis Link							X								
A286	Turdus iliacus					X		X								
	Vipera aspis											X				
	Woodsia alpina (Bolton) Gray							X								
6091	Zamenis longissimus		X													
	Zootoca vivipara											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Territorio caratterizzato dal tipico paesaggio alpino, con una netta dominanza di faggete ed abetine miste a larice, che alle quote superiori sono sostituite da praterie con rocce affioranti.

4.2 Quality and importance of the site

Ambienti particolarmente selvaggi ed incontaminati, idonei per la tipica fauna alpina, che risulta infatti varia e ben rappresentata (soprattutto per quanto riguarda uccelli e mammiferi).

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	medium	in	
PB04	low	in	
PB07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Gruppo di lavoro per la conservazione della Natura della Società Botanica Italiana: Censimento dei biotopi di rilevante interesse vegetazionale meritevoli di conservazione in Italia. 1979; Mingozzi T., Boano G., Pulcher C. e collab. - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta. - Mus. Reg. Scienze Nat. (Monografie VIII) Torino 1980 - 1984 // Antonietti A., 2002 - Primo contributo alla conoscenza della Flora delle Valli Ossolane. 64. Folge, Fortschritte in der Floristik der Schweizer Flora. Botanica Helvetica, 112 (2): 173-200. // Bionda R., Bordignon L. (Eds.), 2006 - Atlante degli uccelli nidificanti nella provincia del Verbano Cusio Ossola. Quad. Nat. Paes. VCO, 6. Provincia del VCO, Verbania. // Casale F., Toninelli V. (eds.), 2005 - La conservazione della Biodiversità nelle Alpi occidentali. Quad. Nat. Paes. VCO 5. Provincia del VCO, Verbania. // Movalli C., Grimaldi P., 1996 - Analisi quali-quantitativa dell'avifauna nidificante nel Parco Nazionale della Val Grande (Piemonte). Riv. Piem. St. Nat., 17: 189-204. // Provincia del VCO, Università degli Studi di Pavia - DET, 2003 - Progetto Biodiversità. Aree di importanza naturalistica del Verbano Cusio Ossola. Provincia del VCO. Assessorato all'ambiente. Verbania. (Rel. tec. non pubbl.). // Valsesia T., 1985 - Val Grande ultimo paradiso. Viaggio tra il Verbano e l'Ossola nell'area selvaggia più vasta d'Italia. Alberti, Intra. // Vigna Taglianti A., Audisio P. A., De Felici S., 1998 - I Coleotteri Carabidi del Parco Nazionale della Val Grande (Verbania, Piemonte). Riv. Piem. St. Nat., 19: 193-245.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Parco Nazionale della Val Grande

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Villa Biraghi, Piazza Pretorio, 6 - 28805 Vogogna (VB)

5.1.4 Functional mailbox email address
info@parcovalgrande.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Deliberazione n.10-398/2024/XII del 21/11/2024

<https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta>

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)