

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Baraggia di Piano Rosa (IT1150007 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1150007

1.3 Site name

Baraggia di Piano Rosa

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1194

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	No		0.24		complete	
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.01		veryLimited	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		0.01		complete	
4030	European dry heaths	No		71.82		limited	
6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No		0.01		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		0.57		veryLimited	
7150	Depressions on peat substrates of the Rhynchosporion	No		0.22		complete	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		356.89		limited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		28.04		complete	

9260	Castanea sativa woods	No	30.96	limited
------	--------------------------	----	-------	---------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Najasjuncetum	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	non-significant									202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412

4030	European dry heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	C	202412
6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	C	202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	non-significant					202412

7150	Depressions on peat substrates of the Rhynchosporion	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	C	202412
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202512

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
9260	<i>Castanea sativa</i> woods	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p	3	4	grids5x5		limited	
F	1137	Barbus plebejus			p				V	insufficient	
F	5304	Cobitis bilineata			p				R	insufficient	
F	1163	Cottus gobio			p				P	insufficient	
F	1097	Lethenteron zanandreai			p				C	insufficient	
F	5331	Telestes muticellus			p				C	insufficient	

I	1092	Austropotamo bius pallipes	p			P	insufficient
I	1071	Coenonymph a oedippus	p	3	3	grids5x5	limited
I	1083	Lucanus cervus	p	4	4	localities	limited
P	1898	Eleocharis carniolica	p	34	34	localities	complete
P	4096	Gladiolus palustris	p	13	13	localities	complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1167	Triturus carnifex	p	significant		C		C					C	B	202412
F	1137	Barbus plebejus	p	significant		C		C					C	B	202412
F	5304	Cobitis bilineata	p	significant		C		C					C	B	202412
F	1163	Cottus gobio	p	significant		C		C					C	B	202412
F	1097	Lethenteron zana ndraei	p	significant		C		B					C	B	202412
F	5331	Telestes muticellus	p	significant		C		B					C	B	202412
I	1092	Austropotamobius pallipes	p	significant		C		C					C	B	202412
I	1071	Coenonympha oedippus	p	significant		C		B					B	B	202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202412
P	1898	Eleocharis carniolica	p	significant		C		B					C	B	202412
P	4096	Gladiolus palustris	p	significant		C		C					C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
A	1213	Rana temporaria		no				P
B	A086	Accipiter nisus		no				C
B	A247	Alauda arvensis		no				P
B	A229	Alcedo atthis		no				P
B	A259	Anthus spinoletta		no				C
B	A256	Anthus trivialis		no				P
B	A226	Apus apus		no				C

B	A224	Caprimulgus europaeus	no	P
B	A030	Ciconia nigra	no	P
B	A081	Circus aeruginosus	no	P
B	A208	Columba palumbus	no	C
B	A212	Cuculus canorus	no	C
B	A738	Delichon urbicum	no	P
B	A236	Dryocopus martius	no	P
B	A376	Emberiza citrinella	no	P
B	A379	Emberiza hortulana	no	P
B	A381	Emberiza schoeniclus	no	C
B	A099	Falco subbuteo	no	P
B	A322	Ficedula hypoleuca	no	P
B	A359	Fringilla coelebs	no	C
B	A300	Hippolais polyglotta	no	P
B	A251	Hirundo rustica	no	C
B	A233	Jynx torquilla	no	C
B	A338	Lanius collurio	no	P
B	A179	Larus ridibundus	no	P
B	A271	Luscinia megarhynchos	no	C
B	A230	Merops apiaster	no	P
B	A073	Milvus migrans	no	P
B	A262	Motacilla alba	no	P
B	A261	Motacilla cinerea	no	P
B	A260	Motacilla flava	no	P
B	A319	Muscicapa striata	no	C
B	A277	Oenanthe oenanthe	no	P

B	A337	Oriolus oriolus	no	P
B	A274	Phoenicurus phoenicurus	no	C
B	A315	Phylloscopus collybita	no	C
B	A314	Phylloscopus sibilatrix	no	P
B	A316	Phylloscopus trochilus	no	P
B	A266	Prunella modularis	no	C
B	A318	Regulus ignicapilla	no	P
B	A276	Saxicola torquatus	no	C
B	A155	Scolopax rusticola	no	P
B	A478	Spinus spinus	no	C
B	A209	Streptopelia decaocto	no	P
B	A210	Streptopelia turtur	no	C
B	A310	Sylvia borin	no	P
B	A309	Sylvia communis	no	R
B	A228	Tachymarptis melba	no	C
B	A286	Turdus iliacus	no	P
B	A284	Turdus pilaris	no	P
B	A232	Upupa epops	no	P
B	A142	Vanellus vanellus	no	C
I		Acupalpus dubius	no	P
I		Agonum versutum	no	P
I		Brenthis daphne	no	P
I		Callistus lunatus	no	P
I		Clossiana selene	no	P

I		Clossiana titania	no	P
I		Heteropterus morpheus	no	P
I		Maxculineaalcon	no	P
I		Minois dryas	no	P
I	6182	Sympecma paedisca	no	P
I		Tachyta nana	no	P
M		Capreolus capreolus	no	P
M		Lepus europaeus	no	P
M		Martes foina	no	P
M		Meles meles	no	P
M		Sciurus vulgaris	no	P
M		Sorex araneus	no	P
P	1762	Arnica montana	no	R
P		Gentiana pneumonanthe L.	no	P
R	1283	Coronella austriaca	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A086	Accipiter nisus					X										
	Acupalpus dubius															X
	Agonum versutum															X
A247	Alauda arvensis					X										
A229	Alcedo atthis				X											
A259	Anthus spinoletta					X										
A256	Anthus trivialis					X										
A226	Apus apus					X										
1762	Arnica montana			X												
	Brenthis daphne															X
	Callistus lunatus															X
	Capreolus capreolus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A224	Caprimulgus europaeus				X											
A030	Ciconia nigra				X											
A081	Circus aeruginosus				X											
	Clossiana selene															X
	Clossiana titania															X
A208	Columba palumbus					X										
1283	Coronella austriaca		X													
A212	Cuculus canorus					X										
A738	Delichon urbicum					X										
A236	Dryocopus martius				X											
A376	Emberiza citrinella					X										
A379	Emberiza hortulana				X											
A381	Emberiza schoeniclus					X										
A099	Falco subbuteo					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A322	Ficedula hypoleuca					X										
A359	Fringilla coelebs					X										
	Gentiana pneumonanthe L.							X								
	Heteropterus morpheus							X								
5670	Hierophis viridiflavus		X									X				
A300	Hippolais polyglotta					X										
A251	Hirundo rustica					X										
5358	Hyla intermedia		X									X				
A233	Jynx torquilla					X										
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
A179	Larus ridibundus					X										
	Lepus europaeus											X				
A271	Luscinia megarhynchos					X										
	Martes foina											X				
	Maxculinea alcon															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Meles meles											X				
A230	Merops apiaster					X										
A073	Milvus migrans				X											
	Minois dryas															X
A262	Motacilla alba					X										
A261	Motacilla cinerea					X										
A260	Motacilla flava					X										
A319	Muscicapa striata					X										
A277	Oenanthe oenanthe					X										
A337	Oriolus oriolus					X										
6976	Pelophylax esculentus			X												
A274	Phoenicurus phoenicurus					X										
A315	Phylloscopus collybita					X										
A314	Phylloscopus sibilatrix					X										
A316	Phylloscopus trochilus					X										
1256	Podarcis muralis		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A266	Prunella modularis					X										
1209	Rana dalmatina		X													
1213	Rana temporaria			X												
A318	Regulus ignicapilla					X										
A276	Saxicola torquatus					X										
	Sciurus vulgaris											X				
A155	Scolopax rusticola					X										
	Sorex araneus											X				
A478	Spinus spinus					X										
A209	Streptopelia decaocto					X										
A210	Streptopelia turtur					X										
A310	Sylvia borin					X										
A309	Sylvia communis					X										
6182	Sympecma paedisca		X													
A228	Tachymarptis melba					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Tachyta nana															X
A286	Turdus iliacus					X										
A284	Turdus pilaris					X										
A232	Upupa epops					X										
A142	Vanellus vanellus					X										
6091	Zamenis longissimus		X									X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Zona pianeggiante con reticolo di ruscelli spesso a modesti dislivelli dal piano di campagna, a prevalente copertura forestale; molinio-calluneti con rada copertura di betulla e farnia, (presenza a bassa quota di pino silvestre nel settore S), terreni ancora a coltura, o con impianti di conifere e quercia rossa e altri in abbandono con colonizzazione di arbusti e alberi. Presenza di aree paludose.

4.2 Quality and importance of the site

Importante lembo di brughiera pedemontana con ampie zone boschive ed estesi tratti in avanzata fase di colonizzazione da parte di betulle. Varie specie rare, specialmente di zone umide o a quote insolitamente basse.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	medium	in	
PI01	low	in	
PI02	low	in	
PM07	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

GPSO, 1982/1995 - Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta. Riv. Piem. St. Nat. N° 3, 4, 5, 6, 7,8,9,11,12,13,14,15; I.P.L.A., 1995 – Piano Naturalistico della Ris. Nat. Orientata delle Baragge di Candelo, Rovasenda, Pian del Rosa e della Riserva Orientata della Vauda. Regione Piemonte. Assessorato ai beni Culturali ed Ambientali, Pianificazione Territoriale, Parchi, Enti Locali. (redatto); Mingozzi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 – 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Pescarolo R., 1993 - I Coleotteri Carabidi della Baraggia di Piano Rosa (Piemonte, Novara). Riv. Piem. St. Nat. 14:171-184; Raviglione M. e Boggio F., 2001 – Le Farfalle del Biellese. Assessorato alla Tutela Ambientale. Provincia di Biella. Collana Ambiente. - STUDIO PER IL PIANO DI GESTIONE, 2012, IPLA, bozza in fase di approvazione. - EBISUNO M., Aspetti eco-etologici di una metapopolazione di Raganella italiana *Hylaintermedia* nella Riserva naturale della Baraggia del Piano Rosa, 1999, Tesi di Laurea.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle Aree protette del Ticino e del Lago Maggiore

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Villa Picchetta - 28062 Cameri NO

5.1.4 Functional mailbox email address
info@parcoticinolagomaggiore.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
IT1150007 "Baraggia di Pian del Rosa" - Piano di gestione	http://www.regione.piemonte.it/parchi/cms/dati-territoriali-new/aree-protezione-e-rn2000/pianificazione-e-norme.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/attach/103982024XII21112024.pdf

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)