

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Oasi di Crava Morozzo (IT1160003 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1160003

1.3 Site name

Oasi di Crava Morozzo

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

299

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		7.18		complete	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No		2.99		complete	
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	No		0.3		complete	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		5.98		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		22.72		complete	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		13.46		complete	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		33.49		complete	

91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No	2.99	complete
------	--	----	------	----------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					A	202412

3270	Rivers with muddy banks with Chenopodion rubri p.p. and Bidenton p.p. vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	B	202412
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412
91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmenion minoris</i>)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A296	Acrocephalus palustris			r				P	insufficient	
B	A229	Alcedo atthis			p				P	insufficient	
B	A054	Anas acuta			w	1	10	i		complete	
B	A052	Anas crecca			w	101	250	i		complete	
B	A053	Anas platyrhynchos			w	300	500	i		complete	
B	A773	Ardea alba			c				P	insufficient	
B	A028	Ardea cinerea			c				P	insufficient	

B	A029	Ardea purpurea	c				P	insufficient
B	A059	Aythya ferina	w	11	50	i		complete
B	A061	Aythya fuligula	r	2	12	p		complete
B	A061	Aythya fuligula	w	1	10	i		complete
B	A062	Aythya marila	w				R	insufficient
B	A060	Aythya nyroca	w				P	insufficient
B	A021	Botaurus stellaris	w				P	insufficient
B	A861	Calidris pugnax	c				P	insufficient
B	A734	Chlidonias hybrida	c				P	insufficient
B	A197	Chlidonias niger	c				P	insufficient
B	A031	Ciconia ciconia	r	1	1	p		complete
B	A081	Circus aeruginosus	c				R	insufficient
B	A082	Circus cyaneus	c				R	insufficient
B	A373	Coccothraust es coccothrau stes	p				P	insufficient
B	A026	Egretta garzetta	c				P	insufficient
B	A099	Falco subbuteo	c				P	insufficient
B	A125	Fulica atra	r				P	insufficient
B	A125	Fulica atra	w	20	50	i		complete
B	A338	Lanius collurio	r				P	insufficient

B	A855	Mareca penelope	w				R	insufficient
B	A889	Mareca strepera	w	6	10	i		complete
B	A073	Milvus migrans	c				P	insufficient
B	A023	Nycticorax nycticorax	c				P	insufficient
B	A094	Pandion haliaetus	c				P	insufficient
B	A072	Pernis apivorus	c				P	insufficient
B	A017	Phalacrocorax carbo	w	15	80	i		complete
B	A857	Spatula clypeata	w				R	insufficient
B	A193	Sterna hirundo	c				P	insufficient
B	A004	Tachybaptus ruficollis	w	1	10	i		complete
B	A004	Tachybaptus ruficollis	r				P	insufficient
B	A166	Tringa glareola	c				P	insufficient
F	5086	Barbus caninus	p				R	insufficient
F	1137	Barbus plebejus	p				R	insufficient
F	5304	Cobitis bilineata	p				R	insufficient
F	1163	Cottus gobio	p				R	insufficient
F	1097	Lethenteron zanandreae	p				R	insufficient
F	1107	Salmo marmoratus	p				R	insufficient

F	5331	Telestes muticellus	p	C	insufficient
I	1092	Austropotamobius pallipes	p	P	insufficient
I	1083	Lucanus cervus	p	P	insufficient
I	1060	Lycaena dispar	p	P	insufficient
M	1308	Barbastella barbastellus	p	P	insufficient
M	1352	Canis lupus	p	P	insufficient
M	1321	Myotis emarginatus	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
B	A296	Acrocephalus palustris	r	significant		C		B					C	C	202412
B	A229	Alcedo atthis	p	significant		C		B					C	B	202412
B	A054	Anas acuta	w	non-significant											202412
B	A052	Anas crecca	w	significant		C		A					C	B	202412
B	A053	Anas platyrhynchos	w	significant		C		A					C	B	202412
B	A773	Ardea alba	c	non-significant											202412
B	A028	Ardea cinerea	c	non-significant											202412
B	A029	Ardea purpurea	c	non-significant											202412
B	A059	Aythya ferina	w	significant		C		B					C	B	202412
B	A061	Aythya fuligula	r	significant		C		B					C	C	202412
B	A061	Aythya fuligula	w	significant		C		B					C	C	202412
B	A062	Aythya marila	w	non-significant											202412
B	A060	Aythya nyroca	w	non-significant											202412
B	A021	Botaurus stellaris	w	non-significant											202412

B	A86 1	Calidris pugnax	c	non-significan t									20241 2
B	A73 4	Chlidonia s hybrida	c	non-significan t									20241 2
B	A19 7	Chlidonia s niger	c	non-significan t									20241 2
B	A03 1	Ciconia ciconia	r	significant		C		C			B	C	20241 2
B	A08 1	Circus a eruginos us	c	non-significan t									20241 2
B	A08 2	Circus cyaneus	c	non-significan t									20241 2
B	A37 3	Coccothr austes c occothra ustes	p	significant		C		B			C	C	20241 2
B	A02 6	Egretta garzetta	c	non-significan t									20241 2
B	A09 9	Falco subbuteo	c	non-significan t									20241 2
B	A12 5	Fulica atra	r	significant		C		B			C	B	20241 2
B	A12 5	Fulica atra	w	significant		C		B			C	B	20241 2
B	A33 8	Lanius collurio	r	significant		C		B			C	B	20241 2
B	A85 5	Mareca penelope	w	non-significan t									20241 2
B	A88 9	Mareca strepera	w	non-significan t									20241 2
B	A07 3	Milvus migrans	c	non-significan t									20241 2
B	A02 3	Nycticora x nyctico rax	c	non-significan t									20241 2

B	A094	Pandion haliaetus	c	non-significant								202412
B	A072	Pernis apivorus	c	non-significant								202412
B	A017	Phalacrocorax carbo	w	non-significant								202412
B	A857	Spatula clypeata	w	non-significant								202412
B	A193	Sterna hirundo	c	non-significant								202412
B	A004	Tachybatus ruficollis	w	significant		C		B		C	B	202412
B	A004	Tachybatus ruficollis	r	significant		C		B		C	B	202412
B	A166	Tringa glareola	c	non-significant								202412
F	5086	Barbus caninus	p	significant		C		B		C	B	202412
F	1137	Barbus plebejus	p	significant		C		B		C	B	202412
F	5304	Cobitis bilineata	p	significant		C		B		C	B	202412
F	1163	Cottus gobio	p	significant		C		B		C	B	202412
F	1097	Lethenteron zanandreai	p	significant		C		B		C	B	202412
F	1107	Salmo marmoratus	p	significant		C		C		C	B	202412
F	5331	Telestes muticellus	p	significant		C		B		C	B	202412

I	1092	Austropotamobius pallipes	p	significant	C	C	C	C	202412
I	1083	Lucanus cervus	p	significant	C	B	C	B	202412
I	1060	Lycaena dispar	p	significant	C	C	B	C	202412
M	1308	Barbastella barbastellus	p	significant	C	C	C	C	202412
M	1352	Canis lupus	p	non-significant					202412
M	1321	Myotis emarginatus	p	non-significant					202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance

A	6962	Bufotes viridis Complex	no	P
A	5358	Hyla intermedia	no	P
A	6976	Pelophylax esculentus	no	P
A	1209	Rana dalmatina	no	P
A	1213	Rana temporaria	no	P
B	A869	Dryobates minor	no	P
I		Apatura ilia	no	P
M		Capreolus capreolus	no	P
M		Crocidura suaveolens	no	P
M		Glis glis	no	P
M		Lepus europaeus	no	P
M		Martes foina	no	P
M	1357	Martes martes	no	P
M		Meles meles	no	P
M		Microtus savii	no	P
M	1341	Muscardinus avellanarius	no	P
M	1358	Mustela putorius	no	P
M	2016	Pipistrellus kuhlii	no	P
M		Sciurus vulgaris	no	P
M		Sorex araneus	no	P
M		Sorex minutus	no	P
P		Adiantum capillus-veneris L.	no	V
P		Callitriche obtusangola Le Gall	no	V

P		Erythronium dens-canis L.	no	R
P		Hyacinthoides italica (L.) Rothm.	no	V
P		Lathraea squamaria L.	no	R
P		Ribes rubrum L.	no	P
P		Thelypteris palustris Schott	no	P
P		Ulmus laevis Pall.	no	R
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix maura	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Adiantum capillus-veneris L.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Aptura ilia											X				
6962	Bufotes viridis Complex		X													
	Callitriche obtusangola Le Gall															X
	Capreolus capreolus											X				
	Crocidura suaveolens											X				
A869	Dryobates minor					X						X				
	Erythronium dens-canis L.															X
	Glis glis											X				
5670	Hierophis viridiflavus		X									X				
	Hyacinthoides italica (L.) Rothm.							X								
5358	Hyla intermedia		X									X				
5179	Lacerta bilineata		X									X				
	Lathraea squamaria L.															X
	Lepus europaeus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Martes foina											X				
1357	Martes martes			X												
	Meles meles											X				
	Microtus savii										X					
1341	Musccardinus avellanarius		X													
1358	Mustela putorius			X												
	Natrix maura											X				
	Natrix natrix											X				
6976	Pelophylax esculentus			X												
2016	Pipistrellus kuhlii		X													
1256	Podarcis muralis		X													
1209	Rana dalmatina		X													
1213	Rana temporaria			X												
	Ribes rubrum L.															X
	Sciurus vulgaris											X				
	Sorex araneus											X				
	Sorex minutus											X				
	Thelypteris palustris Schott															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Ulmus laevis Pall.															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Ricco popolamento ittico nel Pesio. Avifauna palustre nidificante e migratoria in laghetti artificiali. Ampio alneto ad *Alnus glutinosa*.

4.2 Quality and importance of the site

Complesso formato da una parte del corso del fiume Pesio, da bacini artificiali in corso di rinaturalizzazione e da vegetazione forestale planiziale e riparia in parte a carattere originario. Presenza di pioppeti e prati stabili.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PA25	low	in	
PF14	low	in	
PG09	low	inout	
PI01	high	inout	
PI02	medium	inout	
PI03	low	in	
PM07	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Della Beffa G., 1994 - Quindici anni di ricerche entomologiche nei parchi della Regione Piemonte. Atti XVII Congresso nazionale italiano di Entomologia - Udine 13-18 giugno; Fasola M., Barbieri F., Prigioni C., Bogliani G., 1981 - Le Garzaie in Italia, 1981; GPSO, 1982/1995 - Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta. Riv. Piem. St. Nat. N° 3, 4, 5, 6, 7,8,9,11,12,13,14,15; IPLA, 1994 - Piano Naturalistico della Riserva Naturale Speciale dell'Oasi di Crava Morozzo. Regione Piemonte. Assessorato ai Beni Culturali ed Ambientali, Pianificazione Territoriale, Parchi, Enti Locali. (redatto); Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 - 1984. Mus. Reg. Scienze Nat. (Monografie VIII), Torino; Regione Piemonte - Assessorato Caccia e Pesca, 1991 - Carta ittica relativa al territorio della regione piemontese; Toffoli R., 1985 - Considerazioni sull'avifauna acquatica dell'Oasi di Crava Morozzo (CN). Riv. Piem. St. Nat., 6: 167-180

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle Aree Protette Alpi Marittime

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

5.1.4 Functional mailbox email address
info@areeprotettealpinaritime.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
ZSC/ZPS IT1160003 OASI DI CRAVA - MOROZZO Piano di gestione	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
PdG adottato dal soggetto gestore

5.3.2 Status of conservation measures

Are the necessary measures established? **Are the established measures implemented?**

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)