

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]

Sorgenti del Maira, Bosco di Saretto, Rocca Provenzale (IT1160018 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1160018

1.3 Site name

Sorgenti del Maira, Bosco di Saretto, Rocca
Provenzale

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

[https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali
/rete-natura-2000](https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000)

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

727

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		7.27		limited	
4070	Bushes with <i>Pinus mugo</i> and <i>Rhododendron hirsutum</i> (Mugo-Rhododendretum hirsuti)	No		8.72		limited	
6170	Alpine and subalpine calcareous grasslands	No		203.56		limited	
6520	Mountain hay meadows	No		36.35		limited	
7220	Petrifying springs with tufa formation (Cratoneurion)	No		1.04		limited	
8110	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	No		36.35		limited	
8120	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	No		58.16		limited	
8210	Calcareous rocky slopes with chasmophytic vegetation	No		109.05		limited	
8220	Siliceous rocky slopes with chasmophytic vegetation	No		72.7		limited	
8310	Caves not open to the public	No			4	complete	
9420	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	No		165.76		limited	

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	12.36	limited
------	--	----	-------	---------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
4070	Bushes with <i>Pinus mugo</i> and <i>Rhododendron hirsutum</i> (Mugo-Rhododendretum hirsuti)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

6170	Alpine and subalpine calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6520	Mountain hay meadows	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8310	Caves not open to the public	No	non-significant					202412
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1352	Canis lupus			p	1	1	p		limited	
P	1656	Gentiana ligustica			p				P	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
M	1308	Barbastella barbastellus	p	significant		C		B					C	C	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
P	1656	Gentiana ligustica	p	significant		C		B					C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
----------------	---------------	--------------------------	--------------------	----------------------	---------------------	---------------------	----------------------------	--------------------

A	1213	<i>Rana temporaria</i>	no				P
B	A223	<i>Aegolius funereus</i>	no				P
B	A109	<i>Alectoris graeca</i>	no				P
B	A412	<i>Alectoris graeca saxatilis</i>	no				P
B	A091	<i>Aquila chrysaetos</i>	no	1	1	p	P
B	A215	<i>Bubo bubo</i>	no				P
B	A080	<i>Circaetus gallicus</i>	no	1	1	p	P
B	A236	<i>Dryocopus martius</i>	no	1	2	p	P
B	A217	<i>Glaucidium passerinum</i>	no				P
B	A076	<i>Gypaetus barbatus</i>	no	1	5	i	P
B	A078	<i>Gyps fulvus</i>	no	1	30	i	P
B	A876	<i>Lyrurus tetrix tetrix</i>	no				P
B	A346	<i>Pyrhcorax pyrrhcorax</i>	no	5	5	p	P
I		<i>Coenonympha gardetta</i>	no				P
I		<i>Colias phicomone</i>	no				P
I		<i>Erebia carmentis</i>	no				P
I		<i>Erebia euryale</i>	no				P
I		<i>Erebia meolans</i>	no				P
I		<i>Erebia pluto</i>	no				P
I		<i>Hyponephele lycaon</i>	no				P
I		<i>Lycaena eurydame</i>	no				P
I	1058	<i>Maculinea arion</i>	no				P
I		<i>Maculinea rebeli</i>	no				P
I	1057	<i>Parnassius apollo</i>	no				P

I	1056	Parnassius mnemosyne	no	P
I		Parnassius phoebus	no	P
M	1375	Capra ibex	no	P
M	5012	Plecotus macrobullaris	no	P
M	1369	Rupicapra rupicapra	no	P
M		Sciurus vulgaris	no	P
P		Aconitum anthora	no	P
P		Allium narcissiflorum	no	P
P		Astragalus danicus	no	P
P		Campanula alpestris All.	no	P
P		Horminum pyrenaicum L.	no	P
P		Jovibarba allionii	no	P
P		Leontopodium alpinum Cass.	no	P
P		Leucanthemum coronopifolium subsp. ceratophylloides	no	P
P		Primula marginata	no	P
P		Saussurea depressa Gren.	no	P
P		Tulipa australis Link	no	P
P		Viola pinnata	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R		Vipera aspis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Aconitum anthora															X
A223	Aegolius funereus				X											
A109	Alectoris graeca				X											
A412	Alectoris graeca saxatilis				X											
	Allium narcissiflorum							X								
A091	Aquila chrysaetos				X											
	Astragalus danicus															X
A215	Bubo bubo				X											
	Campanula alpestris All.							X								
1375	Capra ibex			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A080	Circaetus gallicus				X											
	Coenonympha gardetta										X					
	Colias phicomone															X
A236	Dryocopus martius				X											
	Erebia carmentis															X
	Erebia euryale															X
	Erebia meolans															X
	Erebia pluto										X					
A217	Glaucidium passerinum				X											
A076	Gypaetus barbatus				X											
A078	Gyps fulvus				X											
	Horminum pyrenaicum L.															X
	Hyponephele lycaon															X
	Jovibarba allionii															X
5179	Lacerta bilineata		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Leontopodium alpinum Cass.							X								
	Leucanthenum coronopifolium subsp. ceratophylloides															X
	Lycaena eurydame															X
A876	Lyrurus tetrix tetrix				X											
1058	Maculinea arion		X													
	Maculinea rebeli							X								
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
	Parnassius phoebus							X								
5012	Plecotus macrobullaris		X													
1256	Podarcis muralis		X													
	Primula marginata															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A346	Pyrrhocorax pyrrhocorax				X											
1213	Rana temporaria			X												
1369	Rupicapra rupicapra			X												
	Saussurea depressa Gren.															X
	Sciurus vulgaris											X				
	Tulipa australis Link							X								
	Viola pinnata															X
	Vipera aspis											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Ambiente alpino con presenza di praterie alpine, ambienti rocciosi, foreste di conifere e piccoli ambienti umidi.

4.2 Quality and importance of the site

Bosco di pino uncinato e aree paludose del piano subalpino con saliceti, specie floristiche e faunistiche rare. Presenza di Cratoneureto (muschi calcarizzanti). Il sito è rilevante per 7 specie di uccelli inserite nell'Allegato I della Direttiva 79/409/CEE, tutte nidificanti.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	low	in	
PA07	low	in	
PF05	low	in	
PG14	low	in	
PI03	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Gola G., 1932/1933 - Le piante vascolari della Val Maira (Alpi Cozie). Parte I. Atti Reale Ist. Veneto Sci., Lettere e Arti, XCII: 1238-1335. // La Greca M., 1986 - Contributo alla conoscenza degli Ortoteri delle Alpi occidentali piemontesi con descrizione di una nuova specie di *Stenobothrus*. *Animalia*, 12 (1/3): 215-244. // Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino.// Forneris G., Pistarino A., Siniscalco C., 2003 - Gli erbari come archivi tematici: la flora acquatica e palustre del Piemonte. In Montacchini F., Soldano A. (ed.), 2003 - Atti del Convegno Nazionale "Botanica delle zone umide" (Vercelli - Albano Verellese 10 - 11 Novembre 2000). pp. 11-61. Mus. Reg. Sci. Nat. Torino // Gola G., 1933/1934 - Le piante vascolari della Val Maira (Alpi Cozie). Parte II. Atti Reale Ist. Veneto Sci., Lettere e Arti, XCIII: 527-566. // I.P.L.A., 2004 - Popolamenti forestali piemontesi per la raccolta del seme. Regione Piemonte. Settore Politiche Forestali. // Pallavicini G., Pascale M., 2008 - Note floristiche piemontesi n.126. *Saussurea discolor* (Wild.) DC. (Asteraceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). *Riv. Piem. St. Nat.*, 29: 439-474.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle Aree Protette Alpi Marittime

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Regina Elena, 30 - 12010 Valdieri CN

5.1.4 Functional mailbox email address
info@areeprotettealpimarittime.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Partially

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Stralcio di Piano di Gestione in materia di pascolo in bosco per i relativi Siti dello Studio "Individuazione delle aree pascolabili ricadenti all'interno dei Siti Natura 2000 IT1160062 e IT1160018".	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024
Stralcio di PdG "Piano di pascolamento in bosco"

5.3.2 Status of conservation measures

Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)