

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Bosco di Bagnasco (IT1160020 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1160020

1.3 Site name

Bosco di Bagnasco

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

381

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		0.38		veryLimited	
6520	Mountain hay meadows	No		0.8		complete	
7220	Petrifying springs with tufa formation (Cratoneurion)	No		0.38		veryLimited	
8310	Caves not open to the public	No			2	complete	
9130	Asperulo-Fagetum beech forests	No		113.9		limited	
9150	Medio-European limestone beech forests of the Cephalanthero-Fagion	No		30.4		complete	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		27.3		limited	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No		1.5		complete	
9260	Castanea sativa woods	No		120		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412
6520	Mountain hay meadows	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
8310	Caves not open to the public	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

9130	Asperulo-Fagetum beech forests	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
9150	Medio-European limestone beech forests of the Cephalanthero-Fagion	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

9180	Tilio-Acerion forests of slopes, scree and ravines	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

9260	Castanea sativa woods	No	significant	C	C	B	C	202412
Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17								

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
A	6211	Speleomantes strinatii			p				P	insufficient	
I	6199	Euplagia quadripunctaria			p				P	insufficient	
I	1083	Lucanus cervus			p				P	insufficient	
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1352	Canis lupus			p				P	insufficient	
M	1321	Myotis emarginatus			p				P	insufficient	
M	1303	Rhinolophus hipposideros			r	10	15	i		complete	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	6211	Speleomantes strinatii	p	significant		C		B					C	B	202412
I	6199	Euplagia quadripunctaria	p	non-significant											202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	B	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
M	1321	Myotis emarginatus	p	significant		C		B					C	B	202412
M	1303	Rhinolophus hipposideros	r	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
B	A080	Circaetus gallicus		no				P
B	A236	Dryocopus martius		no				P
M	1314	Myotis daubentonii		no				P
M	1322	Myotis nattereri		no				P
M	2016	Pipistrellus kuhlii		no				P
M	1309	Pipistrellus pipistrellus		no				P
M	1326	Plecotus auritus		no				P

P	Anemonoides trifolia (L.) Holub subsp. brevidentata (Ubaldi et Puppi) Galasso, Banfi & Soldano	no	P
P	Aquilegia atrata Koch	no	R
P	Asplenium scolopendrium L. subsp. scolopendrium	no	V
P	Atropa belladonna	no	P
P	Carex austroalpina Bech.	no	R
P	Cephalanthera damasonium (Miller) Druce	no	R
P	Cephalanthera rubra (L.) L. C. Rich.	no	R
P	Daphne laureola L.	no	V
P	Digitalis lutea L.	no	C
P	Doronicum pardalianches L.	no	R
P	Epipactis atropurpurea Rafin.	no	R
P	Epipactis helleborine (L.) Crantz	no	R
P	Epipactis microphylla (Ehrh.) Swartz	no	P
P	Genista cinerea (Vill.) DC.	no	R
P	Iberis umbellata L.	no	V
P	Ilex aquifolium L.	no	C

P		Lilium martagon L.	no	R
P		Lunaria rediviva L.	no	R
P		Luzula pedemontana Boiss. & Reut.	no	R
P		Thesium bavarum Schränk	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Anemonoides trifolia (L.) Holub subsp. brevidentata (Ubaldi et Puppi) Galasso, Banfi & Soldano															X
	Aquilegia atrata Koch															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Asplenium scolopendrium L. subsp. scolopendrium															X
	Atropa belladonna															X
	Bufo bufo											X				
	Carex austroalpina Bech.										X					X
	Cephalanthera damasonium (Miller) Druce											X				X
	Cephalanthera rubra (L.) L. C. Rich.											X				X
A080	Circaetus gallicus				X											
	Daphne laureola L.															X
	Digitalis lutea L.															X
	Doronicum pardalianches L.															X
A236	Dryocopus martius				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Epipactis atropurpurea Rafin.											X				X
	Epipactis helleborine (L.) Crantz											X				X
	Epipactis microphylla (Ehrh.) Swartz											X				X
	Genista cinerea (Vill.) DC.															X
5670	Hierophis viridiflavus		X									X				
	Iberis umbellata L.															X
	Ilex aquifolium L.															X
5179	Lacerta bilineata		X													
	Lilium martagon L.															X
	Lunaria rediviva L.															X
	Luzula pedemontana Boiss. & Reut.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1314	Myotis daubentonii		X													
1322	Myotis nattereri		X													
2016	Pipistrellus kuhlii		X													
1309	Pipistrellus pipistrellus		X													
1326	Plecotus auritus		X													
1256	Podarcis muralis		X													
	Thesium bavarum Schrank															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Elevata ricchezza floristica, anche sotto l'aspetto dendrologico. In parte si tratta di fustaie miste di latifoglie (non solo del Tilio-Acerion) non frequenti sulle Alpi. Completa seriazione della vegetazione dall'orno-ostrieto alle faggete basofile e mesofile attraverso una fascia intermedia a latifoglie miste.

4.2 Quality and importance of the site

Area in corso di parziale conversione a fustaia quindi con miglioramento della "naturalità del bosco". Quattro habitat forestali di interesse comunitario, di buona rappresentatività e grado di conservazione, nonché da notevole biodiversità vegetale. Sono considerati ambiente prioritario gli acero-tiglio-frassineti di forra (9180*), anche se presenti su ridotte superfici; gli altri ambienti in Allegato I sono le faggete eutrofiche (9130) e mesoxerofile (9150), ed i castagneti (9260). Questim habitat sono tra loro in stretto rapporto ed equilibrio dinamico. Seppur importanti, ma presenti in ridottissima estensione, sono gli alneti di ontano nero (91E0*). Nelle faggete è stata ritrovata *Atropa belladonna*, specie rara a livello regionale. Il sito è stato individuato come bosco per la raccolta del seme di diverse specie (*Acer platanoides* L., *Acer pseudoplatanus* L. *Fagus sylvatica* L., *Fraxinus excelsior* L., *Tilia platyphyllos* Scop.). Sono inoltre interessanti le formazioni vegetali delle comunità vegetali delle sorgenti calcaree, a volte pietrificanti, dominate da Briofite (7220*) molto localizzate ma ben rappresentate. E' stata accertata la presenza di 8 specie di chirotteri all'interno del SIC e nelle sue immediate vicinanze, pari al 28% di quelle attualmente note in Piemonte. Dal punto di vista ecologico cinque delle otto specie rilevate (*Rinolophus hipposideros*, *Barbastellus barbastellus*, *Myotis emarginatus*, *Myotis nattereri* e *Plecotus auritus*) sono tipicamente forestali e altamente specializzate nelle scelte alimentari.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PM07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Biondi E., Blasi C. (eds), 2009 - Manuale italiano di interpretazione degli habitat della Direttiva 92/43/CEE. (in : <http://vnr.unipg.it/habitat/>) \ Bulgarini F., Calvario E., Fraticelli E., Petretti F., Sarrocco S. (eds), 1998 - Libro rosso degli animali d'Italia. Vertebrati. WWF Italia, Roma. \ Camerano P., Gottero F., Terzuolo P., Varese P., 2008 - Tipi Forestali del Piemonte. Regione Piemonte. Blu Edizioni, Torino. \ Camerano P., Grieco C., Mensio F., Varese P., 2008 - I tipi forestali della Liguria. ERGA Edizioni, Genova. \ Caprio E., Ellena I., Rolando A., 2008 - Bird diversity conservation in managed deciduous forests: habitat/landscape and seasonal guild-based approach. Biodiversity and Conservation, 18 (5): 1287-1303. \ Cielo P., Gottero F., Morera A., Terzuolo P., 2003 - La via bil it à a gro si lvo pas to ral e: el eme nti d i p ian if ica zio ne e progettazione. IPLA, Regione Piemonte. \ IPLA, 1992 - Carta dei Paesaggi Agrari e Forestali del Piemonte. Regione Piemonte \ IPLA, 2004 - Alberi e arbusti. Guida alle specie spontanee del Piemonte. Blu Edizioni, Torino. \ IPLA, 2004 - I popolamenti forestali piemontesi per la raccolta del seme. Regione Piemonte. \ Sindaco R., Mondino G.P., Selvaggi A., Ebone A., Della Beffa G., 2003 - Guida al riconoscimento di Ambienti e specie della Direttiva Habitat in Piemonte. Regione Piemonte \ Sindaco R., Doria G., Razzetti E. & Bernini F. (eds.), 2006 - Atlante degli Anfibi e dei Rettili d'Italia / Atlas of Italian Amphibians and Reptiles. Societas Herpetologica Italica, Edizioni Polistampa, Firenze. \ Sindaco R., Savoldelli P., Selvaggi A., 2009 - La Rete Natura 2000 in Piemonte. I Siti di I m p o r t a n z a C o m u n i t a r i a . I p l a , R e g i o n e P i e m o n t e . 4 -

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Ente di Gestione delle Aree Protette Alpi Marittime

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Piazza Regina Elena, 30 - 12010 Valdieri CN

5.1.4 Functional mailbox email address
info@areeprotettealpimarittime.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del Sito della	http://www.regione.piemonte.it/parc		Undefined
Rete Natura 2000 IT1160020	hi/cms/dati-territoriali-new/aree-prot		
“Bosco di Bagnasco”	ette-e-rn2000/pianificazione-e-nor		
	me.html		

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures
Necessary conservation measures are included in the management plan(s)
Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?
Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)