

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Colle e Lago della Maddalena, Val Puriac (IT1160024 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1160024

1.3 Site name

Colle e Lago della Maddalena, Val Puriac

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1834

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		7.34		complete	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		1.83		complete	
3220	Alpine rivers and the herbaceous vegetation along their banks	No		7.34		complete	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		1.83		complete	
4060	Alpine and Boreal heaths	No		12.84		complete	
4070	Bushes with Pinus mugo and Rhododendron hirsutum (Mugo-Rhododendretum hirsuti)	No		1.83		complete	
4080	Sub-Arctic Salix spp. scrub	No		7.34		complete	
6150	Siliceous alpine and boreal grasslands	No		121.04		complete	
6170	Alpine and subalpine calcareous grasslands	No		386.97		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		204.09		complete	

6230	Species-rich <i>Nardus</i> grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	377.8	complete
6410	<i>Molinia</i> meadows on calcareous, peaty or clayey-silt-laden soils (<i>Molinion caeruleae</i>)	No	3.67	complete
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	4.55	complete
6520	Mountain hay meadows	No	3.67	complete
7230	Alkaline fens	No	7.83	complete
7240	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	No	1.83	complete
8110	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	No	62.36	complete
8120	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	No	172.65	complete
8130	Western Mediterranean and thermophilous scree	No	37.14	complete
8210	Calcareous rocky slopes with chasmophytic vegetation	No	124.71	complete
8220	Siliceous rocky slopes with chasmophytic vegetation	No	49.52	complete
9420	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	No	34.85	complete
9430	Subalpine and montane <i>Pinus uncinata</i> forests (* if on gypsum or limestone)	No	1.83	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					B	202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

3220	Alpine rivers and the herbaceous vegetation along their banks	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

4060	Alpine and Boreal heaths	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
4070	Bushes with Pinus mugo and Rhododendron hirsutum (Mugo-Rhododendretum hirsuti)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

4080	Sub-Arctic Salix spp. scrub	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6150	Siliceous alpine and boreal grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6170	Alpine and subalpine calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	202412

6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6520	Mountain hay meadows	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

7230	Alkaline fens	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
7240	Alpine pioneer formations of the <i>Caricion bicoloris -atrofuscae</i>	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	A	20241 2

8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

8130	Western Mediterranean and thermophilous scree	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	B	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Method Population size	Last data collection
I	1065	Euphydryas aurinia			p				P	insufficient	
M	1352	Canis lupus			p	1	1	p		complete	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
I	1065	Euphydryas aurinia	p	significant		C		B					B	B	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A	1213	Rana temporaria		no				P
B	A474	Acanthis flammea		no				P

B	A085	Accipiter gentilis	no				P
B	A247	Alauda arvensis	no				P
B	A412	Alectoris graeca saxatilis	no				P
B	A259	Anthus spinoletta	no				P
B	A256	Anthus trivialis	no				P
B	A226	Apus apus	no				P
B	A091	Aquila chrysaetos	no	1	1	p	
B	A215	Bubo bubo	no	1	1	p	
B	A087	Buteo buteo	no				P
B	A623	Carduelis citrinella	no				P
B	A080	Circaetus gallicus	no				P
B	A081	Circus aeruginosus	no				P
B	A208	Columba palumbus	no				P
B	A350	Corvus corax	no				P
B	A627	Corvus corone	no				P
B	A113	Coturnix coturnix	no	1	10	p	
B	A212	Cuculus canorus	no				P
B	A738	Delichon urbicum	no				P
B	A236	Dryocopus martius	no				P
B	A378	Emberiza cia	no				P
B	A376	Emberiza citrinella	no				P
B	A379	Emberiza hortulana	no	5	10	p	
B	A727	Eudromias morinellus	no				P
B	A098	Falco columbarius	no				P
B	A076	Gypaetus barbatus	no	1	5	i	
B	A078	Gyps fulvus	no	10	60	i	

B	A713	Lagopus muta helvetica	no				P
B	A338	Lanius collurio	no	2	10	p	P
B	A476	Linaria cannabina	no				P
B	A876	Lyrurus tetrix tetrix	no				P
B	A280	Monticola saxatilis	no				P
B	A358	Montifringilla nivalis	no				P
B	A262	Motacilla alba	no				P
B	A261	Motacilla cinerea	no				P
B	A277	Oenanthe oenanthe	no				P
B	A094	Pandion haliaetus	no				P
B	A072	Pernis apivorus	no				P
B	A273	Phoenicurus ochruros	no				P
B	A313	Phylloscopus bonelli	no				P
B	A267	Prunella collaris	no				P
B	A250	Ptyonoprogne rupestris	no				P
B	A345	Pyrrhonorax graculus	no				P
B	A346	Pyrrhonorax pyrrhonorax	no	10	10	p	
B	A275	Saxicola rubetra	no				P
B	A265	Troglodytes troglodytes	no				P
B	A284	Turdus pilaris	no				P
B	A287	Turdus viscivorus	no				P
I		Coenonympha glycerion	no				P
I		Colias palaeno	no				P

I		Colias phicomone	no	P
I		Dytiscus lapponicus	no	P
I		Erebia alberganus	no	P
I		Erebia carmenta	no	P
I		Erebia euryale	no	P
I		Erebia meolans	no	P
I		Erebia scipio	no	P
I		Lycaena eurydame	no	P
I	1058	Maculinea arion	no	P
I	1057	Parnassius apollo	no	P
I	1056	Parnassius mnemosyne	no	P
I		Parnassius phoebus	no	P
I		Polyommatus eros	no	P
M	1334	Lepus timidus	no	P
M		Marmota marmota	no	P
M		Mustela erminea	no	P
M	1330	Myotis mystacinus	no	C
M	1331	Nyctalus leisleri	no	C
M	1309	Pipistrellus pipistrellus	no	C
M	1326	Plecotus auritus	no	C
M	1369	Rupicapra rupicapra	no	P
M		Sorex araneus	no	P
M	1333	Tadarida teniotis	no	C
P		Achillea erba-rotta All.	no	R

P		<i>Achillea nana</i>	no	V
P		<i>Aconitum anthora</i>	no	P
P		<i>Adenostyles leucophylla</i> (Willd.) Rchb.	no	C
P		<i>Allium narcissiflorum</i>	no	P
P		<i>Androsace adfinis</i> Biroli s.l.	no	R
P		<i>Androsace brigantiaca</i>	no	P
P		<i>Androsace carnea</i>	no	P
P		<i>Androsace helvetica</i>	no	P
P		<i>Androsace pubescens</i>	no	P
P		<i>Androsace vitaliana</i> (L.) Lapeyr. s.l.	no	R
P		<i>Anthriscus nitida</i> (Wahlenb.) Hazsl.	no	V
P		<i>Arabis soyeri</i> Reut. & A. Huet subsp. <i>subcoriacea</i> (Gren.) Breist.	no	V
P	1762	<i>Arnica montana</i>	no	C
P		<i>Artemisia chamaemelifolia</i>	no	P
P	1763	<i>Artemisia eriantha</i>	no	R
P		<i>Astragalus danicus</i>	no	P
P		<i>Astragalus depressus</i>	no	P
P		<i>Barbarea bracteosa</i> Guss.	no	P
P		<i>Berardia subacaulis</i> Vill.	no	P

P	Brassica repanda (Willd.) DC.		no	P
P	Callianthemum coriandrifolium Rchb.	yes	no	V
P	Campanula alpestris All.		no	P
P	Campanula stenocodon Boiss. & Reut.		no	R
P	Carex bicolor All.		no	V
P	Carex microglochin Wahlenb.		no	P
P	Carex ornithopodioides Hausm.		no	V
P	Cirsium tuberosum (L.) All.		no	P
P	Coincya richeri (Vill.) Greuter & Burdet		no	R
P	Coristospermum ferulaceum (All.) Reduron		no	R
P	Crepis pontana (L.) Dalla Torre		no	R
P	Crepis pygmaea L.		no	P
P	Delphinium dubium (Rouy & Foucaud) Pawl.		no	V
P	Delphinium elatum L. subsp. helveticum Pawl.		no	R
P	Dianthus furcatus Balb. s.l.		no	R
P	Draba hoppeana Rchb.		no	V

P		<i>Draba tomentosa</i> Clairv. subsp. <i>tomentosa</i>	no	V
P		<i>Dracocephalum</i> <i>ruyschiana</i> L.	no	P
P		<i>Epipactis palustris</i> (L.) Crantz	no	V
P		<i>Eryngium spinalba</i> Vill.	no	P
P		<i>Galium</i> <i>pseudohelveticum</i> Ehrend.	no	P
P		<i>Galium tendae</i>	no	P
P		<i>Gentiana burseri</i> Lapeyr. subsp. <i>villarsii</i> (Griseb.) Rouy	no	R
P	1657	<i>Gentiana lutea</i>	no	P
P		<i>Gentiana</i> <i>orbicularis</i> Schur	no	P
P		<i>Gentiana</i> <i>terglouensis</i> Hacq. subsp. <i>schleicheri</i> (Vacc.) Tutin	no	V
P		<i>Gentianella tenella</i> (Rottb.) Börner	no	V
P		<i>Geranium rivulare</i> Vill.	no	V
P		<i>Globularia repens</i> Lam.	no	R
P		<i>Hedysarum</i> <i>brigantiacum</i> Bournérias, Chas & Kerguelén	no	C
P		<i>Helictotrichon</i> <i>sempervirens</i> (Vill.) Pilg.	no	R

P	Hierochloe odorata (L.) Wahlenb.	no	P
P	Jacobaea incana (L.) Veldkamp subsp. incana	no	C
P	Juncus arcticus Willd.	no	P
P	Juniperus sabina L.	no	V
P	Koeleria cenisia Reut. ex E. Rev.	no	P
P	Laserpitium halleri Crantz subsp. halleri	no	R
P	Lathyrus laevigatus (Waldst. & Kit.) Gren. subsp. occidentalis (Fisch. & C.A. Mey.) Breistr.	no	V
P	Leontopodium alpinum Cass.	no	P
P	Lepidium villarsii Gren. & Godr. subsp. villarsii	no	V
P	Leucanthemum coronopifolium Vill. s.l.	no	R
P	Luzula nutans (Vill.) Duval-Jouve	no	R
P	Minuartia rupestris (Scop.) Schinz & Thell. s.l.	no	P
P	Mutellina adonidifolia (J. Gay.) Gutermann	no	P
P	Noccaea corymbosa (J. Gay) F.K. Mey.	no	R

P	Onosma fastigiatum (Br.-Bl.) Lacaita	no	P
P	Orchis cruenta Mueller	no	P
P	Oxytropis helvetica Scheele	no	R
P	Oxytropis jacquinii Bunge	no	V
P	Oxytropis pyrenaica G. et G.	no	P
P	Pedicularis rosea Wulfen subsp. allionii (Rchb.f.) Arcang.	no	C
P	Petasites paradoxus (Retz.) Baumg.	no	V
P	Phyteuma charmelii Vill.	no	P
P	Phyteuma michelii All.	no	C
P	Pimpinella saxifraga L	no	C
P	Pinguicula alpina L.	no	V
P	Plantago atrata Hoppe subsp. fuscescens (Jord.) Pilg.	no	C
P	Poa glauca Vahl subsp. glauca	no	R
P	Potamogeton filiformis Pers.	no	P
P	Potentilla valderia L.	no	R
P	Primula marginata Curtis	no	R

P	Ranunculus glacialis L.	no	R
P	Ranunculus seguieri Vill. subsp. seguieri	no	R
P	Rhynchosinapis richeri (Vill.) Heyw.	no	P
P	Salix rosmarinifolia L.	no	V
P	Saussurea depressa Gren.	no	P
P	Saxifraga caesia L.	no	R
P	Saxifraga diapensioides Bellardi	no	P
P	Sesleria uliginosa Opiz	no	P
P	Stuckenia filiformis (Pers.) Börner	no	V
P	Swertia perennis L.	no	P
P	Thalictrum alpinum L.	no	P
P	Tozzia alpina L. subsp. alpina	no	V
P	Trichophorum alpinum (L.) Pers.	no	R
P	Trichophorum pumilum (Vahl) Schinz & Thell.	no	V
P	Tulipa australis Link	no	P
P	Valeriana dioica L.	no	R
P	Valeriana saliunca All.	no	P
P	Veronica allionii Vill.	no	P

P		Viola cenisia L.	no	R
P		Viola pinnata L.	no	P
P		Viola thomasiana Songeon & Perr.	no	P
R	1283	Coronella austriaca	no	P
R	5670	Hierophis viridiflavus	no	P
R	1261	Lacerta agilis	no	P
R	1256	Podarcis muralis	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A474	Acanthis flammea					X						X				
A085	Accipiter gentilis					X						X				
	Achillea erba-rotta All.										X					
	Achillea nana										X					
	Aconitum anthora															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Adenostyles leucophylla (Willd.) Rchb.										X					
A247	Alauda arvensis					X										
A412	Alectoris graeca saxatilis				X											
	Allium narcissiflorum							X								
	Androsace adfinis Biroli s.l.							X								
	Androsace brigantiaca							X								
	Androsace carnea							X								
	Androsace helvetica															X
	Androsace pubescens							X								
	Androsace vitaliana (L.) Lapeyr. s.l.															X
	Anthriscus nitida (Wahlenb.) Hazsl.															X
A259	Anthus spinoletta					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A256	Anthus trivialis					X										
A226	Apus apus					X										
A091	Aquila chrysaetos				X											
	Arabis soyeri Reut. & A. Huet subsp. subcoriacea (Gren.) Breist.															X
1762	Arnica montana			X												
	Artemisia chamaemelifolia							X								
1763	Artemisia eriantha			X												
	Astragalus danicus															X
	Astragalus depressus															X
	Barbarea bracteosa Guss.															X
	Berardia subacaulis Vill.							X								
	Brassica repanda (Willd.) DC.							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A215	Bubo bubo				X											
A087	Buteo buteo					X						X				
	Callianthemum coriandrifolium Rchb.															X
	Campanula alpestris All.							X								
	Campanula stenocodon Boiss. & Reut.										X					
A623	Carduelis citrinella					X						X				
	Carex bicolor All.															X
	Carex microglochin Wahlenb.							X								
	Carex ornithopodioides Hausm.															X
A080	Circaetus gallicus				X											
A081	Circus aeruginosus				X											
	Cirsium tuberosum (L.) All.							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Coenonympha glycerion															X
	Coincya richeri (Vill.) Greuter & Burdet							X								
	Colias palaeno							X								
	Colias phicomone															X
A208	Columba palumbus					X										
	Coristospermum ferulaceum (All.) Reduron										X					
1283	Coronella austriaca		X													
A350	Corvus corax					X						X				
A627	Corvus corone					X										
A113	Coturnix coturnix					X										
	Crepis pontana (L.) Dalla Torre															X
	Crepis pygmaea L.															X
A212	Cuculus canorus					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A738	Delichon urbicum					X										
	Delphinium dubium (Rouy & Foucaud) Pawl.															X
	Delphinium elatum L. subsp. helveticum Pawl.															X
	Dianthus furcatus Balb. s.l.							X								
	Draba hoppeana Rchb.							X								
	Draba tomentosa Clairv. subsp. tomentosa															X
	Dracocephalum ruyschiana L.							X								
A236	Dryocopus martius				X											
	Dytiscus lapponicus							X								
A378	Emberiza cia					X						X				
A376	Emberiza citrinella					X						X				
A379	Emberiza hortulana				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Epipactis palustris (L.) Crantz											X				X
	Erebia alberganus															X
	Erebia carmentis															X
	Erebia euryale															X
	Erebia meolans															X
	Erebia scipio										X					
	Eryngium spinalba Vill.							X								
A727	Eudromias morinellus				X											
A098	Falco columbarius				X											
	Galium pseudoh elveticum Ehrend.							X								
	Galium tendae							X								
	Gentiana burseri Lapeyr. subsp. villarsii (Griseb.) Rouy										X					
1657	Gentiana lutea			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Gentiana orbicularis Schur															X
	Gentiana terglouensis Hacq. subsp. schleicheri (Vacc.) Tutin							X								
	Gentianella tenella (Rottb.) Börner															X
	Geranium rivulare Vill.										X					X
	Globularia repens Lam.										X					
A076	Gypaetus barbatus				X											
A078	Gyps fulvus				X											
	Hedysarum brigantiacum Bournérias, Chas & Kerguelen										X					
	Helictotrichon sempervirens (Vill.) Pilg.										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Hierochloe odorata (L.) Wahlenb.							X								
5670	Hierophis viridiflavus		X									X				
	Jacobaea incana (L.) Veldkamp subsp. incana											X				
	Juncus arcticus Willd.															X
	Juniperus sabina L.															X
	Koeleria cenisia Reut. ex E. Rev.										X					
1261	Lacerta agilis		X													
A713	Lagopus muta helvetica				X											
A338	Lanius collurio				X											
	Laserpitium halleri Crantz subsp. halleri										X					X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Lathyrus laevigatus (Waldst. & Kit.) Gren. subsp. occidentalis (Fisch. & C.A. Mey.) Breistr.															X
	Leontopodium alpinum Cass.							X								
	Lepidium villarsii Gren. & Godr. subsp. villarsii															X
1334	Lepus timidus			X												
	Leucanthemum coronopifolium Vill. s.l.										X					
A476	Linaria cannabina					X						X				
	Luzula nutans (Vill.) Duval-Jouve															X
	Lycaena eurydame															X
A876	Lyrurus tetrix tetrix				X											
1058	Maculinea arion		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Marmota marmota											X				
	Minuartia rupestris (Scop.) Schinz & Thell. s.l.										X					
A280	Monticola saxatilis					X										
A358	Montifringilla nivalis					X						X				
A262	Motacilla alba					X						X				
A261	Motacilla cinerea					X						X				
	Mustela erminea											X				
	Mutellina adonidifolia (J. Gay.) Gutermann															X
1330	Myotis mystacinus		X													
	Noccaea corymbosa (J. Gay) F.K. Mey.										X					X
1331	Nyctalus leisleri		X													
A277	Oenanthe oenanthe					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Onosma fastigiatum (Br.-Bl.) Lacaita							X								
	Orchis cruenta Mueller							X								
	Oxytropis helvetica Scheele										X					
	Oxytropis jacquinii Bunge															X
	Oxytropis pyrenaica G. et G.							X								
A094	Pandion haliaetus				X											
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
	Parnassius phoebus							X								
	Pedicularis rosea Wulfen subsp. allionii (Rchb.f.) Arcang.															X
A072	Pernis apivorus				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Petasites paradoxus (Retz.) Baumg.															X
A273	Phoenicurus ochruros					X						X				
A313	Phylloscopus bonelli					X										
	Phyteuma charmelii Vill.							X								
	Phyteuma michelii All.										X					
	Pimpinella saxifraga L															X
	Pinguicula alpina L.															X
1309	Pipistrellus pipistrellus		X													
	Plantago atrata Hoppe subsp. fuscescens (Jord.) Pilg.										X					
1326	Plecotus auritus		X													
	Poa glauca Vahl subsp. glauca															X
1256	Podarcis muralis		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Polyommatus eros															X
	Potamogeton filiformis Pers.							X								
	Potentilla valderia L.										X					
	Primula marginata Curtis															X
A267	Prunella collaris					X						X				
A250	Ptyonoprogne rupestris					X						X				
A345	Pyrhocorax graculus					X						X				
A346	Pyrhocorax pyrrhocorax				X											
1213	Rana temporaria			X												
	Ranunculus glacialis L.															X
	Ranunculus seguieri Vill. subsp. seguieri															X
	Rhynchosinapis richeri (Vill.) Heyw.							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1369	Rupicapra rupicapra			X												
	Salix rosmarinifolia L.															X
	Saussurea depressa Gren.															X
A275	Saxicola rubetra					X										
	Saxifraga caesia L.															X
	Saxifraga diapensioides Bellardi															X
	Sesleria uliginosa Opiz							X								
	Sorex araneus											X				
	Stuckenia filiformis (Pers.) Börner							X								
	Swertia perennis L.							X								
1333	Tadarida teniotis		X													
	Thalictrum alpinum L.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Tozzia alpina L. subsp. alpina															X
	Trichophorum alpinum (L.) Pers.										X					
	Trichophorum pumilum (Vahl) Schinz & Thell.															X
A265	Troglodytes troglodytes					X						X				
	Tulipa australis Link							X								
A284	Turdus pilaris					X										
A287	Turdus viscivorus					X										
	Valeriana dioica L.															X
	Valeriana saliunca All.															X
	Veronica allionii Vill.							X								
	Viola cenisia L.															X
	Viola pinnata L.															X
	Viola thomasiana Songeon & Perr.															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Ambiente alto-alpino, con presenza di praterie alpine, macereti, pareti rocciose; gli ambienti acquatici sono rappresentati da torrentelli e laghetti alpini, tra cui il lago della Maddalena.

4.2 Quality and importance of the site

Limite settentrionale della distribuzione del lupo in Italia. Presenza di *Erebia scipio* (in due località in Italia, stenoendemica Alpi Marittime) e di *Lacerta agilis* (unico sito in Italia; limite meridionale della specie in Europa occidentale assieme al vicino Gruppo del Tenibres). Sito importante per l'avifauna, con 14 specie di Allegato I Direttiva 79/409/CEE, tra cui limicoli presenti durante il passo post-riproduttivo ed una buona popolazione nidificante di ortolano (a quote tra le più elevate a livello Regionale).

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	low	in	
PA07	low	in	
PH08	low	in	
PI03	low	in	
PJ13	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Barbero M., 1972 - Études phytosociologiques et écologiques comparées des végétations orophiles alpine, subalpine et mésogéenne des Alpes Maritimes et Ligures. S.n., s.l. // Charpin A., Salanon R., 1985 - Matériaux pour la flore des Alpes Maritimes. Catalogue de l'Herbier d'Emile Burnat déposé au Conservatoire botanique de la Ville de Genève. I. Lycopodiaceae-Lentibulariaceae. Boissiera, 36: 5-258; I-VII. // Charpin A., Salanon R., 1988 - Matériaux pour la flore des Alpes Maritimes. Catalogue de l'Herbier d'Emile Burnat déposé au Conservatoire botanique de la Ville de Genève. II. Rubiaceae-Orchidaceae. Boissiera, 41: 5-339. // Forneris G., Pistarino A., Siniscalco C., 2003 - Gli erbari come archivi tematici: la flora acquatica e palustre del Piemonte. In Montacchini F., Soldano A. (ed.), 2003 - Atti del Convegno Nazionale "Botanica delle zone umide" (Vercelli - Albano Verellese 10 - 11 Novembre 2000). pp. 11-61. Mus. Reg. Sci. Nat. Torino. // Gallino B., Garraud L., Pace I., Pascal R., 2006 - Note floristiche piemontesi n. 40. *Saussurea depressa* Gren. (Compositae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 436. // Garraud L., Pascal R., 2006 - Note floristiche piemontesi n. 37. *Epipactis palustris* (Miller) Crantz (Orchidaceae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 436. // Garraud L., Pascal R., 2006 - Note floristiche piemontesi n. 38. *Potentilla valderia* L. (Rosaceae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 436. // Garraud L., Pascal R., 2006 - Note floristiche piemontesi n. 39. *Poa glauca* Vahl (Poaceae) in Selvaggi A., Soldano A., Pascale M. (eds.). Riv. Piem. St. Nat., 27: 436. // I.P.L.A., 2005 - Piano di Gestione Naturalistica "Colle e lago della Maddalena, Val Puriac". Regione Piemonte. Settore Pianificazione Aree Protette. // Markgraf F., 1967 - *Berardia lanuginosa* (Lam.) Fiori eine kostbare Pflanze der südwestlichen Hochalpen. Jahrb. Vereins Schutze Alpenpfl. Alpentiere, 32. // Martini E., 1984 - Lineamenti Geobotanici delle Alpi Liguri e Marittime: endemismi e fitocenosi. Istituto botanico Hambury - Università di Genova / Tipo lito Valbenoi - Forlì. // Marucco F. et al., 2005 - Progetto Lupo - Piemonte. "Azioni per la conoscenza e la conservazione della specie, per la prevenzione dei danni al bestiame domestico e per l'attuazione di un regime di consistenza stabile tra Lupo ed attività economiche". Report 2005. Regione Piemonte. Settore pianificazione Aree protette // Mingozzi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 - 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino. // Pascale M., 1990 - Segnalazioni floristiche italiane n. 620 - *Androsace helvetica* (L.) All. (Primulaceae). Informatore Botanico Italiano, 22: 249. // Polidori E., Caratti G., 1992 - Nouvelles données concernant le Lézard des souches (*Lacerta agilis* L.) dans les Alpes du sud. Boll. Mus. Reg. Sci. Nat. Torino. // Pascale M., 2000 - Nuove stazioni di alcune specie di Fanerogame rare nelle Alpi cuneesi (Piemonte, Italia Nord-occidentale) Boll. Mus. Reg.

Sci. Nat. Torino, vol. 17, n. 1: 215-220. // Polidori, J.L., Polidori C., 1997 ? Precisions sur la repartition d'especes arctico-alpines rares des bas-marais de la Haute Tinée (Parc National du Mercantour) et des regions limitrophes. Monde Pl. N. 460: 10- 13 // Selvaggi A., Giannetti A., Gallino B., Canavesio A., Riccobene R., Mensio F., Pace I., Pascal R., Marangoni D., Garraud L., 2005 – Carta degli Habitat del Sito Natura 2000 “Colle e Lago della Maddalena, Val Puriac” (IT1160024), Scala 1:10.000. IPLA, Ente di gestione Parchi e Riserve Naturali Cuneesi, Ente di gestione delle Aree Protette della Collina Torinese, Regione Piemonte, Unione Europea (Progetto Interreg III A Alcotra “Conservazione e gestione della flora e degli habitat nelle Alpi occidentali del sud”). // Selvaggi A., Marangoni D., 2008 - Note floristiche piemontesi n.103. Hedysarum brigantiacum Bournérias, Chas & Kerguélén (Fabaceae) in Selvaggi A., Soldano A., Pascale M., Pascal R. (eds.). Riv. Piem. St. Nat., 29: 439-474.

4.4.1 Link(s)

4.4.2 Last update of the documentation information
202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Ente di Gestione delle Aree Protette Alpi Marittime

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Piazza Regina Elena, 30 - 12010 Valdieri CN

5.1.4 Functional mailbox email address 5.1.5 Website with contact information
info@areeprotettealpimarittime.it No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)