

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Valmanera (IT1170002 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1170002

1.3 Site name

Valmanera

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

2190

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		1.19		complete	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		2.19		veryLimited	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitricho-Batrachion vegetation	No		2.62		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes		136.6		complete	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		2.19		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		70.4		complete	
9110	Luzulo-Fagetum beech forests	No		0.5		complete	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No		239.6		complete	
9180	Tilio-Acerion forests of slopes, screes and ravines	No		1.64		complete	

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	2.19	complete
9260	<i>Castanea sativa</i> woods	No	225	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	non-significant									202412
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No	non-significant									202412
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	non-significant					202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

9110	Luzulo-Fagetum beech forests	No	significant	C	C	C	20241 2
					C	Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	
9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	B	B	B	20241 2
					B	Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	C	C	C	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	C	C	B	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

9260	Castanea sativa woods	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202412
------	-----------------------	----	-------------	---	---	---	--------

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1 Group	3.2.2 Code	Scientific name	3.2.4 Sensitive	3.2.5 Not present	3.2.6 Type	3.2.7.1 Size min	3.2.7.1 Size max	3.2.7.2 Unit	3.2.8 Abundance	3.2.9 Method Population size	3.2.10 Last data collection
A	1167	Triturus carnifex			p	2	2	localities		veryLimited	
I	6199	Euplagia quadripunctaria			p	2	2	localities		veryLimited	
I	1083	Lucanus cervus			p	4	4	localities		veryLimited	
I	1060	Lycaena dispar			p	3	3	localities		veryLimited	
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1323	Myotis bechsteinii			p				P	insufficient	
M	1307	Myotis blythii			p				P	insufficient	
M	1321	Myotis emarginatus			p				P	insufficient	
M	1304	Rhinolophus ferrumequinum			p				P	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1167	Triturus carnifex	p	significant		C		C					C	C	202412
I	6199	Euplagia quadripunctaria	p	significant		C		B					C	B	202412
I	1083	Lucanus cervus	p	significant		C		B					C	B	202412
I	1060	Lycaena dispar	p	significant		C		B					C	B	202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	B	202412
M	1323	Myotis blythii	p	significant		C		B					C	B	202412
M	1307	Myotis blythii	p	significant		C		B					C	B	202412
M	1321	Myotis marginatus	p	significant		C		B					C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	1203	Hyla arborea		no				C
A	5358	Hyla intermedia		no				P
A	1209	Rana dalmatina		no				C
A		Triturus vulgaris meridionalis		no				P
B	A085	Accipiter gentilis		no				P
B	A086	Accipiter nisus		no				P
B	A296	Acrocephalus palustris		no				P
B	A324	Aegithalos caudatus		no				P
B	A053	Anas platyrhynchos		no				P

B	A226	Apus apus	no	P
B	A028	Ardea cinerea	no	P
B	A218	Athene noctua	no	P
B	A087	Buteo buteo	no	P
B	A224	Caprimulgus europaeus	no	P
B	A364	Carduelis carduelis	no	P
B	A335	Certhia brachydactyla	no	P
B	A363	Chloris chloris	no	P
B	A373	Coccothraustes coccothraustes	no	P
B	A206	Columba livia	no	P
B	A208	Columba palumbus	no	P
B	A615	Corvus cornix	no	P
B	A348	Corvus frugilegus	no	P
B	A347	Corvus monedula	no	P
B	A113	Coturnix coturnix	no	P
B	A212	Cuculus canorus	no	P
B	A483	Cyanistes caeruleus	no	P
B	A738	Delichon urbicum	no	P
B	A237	Dendrocopos major	no	P
B	A869	Dryobates minor	no	P
B	A383	Emberiza calandra	no	P
B	A378	Emberiza cia	no	P
B	A377	Emberiza cirrus	no	P
B	A376	Emberiza citrinella	no	P
B	A379	Emberiza hortulana	no	P
B	A269	Erithacus rubecula	no	P

B	A103	Falco peregrinus	no	P
B	A099	Falco subbuteo	no	P
B	A096	Falco tinnunculus	no	P
B	A321	Ficedula albicollis	no	P
B	A322	Ficedula hypoleuca	no	P
B	A359	Fringilla coelebs	no	P
B	A360	Fringilla montifringilla	no	P
B	A342	Garrulus glandarius	no	P
B	A300	Hippolais polyglotta	no	P
B	A251	Hirundo rustica	no	P
B	A233	Jynx torquilla	no	P
B	A338	Lanius collurio	no	P
B	A271	Luscinia megarhynchos	no	P
B	A230	Merops apiaster	no	P
B	A073	Milvus migrans	no	P
B	A262	Motacilla alba	no	P
B	A260	Motacilla flava	no	P
B	A319	Muscicapa striata	no	P
B	A337	Oriolus oriolus	no	P
B	A214	Otus scops	no	P
B	A330	Parus major	no	P
B	A620	Passer domesticus	no	P
B	A356	Passer montanus	no	P
B	A473	Periparus ater	no	P
B	A072	Pernis apivorus	no	P
B	A115	Phasianus colchicus	no	P

B	A274	Phoenicurus phoenicurus	no	P
B	A315	Phylloscopus collybita	no	P
B	A316	Phylloscopus trochilus	no	P
B	A343	Pica pica	no	P
B	A235	Picus viridis	no	P
B	A493	Poecile palustris	no	P
B	A266	Prunella modularis	no	P
B	A318	Regulus ignicapilla	no	P
B	A317	Regulus regulus	no	P
B	A276	Saxicola torquatus	no	P
B	A155	Scolopax rusticola	no	P
B	A361	Serinus serinus	no	P
B	A332	Sitta europaea	no	P
B	A478	Spinus spinus	no	P
B	A209	Streptopelia decaocto	no	P
B	A210	Streptopelia turtur	no	P
B	A219	Strix aluco	no	P
B	A228	Tachymarpis melba	no	P
B	A213	Tyto alba	no	P
M	1327	Eptesicus serotinus	no	P
M	5365	Hypsugo savii	no	P
M	1341	Muscardinus avellanarius	no	P
M	1330	Myotis mystacinus	no	P
M	1322	Myotis nattereri	no	P

M	2016	Pipistrellus kuhlii	no	P
M	1317	Pipistrellus nathusii	no	P
M	1309	Pipistrellus pipistrellus	no	P
P		Daphne mezereum	no	P
P		Ophrys insectifera L.	no	P
R		Anguis fragilis	no	P
R	1283	Coronella austriaca	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A085	Accipiter gentilis					X						X				
A086	Accipiter nisus					X										
A296	Acrocephalus palustris					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A324	Aegithalos caudatus					X						X				
A053	Anas platyrhynchos					X						X				
	Anguis fragilis											X				
A226	Apus apus					X						X				
A028	Ardea cinerea					X										
A218	Athene noctua					X						X				
	Bufo bufo											X				
A087	Buteo buteo					X						X				
A224	Caprimulgus europaeus				X											
A364	Carduelis carduelis					X						X				
A335	Certhia brachydactyla					X						X				
A363	Chloris chloris					X						X				
A373	Coccothraustes coccothraustes					X										
A206	Columba livia					X						X				
A208	Columba palumbus					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1283	Coronella austriaca		X													
A615	Corvus cornix					X						X				
A348	Corvus frugilegus					X						X				
A347	Corvus monedula					X						X				
A113	Coturnix coturnix					X						X				
A212	Cuculus canorus					X						X				
A483	Cyanistes caeruleus					X						X				
	Daphne mezereum															X
A738	Delichon urbicum					X		X								
A237	Dendrocopos major					X						X				
A869	Dryobates minor					X						X				
A383	Emberiza calandra					X						X				
A378	Emberiza cia					X						X				
A377	Emberiza cirius					X						X				
A376	Emberiza citrinella					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A379	Emberiza hortulana				X											
1327	Eptesicus serotinus		X													
A269	Erithacus rubecula					X						X				
A103	Falco peregrinus				X											
A099	Falco subbuteo					X		X								
A096	Falco tinnunculus					X						X				
A321	Ficedula albicollis				X											
A322	Ficedula hypoleuca					X						X				
A359	Fringilla coelebs					X						X				
A360	Fringilla montifringilla					X						X				
A342	Garrulus glandarius					X						X				
5670	Hierophis viridiflavus		X													
A300	Hippolais polyglotta					X						X				
A251	Hirundo rustica					X										
1203	Hyla arborea		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
5358	Hyla intermedia		X													
5365	Hypsugo savii		X									X				
A233	Jynx torquilla					X										
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
A271	Luscinia megarhynchos					X						X				
A230	Merops apiaster					X						X				
A073	Milvus migrans				X											
A262	Motacilla alba					X						X				
A260	Motacilla flava					X		X								
1341	Musccardinus avellanarius		X													
A319	Muscicapa striata					X										
1330	Myotis mystacinus		X													
1322	Myotis nattereri		X													
	Ophrys insectifera L.															X
A337	Oriolus oriolus					X						X				
A214	Otus scops					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A330	Parus major					X						X				
A620	Passer domesticus					X						X				
A356	Passer montanus					X						X				
A473	Periparus ater					X						X				
A072	Pernis apivorus				X											
A115	Phasianus colchicus					X						X				
A274	Phoenicurus phoenicurus					X						X				
A315	Phylloscopus collybita					X						X				
A316	Phylloscopus trochilus					X						X				
A343	Pica pica					X						X				
A235	Picus viridis					X						X				
2016	Pipistrellus kuhlii		X													
1317	Pipistrellus nathusii		X													
1309	Pipistrellus pipistrellus		X													
1256	Podarcis muralis		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A493	Poecile palustris					X						X				
A266	Prunella modularis					X						X				
1209	Rana dalmatina		X													
A318	Regulus ignicapilla					X						X				
A317	Regulus regulus					X						X				
A276	Saxicola torquatus					X						X				
A155	Scolopax rusticola					X						X				
A361	Serinus serinus					X						X				
A332	Sitta europaea					X						X				
A478	Spinus spinus					X						X				
A209	Streptopelia decaocto					X						X				
A210	Streptopelia turtur					X						X				
A219	Strix aluco					X						X				
A228	Tachymarpis melba					X						X				
	Triturus vulgaris meridionalis											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A213	Tyto alba					X						X				
6091	Zamenis longissimus		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Relitto di boschi di tipo naturaliforme propri di un'area estesamente disboscata, come il Monferrato, con presenza di rovere, roverella e farnia (oltre che castagno e robinia).

4.2 Quality and importance of the site

Presenza di molti elementi relitti mediterranei e di specie endemiche di Coleophoridi.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PA05	medium	in	
PA12	low	in	
PA21	high	in	
PB05	low	in	
PB06	low	in	
PB08	medium	in	
PF07	low	in	
PH08	medium	in	
PI02	medium	in	
PI04	medium	in	
PJ03	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Amerio R., Baldizzone G., Picco F., 1993 - Nuove stazioni di *Cistus salvifolius* L. (Cistaceae) in provincia di Asti e segnalazione di *Dicladispa testacea* (Linnaeus, 1767) (Coleoptera, Chrysomelidae) specie nuova per il Piemonte. Riv. Piem. St. Nat., 14: 83-96. // Baldizzone G., 1965 - Note di Lepidotterologia. Reperti Ropaloceri nel Piemonte Meridionale. II. Boll. Soc. Ent. It. 95: 62-64. // Baldizzone G., 1971 - Reperti di Ropaloceri nel Piemonte meridionale. III. Boll. Ass. Rom. Ent., 26 (1-2): 19-26. // Baldizzone G., 1977 - *Metalampra* (Borkhausenella) italica n. sp. (Lepidoptera, Oecophoridae). Entomologica, 13: 37-46. // Baldizzone G., 1984 - I Coleophoridae dei Boschi di Valmanera (Asti). Contributi alla conoscenza dei Coleophoridae. XXXVIII (Lepidoptera). Riv. Piem. St. Nat., 5: 85-94. // Baldizzone G., 1992 - Contribuzioni alla conoscenza dei Coleophoridae. LXXVII. Coleophora settarii Wocke, 1877 in Piemonte (Lepidoptera). Riv. Piem. St. Nat., 13: 29-36. // Baldizzone G., 1992 - Progetti di conservazione del WWF Piemonte e Valle d'Aosta. Progetto Boschi di Valmanera (Asti). Riv. Piem. St. Nat., 13: 167-171. // Baldizzone G., 1999 - In viaggio nella natura protetta dal WWF - Due progetti di ricostruzione e osservazione in territorio piemontese. AMICOTRENO, 8 (3): 32-33. // Baldizzone G., 2003 - BIOMONF si estende su tutta la provincia di Asti. BIOMONF, 2 (2): 1. // Baldizzone G., Triberti P., 1978 - Sulla presenza in Italia di *Acrolepiopsis tauricella* (Staudinger) (Lepidoptera, Acrolepiidae). Bull. Mus. Civ. St. Nat. Verona. // Barbero R., 2005 - Le libellule della provincia di Asti (Piemonte, Italia) (Insecta Odonata). Riv. Piem. St. Nat., 26: 129-188. // Camisola G., 1954 - Flora Astense. Tip. Fratelli Paglieri, Asti. // Cavallo O., 1984 - Libellule dell'albese. Alba Pompeia (nuova serie), 5 (2): 37-58. // Fortina R., 1992 - Progetti di conservazione della delegazione WWF Piemonte e Valle D'Aosta. Riv. Piem. St. Nat., 13: 165-180. // Gozmany L. A., 1977 - New Symmocid species (Lepidoptera) from the mediterranean region. Acta Zool. Acad. Sc. Hung. // Hättenschwiler P., Scalerio S., 2003 - Systematik, Morphologie und Verbreitung von *Taleporia defoliella* Constant, 1895 comb. rev. (Psychidae). Nota lepid., 26 (1/2): 19-25. // Jackh E., 1978 - Bearbeitung der Gattung *Scythris* Hubner (Lepidoptera, Scythrididae). Dtsch. Ent. Z. N.F., 24 (1-3): 261-271. // Karsholt O., Huemer P., 1995 - Additions and corrections to the Gelechiidae fauna of Italy (Lepidoptera). Boll.

Zool. agr. Bachic., Ser. II, 27: 1-17. // Mondino G. P., 1963 - Una nuova stazione di *Cistus salvifolius* L. in Monferrato. Giorn. Bot. Ital., 70: 664-666. // Picco F. (ed.), 2007 - Atlante della Biodiversita' delle colline del basso Monferrato. Regione Piemonte - Parco Naturale e Area Attrezzata del Sacro Monte di Crea. (reperibile al sito: [http:// www.parcocrea.it/db-biomonf/index.html](http://www.parcocrea.it/db-biomonf/index.html)) // Picco F., 1998 - La Flora di Valmanera. Provincia di Asti, Assessorato all'Ambiente. Ed. Il Tipografo, Buttigliera d'Asti: pp. 207. // Picco F., 1998 - Segnalazioni floristiche italiane n. 889 - *Dactylorhiza cruenta* (O. F. Müller) Soò (Orchidaceae). Informatore Botanico Italiano, 30: 53-54. // Picco F., Picco A., 1993 - Specie nuove e nuove stazioni di specie interessanti per la flora del Basso Monferrato. Riv. Piem. St. Nat., 14: 51-66. // Prola C., Beer S., 1991 - Le Sesiidae della fauna italiana. Mem. Soc. ent. ital., Genova, 70 (1): 279-312. // Sappa F., 1947 - Le stazioni piemontesi di *Cistus salvifolius* L. ed il loro significato fitogeografico. Lavori di botanica, 8: 191-199.

4.4.1 Link(s)

4.4.2 Last update of the documentation information
202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Ente di gestione del Parco paleontologico astigiano

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Via S. Martino, 5 - 14100 Asti AT

5.1.4 Functional mailbox email address
enteparchi@parchiastigiani.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
IT1170002 "Valmanera" - Piano di gestione	http://www.regione.piemonte.it/parchi/cms/dati-territoriali-new/aree-protette-e-rn2000/pianificazione-e-norme.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/attach

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established?	Are the established measures implemented?
--	--

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)