

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Greto dello Scrivia (IT1180004 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1180004

1.3 Site name

Greto dello Scrivia

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2000-08

1.5.2 SPA classification act (URI or free text)

D.G.R. n.37-28804 del 29/11/1999

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-05

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/06/13/135/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

2241

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	No		0.1		complete	
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		0.01		complete	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		1.7		complete	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		1.08		complete	
3250	Constantly flowing Mediterranean rivers with Glaucium flavum	No		7.4		complete	
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidenton p.p. vegetation	No		191.9		complete	
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No		1.2		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		29.6		complete	

6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No	8.5	veryLimited
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No	4.6	complete
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No	225.3	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Najasjuncetum	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	non-significant									202412
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202512
3250	Constantly flowing Mediterranean rivers with <i>Glaucium flavum</i>	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

3270	Rivers with muddy banks with Chenopodion rubri p.p. and Bidenton p.p. vegetation	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202512
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202512

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species			Population in the site								
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1167	Triturus carnifex			p				P	insufficient	
B	A085	Accipiter gentilis			p				P	insufficient	
B	A298	Acrocephalus arundinaceus			r				P	insufficient	
B	A296	Acrocephalus palustris			c				P	insufficient	
B	A296	Acrocephalus palustris			r				P	insufficient	
B	A297	Acrocephalus scirpaceus			c				P	insufficient	

B	A168	Actitis hypoleucos	r				P	insufficient
B	A324	Aegithalos caudatus	r				C	insufficient
B	A553	Aix galericulata	r				P	insufficient
B	A247	Alauda arvensis	r				P	insufficient
B	A229	Alcedo atthis	r				P	insufficient
B	A110	Alectoris rufa	p				P	insufficient
B	A054	Anas acuta	c				P	insufficient
B	A052	Anas crecca	c	16	16	i		complete
B	A053	Anas platyrhynchos	r				P	insufficient
B	A053	Anas platyrhynchos	w	305	305	i		complete
B	A255	Anthus campestris	r				P	insufficient
B	A257	Anthus pratensis	c				P	insufficient
B	A259	Anthus spinoletta	w				P	insufficient
B	A259	Anthus spinoletta	c				P	insufficient
B	A256	Anthus trivialis	r				P	insufficient
B	A226	Apus apus	c				P	insufficient
B	A773	Ardea alba	w				P	insufficient
B	A773	Ardea alba	c				P	insufficient
B	A773	Ardea alba	p				P	insufficient
B	A028	Ardea cinerea	p				P	insufficient
B	A029	Ardea purpurea	c				P	insufficient

B	A169	<i>Arenaria interpres</i>	c				P	insufficient
B	A059	<i>Aythya ferina</i>	c				P	insufficient
B	A021	<i>Botaurus stellaris</i>	c				P	insufficient
B	A087	<i>Buteo buteo</i>	p				P	insufficient
B	A243	<i>Calandrella brachydactyla</i>	r	10	80	p		complete
B	A149	<i>Calidris alpina</i>	c				P	insufficient
B	A147	<i>Calidris ferruginea</i>	c				P	insufficient
B	A145	<i>Calidris minuta</i>	c				P	insufficient
B	A861	<i>Calidris pugnax</i>	c				P	insufficient
B	A224	<i>Caprimulgus europaeus</i>	r	10	20	p		complete
B	A364	<i>Carduelis carduelis</i>	r				C	insufficient
B	A136	<i>Charadrius dubius</i>	r				P	insufficient
B	A137	<i>Charadrius hiaticula</i>	c				P	insufficient
B	A734	<i>Chlidonias hybrida</i>	c				P	insufficient
B	A197	<i>Chlidonias niger</i>	c				P	insufficient
B	A363	<i>Chloris chloris</i>	r				P	insufficient
B	A363	<i>Chloris chloris</i>	w				P	insufficient
B	A031	<i>Ciconia ciconia</i>	c				P	insufficient
B	A030	<i>Ciconia nigra</i>	c				P	insufficient
B	A081	<i>Circus aeruginosus</i>	c				P	insufficient

B	A082	Circus cyaneus	w	P	insufficient
B	A859	Clanga clanga	c	P	insufficient
B	A373	Coccothraust es coccothrau stes	c	P	insufficient
B	A373	Coccothraust es coccothrau stes	r	P	insufficient
B	A206	Columba livia	p	P	insufficient
B	A208	Columba palumbus	r	P	insufficient
B	A208	Columba palumbus	p	P	insufficient
B	A349	Corvus corone	p	P	insufficient
B	A349	Corvus corone	r	P	insufficient
B	A348	Corvus frugilegus	c	P	insufficient
B	A347	Corvus monedula	p	P	insufficient
B	A113	Coturnix coturnix	w	P	insufficient
B	A113	Coturnix coturnix	r	P	insufficient
B	A212	Cuculus canorus	r	P	insufficient
B	A480	Cyanecula svecica	c	P	insufficient
B	A738	Delichon urbicum	p	P	insufficient
B	A026	Egretta garzetta	r	P	insufficient

B	A383	Emberiza calandra	c	P	insufficient
B	A379	Emberiza hortulana	r	P	insufficient
B	A381	Emberiza schoeniclus	c	P	insufficient
B	A269	Erithacus rubecula	r	P	insufficient
B	A098	Falco columbarius	w	P	insufficient
B	A103	Falco peregrinus	c	P	insufficient
B	A099	Falco subbuteo	c	P	insufficient
B	A322	Ficedula hypoleuca	c	P	insufficient
B	A359	Fringilla coelebs	p	P	insufficient
B	A360	Fringilla montifringilla	c	P	insufficient
B	A244	Galerida cristata	r	P	insufficient
B	A153	Gallinago gallinago	c	P	insufficient
B	A123	Gallinula chloropus	p	P	insufficient
B	A342	Garrulus glandarius	r	P	insufficient
B	A189	Gelochelidon nilotica	c	P	insufficient
B	A299	Hippolais icterina	c	P	insufficient
B	A300	Hippolais polyglotta	c	P	insufficient
B	A251	Hirundo rustica	c	P	insufficient

B	A233	Jynx torquilla	c				P	insufficient
B	A338	Lanius collurio	r				C	insufficient
B	A341	Lanius senator	r				P	insufficient
B	A184	Larus argentatus	c				V	insufficient
B	A459	Larus cachinnans	p				P	insufficient
B	A182	Larus canus	p				P	insufficient
B	A179	Larus ridibundus	c				P	insufficient
B	A156	Limosa limosa	c				P	insufficient
B	A476	Linaria cannabina	r				P	insufficient
B	A290	Locustella naevia	c				V	insufficient
B	A271	Luscinia megarhynchos	w				P	insufficient
B	A271	Luscinia megarhynchos	r				P	insufficient
B	A152	Lymnocyptes minimus	c				P	insufficient
B	A855	Mareca penelope	c				P	insufficient
B	A889	Mareca strepera	c				P	insufficient
B	A230	Merops apiaster	r	80	160	p		complete
B	A073	Milvus migrans	c				P	insufficient
B	A262	Motacilla alba	r				P	insufficient
B	A262	Motacilla alba	c				P	insufficient

B	A261	Motacilla cinerea	r	P	insufficient
B	A260	Motacilla flava	r	P	insufficient
B	A319	Muscicapa striata	r	C	insufficient
B	A023	Nycticorax nycticorax	r	P	insufficient
B	A277	Oenanthe oenanthe	c	P	insufficient
B	A337	Oriolus oriolus	w	P	insufficient
B	A337	Oriolus oriolus	r	P	insufficient
B	A214	Otus scops	r	P	insufficient
B	A094	Pandion haliaetus	c	P	insufficient
B	A330	Parus major	r	C	insufficient
B	A112	Perdix perdix	p	P	insufficient
B	A072	Pernis apivorus	c	P	insufficient
B	A017	Phalacrocora x carbo	c	P	insufficient
B	A115	Phasianus colchicus	p	P	insufficient
B	A274	Phoenicurus phoenicurus	r	P	insufficient
B	A499	Phylloscopus bonelli	c	V	insufficient
B	A572	Phylloscopus collybita	c	P	insufficient
B	A314	Phylloscopus sibilatrix	c	P	insufficient
B	A343	Pica pica	p	P	insufficient

B	A140	Pluvialis apricaria	c	P	insufficient
B	A008	Podiceps nigricollis	p	P	insufficient
B	A493	Poecile palustris	r	C	insufficient
B	A119	Porzana porzana	c	P	insufficient
B	A266	Prunella modularis	c	P	insufficient
B	A118	Rallus aquaticus	p	P	insufficient
B	A318	Regulus ignicapilla	c	P	insufficient
B	A318	Regulus ignicapilla	w	P	insufficient
B	A317	Regulus regulus	c	P	insufficient
B	A317	Regulus regulus	w	P	insufficient
B	A336	Remiz pendulinus	r	P	insufficient
B	A249	Riparia riparia	r	P	insufficient
B	A275	Saxicola rubetra	c	P	insufficient
B	A276	Saxicola torquatus	r	P	insufficient
B	A276	Saxicola torquatus	w	P	insufficient
B	A155	Scolopax rusticola	c	P	insufficient
B	A361	Serinus serinus	c	P	insufficient
B	A857	Spatula clypeata	c	P	insufficient

B	A856	Spatula querquedula	c	P	insufficient
B	A478	Spinus spinus	c	P	insufficient
B	A478	Spinus spinus	w	P	insufficient
B	A193	Sterna hirundo	c	P	insufficient
B	A885	Sternula albifrons	c	P	insufficient
B	A209	Streptopelia decaocto	p	P	insufficient
B	A210	Streptopelia turtur	r	P	insufficient
B	A210	Streptopelia turtur	w	P	insufficient
B	A351	Sturnus vulgaris	w	P	insufficient
B	A351	Sturnus vulgaris	r	P	insufficient
B	A311	Sylvia atricapilla	r	C	insufficient
B	A310	Sylvia borin	r	P	insufficient
B	A304	Sylvia cantillans	c	P	insufficient
B	A309	Sylvia communis	r	P	insufficient
B	A309	Sylvia communis	w	P	insufficient
B	A574	Sylvia curruca	c	P	insufficient
B	A004	Tachybaptus ruficollis	r	P	insufficient
B	A161	Tringa erythropus	c	P	insufficient
B	A166	Tringa glareola	c	P	insufficient

B	A164	Tringa nebularia	c	P	insufficient
B	A165	Tringa ochropus	c	P	insufficient
B	A162	Tringa totanus	c	P	insufficient
B	A265	Troglodytes troglodytes	r	P	insufficient
B	A265	Troglodytes troglodytes	w	P	insufficient
B	A286	Turdus iliacus	c	P	insufficient
B	A283	Turdus merula	r	C	insufficient
B	A285	Turdus philomelos	c	P	insufficient
B	A284	Turdus pilaris	w	P	insufficient
B	A284	Turdus pilaris	c	P	insufficient
B	A232	Upupa epops	r	P	insufficient
B	A232	Upupa epops	w	P	insufficient
B	A142	Vanellus vanellus	p	P	insufficient
F	1137	Barbus plebejus	p	C	insufficient
F	5304	Cobitis bilineata	p	C	insufficient
F	5962	Protochondro stoma genei	p	C	insufficient
F	5331	Telestes muticellus	p	C	insufficient
I	1092	Austropotamo bius pallipes	p	P	insufficient
I	1088	Cerambyx cerdo	p	P	insufficient

I	1074	Eriogaster catax	p	P	insufficient
I	6199	Euplagia qua dripunctaria	p	P	insufficient
I	1083	Lucanus cervus	p	P	insufficient
I	1060	Lycaena dispar	p	P	insufficient
M	1352	Canis lupus	p	P	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1167	Triturus carnifex	p	significant		C		C					C	C	202412
B	A085	Accipiter gentilis	p	significant		C		B					C	B	202412
B	A298	Acrocephalus arundinaceus	r	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	c	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	r	significant		C		B					C	B	202412
B	A297	Acrocephalus scirpaceus	c	non-significant											202412
B	A168	Actitis hypoleucos	r	significant		C		B					C	B	202412
B	A324	Aegithalos caudatus	r	non-significant											202412
B	A553	Aix galericulata	r	significant		C		B					C	B	202412
B	A247	Alauda arvensis	r	significant		C		B					C	C	202412
B	A229	Alcedo atthis	r	significant		C		B					C	B	202412
B	A110	Alectoris rufa	p	significant		C		B					C	B	202412

B	A05 4	Anas acuta	c	non-significan t								20241 2
B	A05 2	Anas crecca	c	non-significan t								20241 2
B	A05 3	Anas plat yrhyncho s	r	significant		C		B		C	B	20241 2
B	A05 3	Anas plat yrhyncho s	w	significant		C		B		C	B	20241 2
B	A25 5	Anthus c ampestri s	r	significant		C		B		B	B	20241 2
B	A25 7	Anthus pratensis	c	non-significan t								20241 2
B	A25 9	Anthus s pinoletta	w	non-significan t								20241 2
B	A25 9	Anthus s pinoletta	c	non-significan t								20241 2
B	A25 6	Anthus trivialis	r	significant		C		B		C	B	20241 2
B	A22 6	Apus apus	c	non-significan t								20241 2
B	A77 3	Ardea alba	w	non-significan t								20241 2
B	A77 3	Ardea alba	c	non-significan t								20241 2
B	A77 3	Ardea alba	p	significant		C		B		C	B	20241 2
B	A02 8	Ardea cinerea	p	significant		C		B		C	B	20241 2
B	A02 9	Ardea purpurea	c	non-significan t								20241 2
B	A16 9	Arenaria interpres	c	non-significan t								20241 2
B	A05 9	Aythya ferina	c	non-significan t								20241 2

B	A02 1	Botaurus stellaris	c	non-significant							20241 2
B	A08 7	Buteo buteo	p	significant	C		B		C	B	20241 2
B	A24 3	Calandrella brachydactyla	r	significant	C		A		C	B	20241 2
B	A14 9	Calidris alpina	c	non-significant							20241 2
B	A14 7	Calidris ferruginea	c	non-significant							20241 2
B	A14 5	Calidris minuta	c	non-significant							20241 2
B	A86 1	Calidris pugnax	c	non-significant							20241 2
B	A22 4	Caprimulgus europaeus	r	significant	C		A		C	B	20241 2
B	A36 4	Carduelis carduelis	r	non-significant							20241 2
B	A13 6	Charadrius dubius	r	significant	C		A		C	A	20241 2
B	A13 7	Charadrius hiaticula	c	non-significant							20241 2
B	A73 4	Chlidonias hybrida	c	non-significant							20241 2
B	A19 7	Chlidonias niger	c	non-significant							20241 2
B	A36 3	Chloris chloris	r	non-significant							20241 2
B	A36 3	Chloris chloris	w	non-significant							20241 2
B	A03 1	Ciconia ciconia	c	non-significant							20241 2

B	A030	Ciconia nigra	c	non-significant								202412
B	A081	Circus aeruginosus	c	non-significant								202412
B	A082	Circus cyaneus	w	significant		C		B		C	B	202412
B	A859	Clanga clanga	c	non-significant								202412
B	A373	Coccothraustes coccotrastes	c	significant		C		B		C	B	202412
B	A373	Coccothraustes coccotrastes	r	significant		C		B		C	B	202412
B	A206	Columba livia	p	significant		C		B		C	B	202412
B	A208	Columba palumbus	r	significant		C		B		C	B	202412
B	A208	Columba palumbus	p	significant		C		B		C	B	202412
B	A349	Corvus corone	p	significant		C		B		C	B	202412
B	A349	Corvus corone	r	significant		C		B		C	B	202412
B	A348	Corvus frugilegus	c	non-significant								202412
B	A347	Corvus monedula	p	significant		C		B		C	B	202412
B	A113	Coturnix coturnix	w	non-significant								202412
B	A113	Coturnix coturnix	r	non-significant								202412

B	A21 2	Cuculus canorus	r	non-significan t								20241 2
B	A48 0	Cyanecul a svecica	c	non-significan t								20241 2
B	A73 8	Delichon urbicum	p	significant		C		B		C	B	20241 2
B	A02 6	Egretta garzetta	r	significant		C		A		C	B	20241 2
B	A38 3	Emberiz a calandra	c	non-significan t								20241 2
B	A37 9	Emberiz a hortulana	r	significant		C		B		C	B	20241 2
B	A38 1	Emberiz a schoen iclus	c	non-significan t								20241 2
B	A26 9	Erithacus rubecula	r	non-significan t								20241 2
B	A09 8	Falco col umbarius	w	non-significan t								20241 2
B	A10 3	Falco per egrinus	c	non-significan t								20241 2
B	A09 9	Falco subbuteo	c	non-significan t								20241 2
B	A32 2	Ficedula hypoleuc a	c	non-significan t								20241 2
B	A35 9	Fringilla coelebs	p	significant		C		B		C	B	20241 2
B	A36 0	Fringilla montifrin gilla	c	non-significan t								20241 2
B	A24 4	Galerida cristata	r	significant		C		B		C	B	20241 2
B	A15 3	Gallinag o gallinago	c	non-significan t								20241 2

B	A123	Gallinula chloropus	p	significant	C	B	C	B	202412
B	A342	Garrulus glandarius	r	significant	C	B	C	B	202412
B	A189	Gelochelidon nilotica	c	non-significant					202412
B	A299	Hippolais icterina	c	non-significant					202412
B	A300	Hippolais polyglotta	c	non-significant					202412
B	A251	Hirundo rustica	c	non-significant					202412
B	A233	Jynx torquilla	c	non-significant					202412
B	A338	Lanius collurio	r	significant	C	B	C	B	202412
B	A341	Lanius senator	r	significant	C	B	B	B	202412
B	A184	Larus argentatus	c	non-significant					202412
B	A459	Larus calchinnans	p	significant	C	B	C	B	202412
B	A182	Larus canus	p	significant	C	B	C	B	202412
B	A179	Larus ridibundus	c	non-significant					202412
B	A156	Limosa limosa	c	non-significant					202412
B	A476	Linaria cathartica	r	non-significant					202412
B	A290	Locustella naevia	c	non-significant					202412

B	A27 1	Luscinia megarhy nchos	w	non-significan t							20241 2
B	A27 1	Luscinia megarhy nchos	r	non-significan t							20241 2
B	A15 2	Lymnocr yptes minimus	c	non-significan t							20241 2
B	A85 5	Mareca penelope	c	non-significan t							20241 2
B	A88 9	Mareca strepera	c	non-significan t							20241 2
B	A23 0	Merops apiaster	r	significant	C		A		C	A	20241 2
B	A07 3	Milvus migrans	c	non-significan t							20241 2
B	A26 2	Motacilla alba	r	significant	C		B		C	B	20241 2
B	A26 2	Motacilla alba	c	significant	C		B		C	B	20241 2
B	A26 1	Motacilla cinerea	r	significant	C		B		C	B	20241 2
B	A26 0	Motacilla flava	r	significant	C		B		C	B	20241 2
B	A31 9	Muscica pa striata	r	non-significan t							20241 2
B	A02 3	Nycticora x nyctico rax	r	significant	C		A		C	B	20241 2
B	A27 7	Oenanthe oenanthe	c	non-significan t							20241 2
B	A33 7	Oriolus oriolus	w	non-significan t							20241 2
B	A33 7	Oriolus oriolus	r	non-significan t							20241 2

B	A214	Otus scops	r	significant	C	B	B	202412
B	A094	Pandion haliaetus	c	non-significant				202412
B	A330	Parus major	r	non-significant				202412
B	A112	Perdix perdix	p	significant	C	B	C	202412
B	A072	Pernis apivorus	c	non-significant				202412
B	A017	Phalacrocorax carbo	c	non-significant				202412
B	A115	Phasianus colchicus	p	significant	C	B	C	202412
B	A274	Phoenicurus phoenicurus	r	significant	C	B	C	202412
B	A499	Phylloscopus bonelli	c	non-significant				202412
B	A572	Phylloscopus collybita	c	non-significant				202412
B	A314	Phylloscopus sibilatrix	c	non-significant				202412
B	A343	Pica pica	p	significant	C	B	C	202412
B	A140	Pluvialis apricaria	c	non-significant				202412
B	A008	Podiceps nigricollis	p	significant	C	B	C	202412
B	A493	Poecile palustris	r	non-significant				202412
B	A119	Porzana porzana	c	non-significant				202412

B	A266	Prunella modularis	c	non-significant							202412
B	A118	Rallus aquaticus	p	significant	C		B		C	B	202412
B	A318	Regulus ignicapilla	c	non-significant							202412
B	A318	Regulus ignicapilla	w	non-significant							202412
B	A317	Regulus regulus	c	non-significant							202412
B	A317	Regulus regulus	w	non-significant							202412
B	A336	Remiz pendulinus	r	non-significant							202412
B	A249	Riparia riparia	r	significant	C		B		C	B	202412
B	A275	Saxicola rubetra	c	non-significant							202412
B	A276	Saxicola torquatus	r	significant	C		B		C	B	202412
B	A276	Saxicola torquatus	w	significant	C		B		C	B	202412
B	A155	Scolopax rusticola	c	non-significant							202412
B	A361	Serinus serinus	c	non-significant							202412
B	A857	Spatula clypeata	c	non-significant							202412
B	A856	Spatula querquedula	c	non-significant							202412
B	A478	Spinus spinus	c	non-significant							202412
B	A478	Spinus spinus	w	non-significant							202412

B	A193	Sterna hirundo	c	non-significant							202412
B	A885	Sternula albigula	c	non-significant							202412
B	A209	Streptopelia decaocto	p	significant	C		B		C	B	202412
B	A210	Streptopelia turtur	r	non-significant							202412
B	A210	Streptopelia turtur	w	non-significant							202412
B	A351	Sturnus vulgaris	w	significant	C		B		C	B	202412
B	A351	Sturnus vulgaris	r	significant	C		B		C	B	202412
B	A311	Sylvia atricapilla	r	non-significant							202412
B	A310	Sylvia borin	r	significant	C		B		C	B	202412
B	A304	Sylvia cantillans	c	non-significant							202412
B	A309	Sylvia communis	r	significant	C		B		C	B	202412
B	A309	Sylvia communis	w	significant	C		B		C	B	202412
B	A574	Sylvia curruca	c	non-significant							202412
B	A004	Tachybaptus ruficollis	r	significant	C		B		C	B	202412
B	A161	Tringa erythropus	c	non-significant							202412
B	A166	Tringa glareola	c	non-significant							202412
B	A164	Tringa nebularia	c	non-significant							202412

I	1092	Austropo tamobius pallipes	p	significant	C	C	C	C	20241 2
I	1088	Ceramby x cerdo	p	non-significan t					20241 2
I	1074	Eriogast er catax	p	significant	C	B	C	B	20241 2
I	6199	Euplagia quadripu nctaria	p	significant	C	B	C	B	20241 2
I	1083	Lucanus cervus	p	significant	C	C	C	B	20241 2
I	1060	Lycaena dispar	p	significant	C	B	C	B	20241 2
M	1352	Canis lupus	p	non-significan t					20241 2

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
-------	-------	-------	-------	-------	---------	---------	---------	-------

Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo		no				P
A	6962	Bufotes viridis Complex		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
A		Triturus alpestris apuanus		no				C
A		Triturus vulgaris meridionalis		no				C
B	A221	Asio otus		no				P
B	A218	Athene noctua		no				P
B	A335	Certhia brachydactyla		no				P
B	A264	Cinclus cinclus		no				P
B	A752	Colinus virginianus		no				P
B	A483	Cyanistes caeruleus		no				P
B	A237	Dendrocopos major		no				P
B	A869	Dryobates minor		no				P
B	A377	Emberiza cirrus		no				P
B	A096	Falco tinnunculus		no				C
B	A621	Passer italiae		no				P
B	A356	Passer montanus		no				P
B	A235	Picus viridis		no				P
B	A332	Sitta europaea		no				P
B	A219	Strix aluco		no				P
B	A213	Tyto alba		no				P

F		Alburnus alburnus alborella	no	P
F		Anguilla anguilla	no	P
F		Esox lucius	no	P
F		Gobio gobio	no	P
F		Leuciscus cephalus (Squalius cephalus)	no	P
F		Padogobius martensii	no	P
F		Phoxinus phoxinus	no	P
I	1058	Maculinea arion	no	P
I	1076	Proserpinus proserpina	no	P
I	1053	Zerynthia polyxena	no	P
M	1327	Eptesicus serotinus	no	P
M	5365	Hypsugo savii	no	P
M	1344	Hystrix cristata	no	P
M	1358	Mustela putorius	no	P
M	1314	Myotis daubentonii	no	P
M	2016	Pipistrellus kuhlii	no	P
M	1309	Pipistrellus pipistrellus	no	P
M	1326	Plecotus auritus	no	P
M	1329	Plecotus austriacus	no	P
P		Arum Dracunculus Schott	no	P
P		Centaurea calcitrapa L.	no	P
P		Echinops ritro L.	no	P
P		Glaucium flavum Crantz	no	P

P		Ophrys bertolonii	no	P
P		Orchis coriophora L.	no	P
P		Orchis morio	no	P
P		Periploca graeca L.	no	P
P		Potamogeton filiformis Pers.	no	P
P		Scilla italica L.	no	P
P		Verbascum sinuatum L.	no	P
P		Zannichellia palustris L.	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix maura	no	P
R		Natrix natrix	no	P
R	1292	Natrix tessellata	no	P
R	1256	Podarcis muralis	no	P
R	1250	Podarcis siculus	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Alburnus alburnus alborella							X								
	Anguilla anguilla							X								
	Arum Dracunculus Schott															X
A221	Asio otus					X						X				
A218	Athene noctua					X						X				
	Bufo bufo											X				
6962	Bufotes viridis Complex		X													
	Centaurea calcitrapa L.							X								
A335	Certhia brachydactyla					X						X				
A264	Cinclus cinclus					X						X				
A752	Colinus virginianus					X						X				
A483	Cyanistes caeruleus					X						X				
A237	Dendrocopos major					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A869	Dryobates minor					X						X				
	Echinops ritro L.															X
A377	Emberiza cirius					X						X				
1327	Eptesicus serotinus		X													
	Esox lucius							X								
A096	Falco tinnunculus					X						X				
	Glaucium flavum Crantz															X
	Gobio gobio							X								
5670	Hierophis viridiflavus		X													
5365	Hypsugo savii		X									X				
1344	Hystrix cristata		X													
5179	Lacerta bilineata		X													
	Leuciscus cephalus (Squalius cephalus)							X								
1058	Maculinea arion		X													
1358	Mustela putorius			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1314	Myotis daubentonii		X													
	Natrix maura											X				
	Natrix natrix											X				
1292	Natrix tessellata		X													
	Ophrys bertolonii											X				
	Orchis coriophora L.											X				
	Orchis morio											X				
	Padogobius martensii							X								
A621	Passer italiae					X						X				
A356	Passer montanus					X						X				
6976	Pelophylax esculentus			X												
	Periploca graeca L.							X								
	Phoxinus phoxinus							X								
A235	Picus viridis					X						X				
2016	Pipistrellus kuhlii		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1309	Pipistrellus pipistrellus		X													
1326	Plecotus auritus		X													
1329	Plecotus austriacus		X													
1256	Podarcis muralis		X													
1250	Podarcis siculus		X													
	Potamogeton filiformis Pers.							X								
1076	Proserpinus proserpina		X													
1209	Rana dalmatina		X													
	Scilla italica L.							X								
A332	Sitta europaea					X						X				
A219	Strix aluco					X						X				
	Triturus alpestris apuanus											X				
	Triturus vulgaris meridionalis															X
A213	Tyto alba					X						X				
	Verbascum sinuatum L.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
6091	Zamenis longissimus		X													
	Zannichellia palustris L.															X
1053	Zerynthia polyxena		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Pianura alluvionale recente con divagazioni del Torrente Scrivia e forti variazioni stagionali della portata.

4.2 Quality and importance of the site

Ampio greto dello Scrivia con vegetazione erbacea, arbustiva ed arborea (bosco rado a pioppo nero, pioppo bianco, quercia, olmo campestre) in condizioni di elevata naturalità. Elevata biodiversità (530 specie floristiche, 150 specie di uccelli osservati nel 1990); presenza di specie rare specialmente di origine mediterranea a livello regionale e nazionale.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	high	in	
PA21	low	in	
PE01	low	in	
PI01	high	inout	
PI02	low	inout	
PI03	low	in	
PJ03	low	in	
PK01	high	in	
PL01	high	in	
PL06	low	inout	
PM07	low	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Barbieri F., Fasola M., Prigioni C., Bogliani G., 1979 - Le garzaie dell'Italia nord-occidentale, 1978. Avocetta // GPSO, 1982/1995 - Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta Riv. Piem. St. Nat. N° 3, 4, 5, 6, 7,8,9,11,12,13,14,15.// I.P.L.A., 2001 ? Greto del Torrente Scrivia tra Cassano e Villalvernia. Piano di Gestione Naturalistica. Regione Piemonte. Settore Pianificazione Aree Protette. (redatto)// Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino.// Regione Piemonte. Assessorato Caccia e Pesca, 1991 - Carta ittica relativa al territorio della regione piemontese. // Silvano F., 1974 - Elenco degli uccelli della Valle Scrivia (Alessandria). Riv. Ital. Orn., II-44, 3: 165-192.// Silvano F., 1976 - Moria di uccelli sullo Scrivia. Gli Uccelli d'Italia.// Silvano F., 1977 - Segnalazione di specie rare in provincia di Alessandria. Gli Uccelli d'Italia.// Silvano F., 1981 - La Calandrella Calandrella cinerea brachydactyla in Piemonte. Gli Uccelli d'Italia. // Silvano F., Boano G., Carrega M., Piella S., 1991 ? Indagine floristica e faunistica della zona ripopolamento e cattura Torrente Scrivia.// Torregiani F., 1978 - La Calandrella. Avifauna//

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Provincia di Alessandria - Servizio Valorizzazione ed Educazione Ambientale

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
Via Galimberti, 2/A - 15121 Alessandria

5.1.4 Functional mailbox email address 5.1.5 Website with contact information
biodiversita@cert.provincia.alessandria.it No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
IT1180004 "Greto dello Scrivia" - Piano di gestione	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures
Necessary conservation measures are included in the management plan(s)
Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures
Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)