

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Strette della Val Borbera (IT1180009 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1180009

1.3 Site name

Strette della Val Borbera

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-11

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/12/04/283/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1665

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No		13.21		limited	
5130	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	No		3.98		veryLimited	
6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No		1		veryLimited	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	Yes		21.51		limited	
6510	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	No		34.97		limited	
8210	Calcareous rocky slopes with chasmophytic vegetation	No		404.7		limited	
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i> , <i>Alnion incanae</i> , <i>Salicion albae</i>)	No		3.33		limited	
9260	<i>Castanea sativa</i> woods	No		183.15		limited	
92A0	<i>Salix alba</i> and <i>Populus alba</i> galleries	No		5.03		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412
5130	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					C	202412

6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	Yes	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412

6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	A	C	A	A	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
9260	<i>Castanea sativa</i> woods	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

92A0	Salix alba and Populus alba galleries	No	significant	C	C	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
F	5086	Barbus caninus			p				V	insufficient	
F	1137	Barbus plebejus			p	1	1	localities		veryLimited	
F	5304	Cobitis bilineata			p				C	insufficient	
F	5962	Protochondrostoma genei			p				C	insufficient	
F	5331	Telestes muticellus			p	1	1	localities		veryLimited	
I	1092	Austropotamobius pallipes			p	2	2	localities		veryLimited	
I	6199	Euplagia quadripunctaria			p				P	insufficient	
I	1083	Lucanus cervus			p				R	insufficient	
M	1308	Barbastella barbastellus			p				R	insufficient	
M	1352	Canis lupus			p	1	1	p		complete	
M	1304	Rhinolophus ferrumequinum			p				R	insufficient	
M	1303	Rhinolophus hipposideros			r	38	82	i		complete	
P	4104	Himantoglossum adriaticum			p	1	1	localities		veryLimited	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
F	5086	Barbus caninus	p	significant		C		B					C	C	202412
F	1137	Barbus plebejus	p	significant		C		B					C	B	202412
F	5304	Cobitis bilineata	p	non-significant											202412
F	5962	Protochondrostoma genei	p	significant		C		B					C	C	202412
F	5331	Telestes muticellus	p	significant		C		B					C	B	202412
I	1092	Austroptamobius pallipes	p	significant		C		B					C	B	202412
I	6199	Euplagia quadripunctaria	p	significant		C		A					C	B	202412
I	1083	Lucanus cervus	p	significant		C		B					C	C	202412
M	1308	Barbastella barbastellus	p	significant		C		B					C	C	202412
M	1352	Canis lupus	p	significant		C		B					C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant		C		B					C	C	202412

M	1303	Rhinolophus hipposideros	r	significant	C	B	C	B	202412
P	4104	Himantopus adriaticum	p	significant	C	B	C	B	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	1209	Rana dalmatina		no				P
A	1206	Rana italica		no				R
A		Salamandra salamandra		no				P
B	A229	Alcedo atthis		no				P

B	A110	Alectoris rufa	no	P
B	A255	Anthus campestris	no	P
B	A215	Bubo bubo	no	P
B	A243	Calandrella brachydactyla	no	P
B	A224	Caprimulgus europaeus	no	P
B	A264	Cinclus cinclus	no	P
B	A080	Circaetus gallicus	no	P
B	A869	Dryobates minor	no	P
B	A379	Emberiza hortulana	no	P
B	A338	Lanius collurio	no	P
B	A246	Lullula arborea	no	P
B	A073	Milvus migrans	no	P
B	A074	Milvus milvus	no	P
B	A072	Pernis apivorus	no	P
B	A250	Ptyonoprogne rupestris	no	P
B	A304	Sylvia cantillans	no	P
I		Arethusana arethusa	no	P
I		Carabus solieri	no	P
I	1026	Helix pomatia	no	P
I		Iolana iolas	no	P
I	1058	Maculinea arion	no	P
I		Polyommatus hispanus	no	P
I	1053	Zerynthia polyxena	no	P
I		Zygaena hylaris	no	P
M	1344	Hystrix cristata	no	P

M		Martes foina	no	P
M	1314	Myotis daubentonii	no	R
M	1331	Nyctalus leisleri	no	R
M	1309	Pipistrellus pipistrellus	no	R
P		Adixa moschatellina	no	R
P		Anemone ranunculoides	no	R
P		Arabis alpina caucasica	no	C
P		Corydalis cava	no	R
P		Dactylis albus	no	V
P		Fritillaria tenella	no	R
P		Helianthemum appeninum	no	C
P		Orchis provincialis	no	R
P		Ornithoglossum petraea	no	R
P	1849	Ruscus aculeatus	no	R
P		Saxifraga paniculata	no	R
P		Sempervivum tectorum	no	R
R	5670	Hierophis viridiflavus	no	C
R	5179	Lacerta bilineata	no	P
R	1292	Natrix tessellata	no	R
R	1256	Podarcis muralis	no	P
R	6091	Zamenis longissimus	no	C

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Adixa moschatellina															X
A229	Alcedo atthis				X											
A110	Alectoris rufa					X										
	Anemone ranunculoides															X
A255	Anthus campestris				X											
	Arabis alpina caucasica															X
	Arethusana arethusia															X
A215	Bubo bubo				X											
	Bufo bufo											X				
A243	Calandrella brachydactyla				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A224	Caprimulgus europaeus				X											
	Carabus solieri										X					
A264	Cinclus cinclus					X										
A080	Circaetus gallicus				X											
	Corydalis cava															X
	Dctamus albus															X
A869	Dryobates minor					X						X				
A379	Emberiza hortulana				X											
	Fritillaria tenella											X				X
	Helianthemum appeninum										X					X
1026	Helix pomatia			X												
5670	Hierophis viridiflavus		X									X				
1344	Hystrix cristata		X													
	Iolana iolas							X								
5179	Lacerta bilineata		X													
A338	Lanius collurio				X											
A246	Lullula arborea				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1058	Maculinea arion		X													
	Martes foina											X				
A073	Milvus migrans				X											
A074	Milvus milvus				X											
1314	Myotis daubentonii		X									X				
1292	Natrix tessellata		X									X				
1331	Nyctalus leisleri		X									X				
	Orchis provincialis											X				X
	Ornungia petraea															X
A072	Pernis apivorus				X											
1309	Pipistrellus pipistrellus		X									X				
1256	Podarcis muralis		X													
	Polyommatus hispanus															X
A250	Ptyonoprogne rupestris					X										
1209	Rana dalmatina		X													
1206	Rana italica		X									X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1849	Ruscus aculeatus			X												
	Salamandra salamandra											X				
	Saxifraga paniculata															X
	Sempervivum tectorum															X
A304	Sylvia cantillans					X										
6091	Zamenis longissimus		X									X				
1053	Zerynthia polyxena		X													
	Zygaena hylaris															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Specie termofile, rare o localizzate. Una delle zone ancora selvagge dell'Appennino ligure-piemontese; limite settentrionale di *Polyommatus hispanus* e di *Rana italica*.

4.2 Quality and importance of the site

Estesi affioramenti di conglomerati spesso a fortissima pendenza con litosuoli o suoli assai superficiali. Ampio letto torrentizio ghiaioso. Interessante flora messicola nelle aree coltivate (specie infestanti in via di scomparsa).

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA05	high	in	
PA21	low	inout	
PB04	medium	in	
PF02	low	in	
PF17	low	in	
PH08	low	in	
PI02	medium	in	
PM07	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Balletto E., Barberis G., Toso G.G., 1982 - Aspetti dell'ecologia dei lepidotteri ropaloceri nei consorzi erbacei delle Alpi italiane. Quaderni sulla "Struttura delle zoocenosi terrestri" CNR Roma, 2(II,1) Pubbl. AQ/1/193. // Balletto E., Cassulo L., Toso G.G., 1982 - Contributo alla biogeografia degli Zigenidi delle Alpi Liguri. Biogeographia.// Carrega M., 1988 - Segnalazioni floristiche per l'appennino alessandrino. Riv. Piem. St. Nat., IX: 107-116.// Castelli M., 1995 – Brometi del versante padano dell'Appennino Ligure Piemontese (Italia). Fitosociologia, 30.// Fasciolo R., 1981 - La Rondine rossiccia nidifica in piemonte. Gli Uccelli d'Italia.// Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccelli nidificanti in Piemonte e Val d'Aosta 1980 – 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino.// Regione Piemonte. Assessorato Caccia e Pesca, 1991 - Carta ittica relativa al territorio della regione piemontese. Silvano F., Carrega M., Torregiani F., 1988 - L'avifauna della Val B o r b e r a (A I) . R i v . P i e m . S t . N a t . , I X : 1 7 3 - 1 8 8 . //

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di gestione delle aree protette dell'Appennino piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address
Via Umberto I°, 51 Salita Poggio - 15060 Bosio (AL)

5.1.4 Functional mailbox email address
areeprotetteappenninopiemontese@ruparpiemonte.it

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione del Sito della Rete Natura 2000 IT1180009 “Strette della Val Borbera”	http://www.regione.piemonte.it/parc hi/cms/dati-territoriali-new/aree-prot ette-e-rn2000/pianificazione-e-nor me.html		Undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures
- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024 - Piano di gestione

5.3.2 Status of conservation measures

Are the necessary measures established? Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)