

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [18/12/2025]
Confluenza Po - Sesia - Tanaro (IT1180027 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

IT1180027

1.3 Site name

Confluenza Po - Sesia - Tanaro

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Piemonte - Direzione Ambiente,
Energia, Territorio - Settore Biodiversità e
Aree Naturali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Piemonte, 1 - 10127 Torino

1.4.4 Functional mailbox email address

biodiversita@regione.piemonte.it

1.4.5 Website with contact information

<https://www.regione.piemonte.it/web/temi/ambiente-territorio/biodiversita-aree-naturali/rete-natura-2000>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI or free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-02

1.5.5 SAC designation act (URI or free text)

<https://www.gazzettaufficiale.it/eli/gu/2017/02/24/46/sg/pdf>

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

4061

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No		3.5		complete	
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No		28.1		complete	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		58.05		complete	
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	No		1.3		complete	
3270	Rivers with muddy banks with Chenopodium rubri p.p. and Bidenton p.p. vegetation	No		229.3		complete	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No		110.17		complete	
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No		104.5		complete	
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No		16.5		complete	

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	19.8	complete
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	452.8	complete
91F0	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	No	258.5	complete

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3140	Hard oligo-mesotrophic waters with benthic vegetation of Chara spp.	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202512
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					A	202512

3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202512
3260	Water courses of plain to montane levels with the <i>Ranunculus fluitantis</i> and <i>Callitriche-Batrachion</i> vegetation	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	202412

3270	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidens</i> p.p. vegetation	No	significant	B	B	B	202512
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (* important orchid sites)	No	significant	C	C	B	202412

6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	C	C	C	202412
					C		
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	significant	C	C	C	202412
					C		
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

9160	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	No	significant	C	C	C	202412
					C	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	significant	B	B	B	202412
					B	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No	significant	B	B	B	202512
					B	Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1215	Rana latastei			p				P	insufficient	
A	1167	Triturus carnifex			p				P	insufficient	
F	5086	Barbus caninus			p				P	insufficient	
F	1137	Barbus plebejus			p				P	insufficient	
F	1140	Chondrostoma soetta			p				P	insufficient	
F	5304	Cobitis bilineata			p				P	insufficient	
F	5962	Protochondrostoma genei			p				P	insufficient	
F	1991	Sabanejewia larvata			p				P	insufficient	
F	5331	Telestes muticellus			p				P	insufficient	
I	4056	Anisus vorticulus			p				P	insufficient	
I	1088	Cerambyx cerdo			p				R	insufficient	
I	1060	Lycaena dispar			p				P	insufficient	
I	1037	Ophiogomphus cecilia			p				R	insufficient	
I	1041	Oxygastra curtisii			p				R	insufficient	
M	1308	Barbastella barbastellus			p				P	insufficient	
M	1310	Miniopterus schreibersii			p				P	insufficient	
M	1321	Myotis emarginatus			p				P	insufficient	

M	1304	Rhinolophus ferrumequinum	p	P	insufficient
P	1428	Marsilea quadrifolia	p	V	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1215	Rana latastei	p	significant		C		C					B	C	202412
A	1167	Triturus carnifex	p	significant		C		B					C	B	202412
F	5086	Barbus caninus	p	significant		C		C					C	C	202412
F	1137	Barbus plebejus	p	significant		C		C					C	C	202412
F	1140	Chondrostoma soetta	p	significant		C		C					C	C	202412
F	5304	Cobitis bilineata	p	significant		C		C					C	C	202412
F	5962	Protochondrostoma genei	p	significant		C		C					C	C	202412
F	1991	Sabanejewia larvata	p	significant		C		C					C	C	202412
F	5331	Telestes muticellus	p	significant		C		C					C	C	202412
I	4056	Anisus vorticulus	p	significant		A1		B					A	B	202512
I	1088	Cerambyx cerdo	p	significant		C		B					A	C	202412
I	1060	Lycaena dispar	p	significant		C		B					C	B	202412

I	1037	Ophiogomphus cecilia	p	significant	C	C	C	C	202412
I	1041	Oxygastr a curtisii	p	significant	C	C	A	C	202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
M	1310	Miniopterus schreibersii	p	non-significant					202412
M	1321	Myotis emarginatus	p	significant	C	B	C	B	202412
M	1304	Rhinolophus ferrumequinum	p	significant	C	B	C	B	202412
P	1428	Marsilea quadrifolia	p	significant	C	C	C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	6962	Bufo viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	6976	Pelophylax esculentus		no				P
A	1209	Rana dalmatina		no				P
B	A293	Acrocephalus melanopogon		no				P
B	A294	Acrocephalus paludicola		no				P
B	A229	Alcedo atthis		no				P
B	A054	Anas acuta		no				P
B	A052	Anas crecca		no	500	1000	i	P
B	A053	Anas platyrhynchos		no	1000	2000	i	P
B	A255	Anthus campestris		no				P
B	A773	Ardea alba		no	20	20	i	P
B	A028	Ardea cinerea		no	163	163	p	P
B	A029	Ardea purpurea		no				P
B	A024	Ardeola ralloides		no				P
B	A222	Asio flammeus		no				P
B	A060	Aythya nyroca		no				P
B	A021	Botaurus stellaris		no				P
B	A133	Burhinus oedicephalus		no				P
B	A861	Calidris pugnax		no				P

B	A224	Caprimulgus europaeus	no	P
B	A136	Charadrius dubius	no	P
B	A734	Chlidonias hybrida	no	P
B	A197	Chlidonias niger	no	P
B	A031	Ciconia ciconia	no	P
B	A030	Ciconia nigra	no	P
B	A080	Circaetus gallicus	no	P
B	A081	Circus aeruginosus	no	P
B	A082	Circus cyaneus	no	P
B	A084	Circus pygargus	no	P
B	A859	Clanga clanga	no	P
B	A231	Coracias garrulus	no	P
B	A480	Cyanecula svecica	no	P
B	A038	Cygnus cygnus	no	P
B	A026	Egretta garzetta	no	P
B	A379	Emberiza hortulana	no	P
B	A098	Falco columbarius	no	P
B	A103	Falco peregrinus	no	P
B	A099	Falco subbuteo	no	P
B	A097	Falco vespertinus	no	P
B	A154	Gallinago media	no	P
B	A002	Gavia arctica	no	P
B	A001	Gavia stellata	no	P
B	A127	Grus grus	no	P
B	A075	Haliaeetus albicilla	no	P
B	A092	Hieraaetus pennatus	no	P

B	A131	Himantopus himantopus	no					P
B	A862	Hydrocoloeus minutus	no					P
B	A894	Hydroprogne caspia	no					P
B	A022	Ixobrychus minutus	no					P
B	A338	Lanius collurio	no					P
B	A339	Lanius minor	no					P
B	A176	Larus melanocephalus	no					P
B	A157	Limosa lapponica	no					P
B	A156	Limosa limosa	no					P
B	A246	Lullula arborea	no					P
B	A855	Mareca penelope	no					P
B	A889	Mareca strepera	no					P
B	A767	Mergellus albellus	no					P
B	A073	Milvus migrans	no	1	1		p	P
B	A074	Milvus milvus	no					P
B	A023	Nycticorax nycticorax	no					P
B	A094	Pandion haliaetus	no					P
B	A072	Pernis apivorus	no					P
B	A017	Phalacrocorax carbo	no	250	500		i	P
B	A035	Phoenicopterus ruber	no					P
B	A034	Platalea leucorodia	no					P
B	A032	Plegadis falcinellus	no					P
B	A140	Pluvialis apricaria	no					P
B	A007	Podiceps auritus	no					P

B	A119	Porzana porzana	no	P
B	A857	Spatula clypeata	no	P
B	A856	Spatula querquedula	no	P
B	A193	Sterna hirundo	no	P
B	A885	Sternula albifrons	no	P
B	A397	Tadorna ferruginea	no	P
B	A048	Tadorna tadorna	no	P
B	A863	Thalasseus sandvicensis	no	P
B	A166	Tringa glareola	no	P
B	A892	Zapornia parva	no	P
F		Esox lucius	no	P
I		Apatura ilia	no	P
I		Catalytus mangeri	no	P
I		Eilema griseola	no	P
I		Everes argiades	no	P
I		Haliplus immaculatus	no	P
I	1026	Helix pomatia	no	P
I		Heteropterus morpheus	no	P
I		Laelia coenosa	no	P
I	1033	Unio elongatulus	no	P
I		Viviparus viviparus	no	P
M		Crocidura suaveolens	no	P
M		Meles meles	no	P
M		Mustela nivalis	no	P
M	1358	Mustela putorius	no	P

P		Calamagrostis canescens (Weber) Roth	no	P
P		Fimbristylis squarrosa Vahl	no	P
P		Gagea pratensis (Pers.) Dumort.	no	P
P		Hippuris vulgaris L.	no	P
P		Hydrocharis morsus-ranae L.	no	P
P		Sagittaria sagittifolia L.	no	P
P		Salix pentandra L.	no	P
P		Salvinia natans (L.) All.	no	P
P		Scirpus radicans Schkuhr	no	P
P		Typha minima Hoppe	no	P
P		Vallisneria spiralis L.	no	P
R		Anguis fragilis	no	P
R	5670	Hierophis viridiflavus	no	P
R	5179	Lacerta bilineata	no	P
R		Natrix natrix	no	P
R	1256	Podarcis muralis	no	P
R	1250	Podarcis siculus	no	P
R	6091	Zamenis longissimus	no	P

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A293	Acrocephalus melanopogon				X											
A294	Acrocephalus paludicola				X											
A229	Alcedo atthis				X											
A054	Anas acuta					X										
A052	Anas crecca					X										
A053	Anas platyrhynchos					X										
	Anguis fragilis											X				
A255	Anthus campestris				X											
	Apatura ilia											X				
A773	Ardea alba				X											
A028	Ardea cinerea					X										
A029	Ardea purpurea				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A024	Ardeola ralloides				X											
A222	Asio flammeus				X											
A060	Aythya nyroca				X											
A021	Botaurus stellaris				X											
	Bufo bufo											X				
6962	Bufotes viridis Complex		X													
A133	Burhinus oedichnemus				X											
	Calamagrostis canescens (Weber) Roth															X
A861	Calidris pugnax				X											
A224	Caprimulgus europaeus				X											
	Catalytus mangeri															X
A136	Charadrius dubius					X										
A734	Chlidonias hybrida				X											
A197	Chlidonias niger				X											
A031	Ciconia ciconia				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A030	Ciconia nigra				X											
A080	Circaetus gallicus				X											
A081	Circus aeruginosus				X											
A082	Circus cyaneus				X											
A084	Circus pygargus				X											
A859	Clanga clanga				X											
A231	Coracias garrulus				X											
	Crocidura suaveolens											X				
A480	Cyanecula svecica				X											
A038	Cygnus cygnus				X											
A026	Egretta garzetta				X											
	Eilema griseola															X
A379	Emberiza hortulana				X											
	Esox lucius							X								
	Everes argiades															X
A098	Falco columbarius				X											
A103	Falco peregrinus				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A099	Falco subbuteo					X										
A097	Falco vespertinus				X											
	Fimbristylis squarrosa Vahl							X								
	Gagea pratensis (Pers.) Dumort.															X
A154	Gallinago media				X											
A002	Gavia arctica				X											
A001	Gavia stellata				X											
A127	Grus grus				X											
A075	Haliaeetus albicilla				X											
	Haliphus immaculatus															X
1026	Helix pomatia			X												
	Heteropterus morpheus							X								
A092	Hieraaetus pennatus				X											
5670	Hierophis viridiflavus		X									X				
A131	Himantopus himantopus				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Hippuris vulgaris L.							X								
	Hydrocharis morsus-ranae L.															X
A862	Hydrocoloeus minutus				X											
A894	Hydroprogne caspia				X											
5358	Hyla intermedia		X									X				
A022	Ixobrychus minutus				X											
5179	Lacerta bilineata		X													
	Laelia coenosa							X								
A338	Lanius collurio				X											
A339	Lanius minor				X											
A176	Larus melanocephalus				X											
A157	Limosa lapponica				X											
A156	Limosa limosa					X										
A246	Lullula arborea				X											
A855	Mareca penelope					X										
A889	Mareca strepera					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Meles meles											X				
A767	Mergellus albellus				X											
A073	Milvus migrans				X											
A074	Milvus milvus				X											
	Mustela nivalis											X				
1358	Mustela putorius			X												
	Natrix natrix											X				
A023	Nycticorax nycticorax				X											
A094	Pandion haliaetus				X											
6976	Pelophylax esculentus			X												
A072	Pernis apivorus				X											
A017	Phalacrocorax carbo					X										
A035	Phoenicopterus ruber				X											
A034	Platalea leucorodia				X											
A032	Plegadis falcinellus				X											

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A140	Pluvialis apricaria				X											
1256	Podarcis muralis		X													
1250	Podarcis siculus		X													
A007	Podiceps auritus				X											
A119	Porzana porzana				X											
1209	Rana dalmatina		X													
	Sagittaria sagittifolia L.							X								
	Salix pentandra L.							X								
	Salvinia natans (L.) All.							X								
	Scirpus radicans Schkuhr							X								
A857	Spatula clypeata					X										
A856	Spatula querquedula					X										
A193	Sterna hirundo				X											
A885	Sternula albifrons				X											
A397	Tadorna ferruginea				X											
A048	Tadorna tadorna					X										

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A863	Thalasseus sandvicensis				X											
A166	Tringa glareola				X											
	Typha minima Hoppe															X
1033	Unio elongatulus			X												
	Vallisneria spiralis L.															X
	Viviparus viviparus															X
6091	Zamenis longissimus		X													
A892	Zapornia parva				X											

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Area caratterizzata dalla vastità delle zone esondabili: greti, greti colonizzati, ecc. Si segnala per quest'area l'elevata diversità e ricchezza ittica, ornitologica (svernante e migratrice) ed entomologica. Sono presenti idrofite rare e resti di bosco planiziale.

4.2 Quality and importance of the site

Biotopo fluviale che include le confluenze di due dei principali affluenti del Po. Sono presenti, oltre ai corsi d'acqua principali, zone con acque ferme e spesso temporanee, lanche, bracci fluviali secondari, ampi greti e isole fluviali.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PA01	low	in	
PA02	high	in	
PA14	high	in	
PA17	high	in	
PA21	medium	in	
PB10	low	in	
PI01	low	in	
PI02	high	in	
PL01	low	in	
PL05	medium	in	
PL06	high	in	
PM07	medium	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

A.I.N., 1979 - Garzaia di Valenza. Regione Piemonte. Assessorato alla Pianificazione del Territorio e Parchi Naturali // AA.VV., 1991 - Carta ittica relativa al territorio della regione piemontese. Regione Piemonte. Assessorato Caccia e Pesca. // AA.VV., 1993 - Piano d'Area "Sistema regionale delle Aree Protette della fascia fluviale del Po". Regione Piemonte. Assessorato beni culturali e ambientali, Pianificazione territoriale, Parchi, Enti Locali. // AA.VV., 1993 - Progetto territoriale operativo "Tutela e valorizzazione delle risorse ambientali del Po". Regione Piemonte. Assessorato beni culturali e ambientali, Pianificazione territoriale, Parchi, Enti Locali.545. // AA.VV., 2004 - Rilievi ittiofauna per Carta Ittica Regionale. Regione Piemonte. Direzione Pianificazione delle Risorse Idriche. // Agnoloni S., 2003 - Inquadramento climatico del del Parco Fluviale del Po tratto vercellese-alessandrino. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). // Antonelli N., 1994 - Le comunità di Coleotteri Carabidi nella Riserva naturale speciale della Confluenza del Sesia. Tesi di Laurea. Università degli Studi di Milano. // Assini S., 1996 - La vegetazione alluviale del Po nella Pianura padana centro-occidentale. Tesi di Dottorato. Università degli Studi di Pavia. Dipartimento di Botanica. // 122 Barbieri F., Fasola M., Prigioni C., Bogliani G., 1979 - Le garzaie dell'Italia nord-occidentale, 1978. Avocetta. // Bari A., Mastrone A., 2003 - Indagine relativa alla qualità dell'aria nell'ambito del Parco del Po tratto vercellese-alessandrino. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali protette". Ministero dell'Ambiente, ENEA. (inedito). // Berrone M. L., 1996 - Ecologia delle zone umide del Parco fluviale del Po. Tesi di Laurea. Università degli Studi di Torino. // Betta G., Minciardi M. R., Poma S., 2003 - La fauna del Parco del Po. Relazione tecnica nell'ambito del Progetto "Parchi in qualità" ovvero "applicazione pilota del Sistema di Gestione Ambientale nelle aree naturali

protette". Ministero dell'Ambiente, ENEA. (inedito). // Boano G., 1988 - Statistiche venatorie sugli Anatidi del Po di Valenza. Atti 1° Conv. Naz. Biologi. Selvaggina, Bologna 1988. Suppl. Ric. Biol. Selv. // Boano G., Pulcher C., 1982 - Nidificazione del Falco di palude *Circus aeruginosus* in Piemonte. Riv. Ital. Orn., II-52 (3/4): 222-223.550 // Bogliani G., Barbieri F., 1982 - Nidificazione di Sterna comune Sterna hirundo e Fraticello Sterna albifrons sul fiume Po. Riv. Ital. Orn., II-52 (1/2): 91. // Carrega M., 1983 - Le orchidee di un settore della provincia di Alessandria. Riv. Piem. St. Nat., 4: 207-210. // Cassulo L. A., Raineri V., 1996 - Primi dati sui lepidotteri della garzaia di Valenza Po (Piemonte). (Lepidoptera). Boll. Soc. ent. ital., 127: 257-266. // Della Beffa G., 1994 - Quindici anni di ricerche entomologiche nei parchi della Regione Piemonte. Atti XVII Congresso nazionale italiano di Entomologia, Udine (13-18 giugno). // Della Beffa G., Meregalli M., Novelli M., Scaramozzino P. L., 1982 - Gli Idroadei della garzaia di Valenza Po (Coleoptera). Riv. Piem. St. Nat., 3: 127-139. // Fasola M., 1986 - Distribuzione e polazione dei Laridi e Sternidi nidificanti in Italia. Suppl. Ric. Biol. Selv. // Fasola M., Barbieri F., Prigioni C., Bogliani G., 1981 - Le Garzaie in Italia, 1981. Avocetta, 5: 107-131. // Forneris G., Pistarino A., Siniscalco C., 2003 - Gli erbari come archivi tematici: la flora acquatica e palustre del Piemonte. In Montacchini F., Soldano A. (ed.), 2003 - Atti del Convegno Nazionale "Botanica delle zone umide" (Vercelli - Albano Verellese 10 - 11 Novembre 2000). pp. 11-61. Mus. Reg. Sci. Nat. Torino. // Gola L., Zuarini S., Gagliardone M., Bruschini R., 2005 - Gli uccelli del Parco Fluviale del Po e dell'Orba (Resoconto delle osservazioni effettuate dal 1982 al 2001). Riv. Piem. St. Nat., 26: 293-320. // I.P.L.A., 1983 - Piano Naturalistico della Riserva naturale della Garzaia di Valenza. Regione Piemonte. Assessorato alla Pianificazione Territoriale. (redatto).559 // Ostellino I., 1987 - Flora della riserva Naturale "Garzaia di Valenza". Riv. Piem. St. Nat., 8: 123-136. // Pulcher C., 1983 - Osservazioni durante un ciclo annuale sull'avifauna della Garzaia di Valenza (AL). Riv. Piem. St. Nat., 4: 11-127. // Pulcher C., 1983 - Recenti nidificazioni della Cicogna bianca (*Ciconia ciconia*) in Piemonte. Riv. Ital. Orn., II-53 (1/2): 41. // Pulcher C., 1987 - La variabilità della comunità ornitica svernante in un ambiente padano. Riv. Piem. St. Nat., 8: 161-170. // Raspagni D., 1963 - Note sugli Uccelli acquatici riscontrati sul Po di Valenza. Riv. Ital. Orn., II-33 (1/2): 29. // Raspagni D., 1976 - Noterelle ornitologiche. Gli Uccelli d'Italia.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente di Gestione delle aree protette del Po Piemontese

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Piazza Giovanni XXIII, 61 - 5048 Valenza AL

5.1.4 Functional mailbox email address

parcopopiemontese@pec.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Deliberazione n.10-398/2024/XII del 21/11/2024	https://www.regione.piemonte.it/governo/bollettino/abbonati/2024/48/atta

Further explanations on detailed conservation measures

- Misure di conservazione per la tutela della Rete Natura 2000 del Piemonte - approvate con DGR 55-7222/2023/XI del 12 luglio 2023 - Format Obiettivi e Misure di conservazione sito-specifiche approvati con Deliberazione n.10-398/2024/XII del 21/11/2024

5.3.2 Status of conservation measures

Are the necessary measures established?	Are the established measures implemented?
--	--

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)