

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [14/01/2026]
Parco Nazionale del Gran Paradiso (IT1201000 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT1201000

1.3 Site name

Parco Nazionale del Gran Paradiso

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Autonoma Valle d'Aosta. Dip.to
Ambiente. Struttura biodiversità, sostenibilità e
aree naturali protette.

1.4.2 Contact point in the organisation (optional)

Struttura biodiversità, sostenibilità e aree naturali protette.

1.4.3 Postal address

Rue Grand-Chemin, 46 - 11010 Saint-Christophe

1.4.4 Functional mailbox email address

areeprotette@regione.vda.it

1.4.5 Website with contact information

https://www.regione.vda.it/territorio/ambiente/Biodiversita_e_aree_naturali_protette/default_i.aspx

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1988-10

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

D.M. 3/4/200

1.5.3 Date site first proposed as SCI

2001-07

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2020-02

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2020/02/25/47/sg/pdf>

1.5.5 SAC designation act (free text)

DM 12/02/2020 - G.U. 47 del 25-02-2020

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

Latitude

2.1.1 Area (ha)

71042

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC2	VALLE D'AOSTA/VALLÉE D'AOSTE
ITC1	PIEMONTE

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Alpine	100	

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	No		0.11		limited	
3220	Alpine rivers and the herbaceous vegetation along their banks	No		34.67		limited	
3230	Alpine rivers and their ligneous vegetation with Myricaria germanica	No		10.32		limited	
3240	Alpine rivers and their ligneous vegetation with Salix elaeagnos	No		1.74		limited	
4060	Alpine and Boreal heaths	No		1238.67		limited	
4080	Sub-Arctic Salix spp. scrub	No		30		veryLimited	
6110	Rupicolous calcareous or basophilic grasslands of the Alyso-Sedion albi	No		0.5		veryLimited	
6150	Siliceous alpine and boreal grasslands	No		6975.23		limited	
6170	Alpine and subalpine calcareous grasslands	No		3453.67		limited	

6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	20	veryLimited
6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	5978.77	limited
6240	Sub-Pannonic steppic grasslands	No	168.46	limited
6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No	2	veryLimited
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	359.58	veryLimited
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	0.5	veryLimited
6520	Mountain hay meadows	No	488.91	limited
7110	Active raised bogs	No	0.01	veryLimited
7140	Transition mires and quaking bogs	No	3.32	limited
7220	Petrifying springs with tufa formation (Cratoneurion)	No	0.01	veryLimited
7230	Alkaline fens	No	16.18	limited
7240	Alpine pioneer formations of the Caricion bicoloris-atrofuscae	No	6.16	limited
8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	11909.71	limited
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	3566.35	limited
8210	Calcareous rocky slopes with chasmophytic vegetation	No	3395.43	limited
8220	Siliceous rocky slopes with chasmophytic vegetation	No	15199.69	limited

8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	No	2	veryLimited
8240	Limestone pavements	No	4.83	veryLimited
8340	Permanent glaciers	No	3165.7	complete
9110	Luzulo-Fagetum beech forests	No	288.46	limited
9130	Asperulo-Fagetum beech forests	No	60.46	limited
9180	Tilio-Acerion forests of slopes, screes and ravines	No	10	veryLimited
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	No	2	veryLimited
9260	Castanea sativa woods	No	239.48	limited
9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No	421.01	limited
9420	Alpine Larix decidua and/or Pinus cembra forests	No	6893.83	limited
9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	21.29	limited

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Na-juncetea	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A					B	202412
3220	Alpine rivers and the herbaceous vegetation along their banks	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

3230	Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i>	No	significant	A	B	B	202512
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
3240	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	No	significant	C	C	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

4060	Alpine and Boreal heaths	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512
4080	Sub-Arctic Salix spp. scrub	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412

6110	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	No	significant	B	C	A	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6150	Siliceous alpine and boreal grasslands	No	significant	A	B	B	B	202512
					B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

6170	Alpine and subalpine calcareous grasslands	No	significant	B	B	B	202512
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	
6210	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (* important orchid sites)	No	significant	C	C	B	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	

6230	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)	No	significant	A	B	B	B	20251 2
					B	B		
					Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6240	Sub-Pannonic steppic grasslands	No	significant	B	B	B	B	20251 2
					B	B		
					Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

6410	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	No	significant	C	C	B	C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	No	significant	A	B	A	A	202512
					B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			
6510	Lowland hay meadows (Alopecurus pratensis, Sanguisorba officinalis)	No	non-significant					202412

6520	Mountain hay meadows	No	significant	B	B	B	C	202512
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
7110	Active raised bogs	No	significant	C	C	B	C	202412
						Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		

7140	Transition mires and quaking bogs	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				
7220	Petrifying springs with tufa formation (Cratoneurion)	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				

7230	Alkaline fens	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	20241 2
7240	Alpine pioneer formations of the <i>Caricion bicoloris -atrofuscae</i>	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	20251 2

8110	Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512
8120	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	No	significant	B	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202512

8210	Calcareous rocky slopes with chasmophytic vegetation	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512
8220	Siliceous rocky slopes with chasmophytic vegetation	No	significant	B	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202512

8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthi on or of the Sedo albi-Veronicion dillenii	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	B	202412
8240	Limestone pavements	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	C	202412

8340	Permanent glaciers	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C	B	202512
9110	Luzulo-Fagetum beech forests	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	C	202412

9130	Asperulo-Fagetum beech forests	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				
9180	Tilio-Acerion forests of slopes, screes and ravines	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				

91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				
9260	<i>Castanea sativa</i> woods	No	significant	C	C	B		C	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17				

9410	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202412
9420	Alpine Larix decidua and/or Pinus cembra forests	No	significant	A	B Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512

9430	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	No	significant	C	C	B	C	202412
					C Calcolata come rapporto tra il valore di F_3_1_ 4_habitat_ cover e la superficie complessi va nazionale riportata nel V Rapporto ai sensi de ll'articolo 17			

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site
---------	------------------------

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A085	Accipiter gentilis			p				P	insufficient	
B	A296	Acrocephalus palustris			r				R	insufficient	
B	A223	Aegolius funereus			p				P	insufficient	
B	A412	Alectoris graeca saxatilis			p				C	insufficient	
B	A256	Anthus trivialis			r				C	insufficient	
B	A091	Aquila chrysaetos	yes		p	25	25	p		complete	
B	A104	Bonasa bonasia			p				P	insufficient	
B	A215	Bubo bubo	yes		p	2	2	p		complete	
B	A623	Carduelis citrinella			p				P	insufficient	
B	A080	Circaetus gallicus	yes		r	1	1	p		limited	
B	A212	Cuculus canorus			r				C	insufficient	
B	A738	Delichon urbicum			r				P	insufficient	
B	A236	Dryocopus martius			p	15	15	p		limited	
B	A727	Eudromias morinellus			c	15	15	i		limited	
B	A103	Falco peregrinus	yes		p	1	1	p		limited	
B	A217	Glaucidium passerinum			p	8	8	p		limited	

B	A076	Gypaetus barbatus	yes	p	5	5	p		complete
B	A251	Hirundo rustica		r				P	insufficient
B	A233	Jynx torquilla		r				P	insufficient
B	A713	Lagopus muta helvetica		p	60	110	i		limited
B	A338	Lanius collurio		r				P	insufficient
B	A876	Lyrurus tetrix tetrix		p	150	220	i		limited
B	A280	Monticola saxatilis		p				P	insufficient
B	A358	Montifringilla nivalis		p				P	insufficient
B	A319	Muscicapa striata		r				P	insufficient
B	A277	Oenanthe oenanthe		r				C	insufficient
B	A072	Pernis apivorus		r				R	insufficient
B	A274	Phoenicurus phoenicurus		r				P	insufficient
B	A314	Phylloscopus sibilatrix		r				R	insufficient
B	A250	Ptyonoprogne rupestris		r				C	insufficient
B	A346	Pyrhcorax pyrhcorax		p				P	insufficient
B	A275	Saxicola rubetra		r				C	insufficient
B	A228	Tachymarptis melba		r				P	insufficient
B	A333	Tichodroma muraria		p				P	insufficient

B	A282	Turdus torquatus	r				P	insufficient
B	A232	Upupa epops	r				P	insufficient
F	1107	Salmo marmoratus	p	620	620	i		limited
I	1065	Euphydryas aurinia	p				R	insufficient
I	6199	Euplagia qua dripunctaria	p				P	insufficient
M	1308	Barbastella barbastellus	p				P	insufficient
M	1352	Canis lupus	p	2	2	p		complete
M	1361	Lynx lynx	p				V	insufficient
M	1324	Myotis myotis	p				P	insufficient
P	4066	Asplenium adulterinum	p	4	4	i		complete
P	6269	Astragalus alopecurus	p	2	2	grids1x1		complete
P	1386	Buxbaumia viridis	p				P	insufficient
P	1384	Riccia breidlerii	p				P	insufficient
P	6166	Scapania carinthiaca	p				p	insufficient
P	1545	Trifolium saxatile	p	1604	3000	i		complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date
B	A085	Accipiter gentilis	p	significant		C		B					C	C	202412
B	A296	Acrocephalus palustris	r	significant		C		B					C	C	202412
B	A223	Aegolius funereus	p	significant		C		B					C	B	202412
B	A412	Alectoris graeca saxatilis	p	significant		C		B					C	A	202412
B	A256	Anthus trivialis	r	significant		C		A					C	B	202412
B	A091	Aquila chrysaetos	p	significant		B		A					C	A	202412
B	A104	Bonasa bonasia	p	significant		C		B					B	B	202412
B	A215	Bubo bubo	p	significant		C		B					C	A	202412
B	A623	Carduelis citrinella	p	significant		C		A					C	A	202412
B	A080	Circus gallicus	r	significant		C		B					C	B	202412
B	A212	Cuculus canorus	r	significant		C		A					C	A	202412
B	A738	Delichon urbicum	r	significant		C		A					C	B	202412
B	A236	Dryocopus martius	p	significant		C		A					C	A	202412

B	A72 7	Eudromi as morin ellus	c	non-significan t						20241 2
B	A10 3	Falco per egrinus	p	significant	C	A	C	B		20241 2
B	A21 7	Glaucidu m passer inum	p	significant	C	B	C	B		20241 2
B	A07 6	Gypaetu s barbatus	p	significant	A4	B	C	A		20251 2
B	A25 1	Hirundo rustica	r	significant	C	B	C	C		20241 2
B	A23 3	Jynx torquilla	r	significant	C	B	C	B		20241 2
B	A71 3	Lagopus muta helvetica	p	significant	B	B	C	A		20241 2
B	A33 8	Lanius collurio	r	significant	C	B	C	B		20241 2
B	A87 6	Lyrurus tetrix tetrix	p	significant	B	A	C	A		20241 2
B	A28 0	Monticol a saxatilis	p	significant	C	B	C	B		20241 2
B	A35 8	Montifrin gilla nivalis	p	significant	C	A	C	A		20241 2
B	A31 9	Muscica pa striata	r	significant	C	B	C	B		20241 2
B	A27 7	Oenanthe oenanthe	r	significant	C	A	C	A		20241 2
B	A07 2	Pernis apivorus	r	significant	C	A	C	A		20241 2

B	A274	Phoenicurus phoenicurus	r	significant	C	B	C	B	202412
B	A314	Phylloscopus sibilatrix	r	significant	C	B	C	B	202412
B	A250	Ptyonoprogne rupestris	r	significant	C	A	C	A	202412
B	A346	Pyrrhoxox pyrrhoxox	p	significant	B	A	C	A	202412
B	A275	Saxicola rubetra	r	significant	C	A	C	A	202412
B	A228	Tachymathes melba	r	significant	C	B	C	B	202412
B	A333	Tichodroma muraria	p	significant	C	A	C	A	202412
B	A282	Turdus torquatus	r	significant	C	A	C	A	202412
B	A232	Upupa epops	r	significant	C	B	C	B	202412
F	1107	Salmo marmoratus	p	significant	C	B	A	A	202412
I	1065	Euphydryas aurinia	p	significant	B	A	B	A	202412
I	6199	Euplagia quadripunctaria	p	non-significant					202412
M	1308	Barbastella barbastellus	p	significant	C	B	C	B	202412
M	1352	Canis lupus	p	significant	C	A	A	A	202412

M	1361	Lynx lynx	p	non-significant							202412
M	1324	Myotis myotis	p	significant	C	B		C	C		202412
P	4066	Asplenium adnigrum	p	significant	C	A		C	C		202412
P	6269	Astragalus alpestris	p	significant	B	B		B	B		202512
P	1386	Buxbaumia viridis	p	significant	C	B		C	B		202412
P	1384	Riccia breidleri	p	significant	A3	A		C	A		202512
P	6166	Scapania carinthiaca	p	significant	A3	A		A	A		202512
P	1545	Trifolium saxatile	p	significant	A1	Calcolata come rapporto tra la media dei valori di popolazione riportata per il sito e la popolazione complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	A	C	A		202512

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				P
A	1213	Rana temporaria		no				P
I		Aeropedellus variegatus		no				P
I		Anonconotus pusillus		no				P
I		Aricia nicias		no				P
I		Colias palaeno		no				P
I		Epipodisma pedemontana		no				P
I		Erebia eriphyle		no				P
I		Erebia pandrose		no				P
I	1058	Maculinea arion		no				R

I		Ocnogyna parasita	no				P
I	1057	Parnassius apollo	no				P
I	1056	Parnassius mnemosyne	no				P
I		Parnassius phoebus	no				P
I		Plebejus trappi	no				P
I		Pontia callidice	no				P
I		Somatochlora arctica	no				P
I		Stenobothrus ursulae	no				P
I		Vaccina optilete	no				P
M		Apodemus alpicola	no				P
M		Apodemus flavicollis	no				P
M	1375	Capra ibex	no	2000	3000	i	
M		Chionomys nivalis	no				P
M		Eliomys quercinus	no				P
M	1313	Eptesicus nilssonii	no				P
M	1327	Eptesicus serotinus	no				P
M		Erinaceus europaeus	no				P
M		Glis glis	no				P
M	5365	Hypsugo savii	no				P
M		Lepus europaeus	no				P
M	1334	Lepus timidus	no				C
M		Marmota marmota	no				P
M		Martes foina	no				P
M	1357	Martes martes	no				P

M		Meles meles	no					P
M		Microtus arvalis	no					P
M	1341	Muscardinus avellanarius	no					P
M		Mustela erminea	no					P
M		Mustela nivalis	no					P
M	1358	Mustela putorius	no					P
M	1314	Myotis daubentonii	no					P
M	1330	Myotis mystacinus	no					P
M	1322	Myotis nattereri	no					C
M		Neomys fodiens	no					P
M	1331	Nyctalus leisleri	no					P
M	2016	Pipistrellus kuhlii	no					P
M	1309	Pipistrellus pipistrellus	no					P
M	5009	Pipistrellus pygmaeus	no					P
M	1326	Plecotus auritus	no					P
M	5012	Plecotus macrobullaris	no					P
M	1369	Rupicapra rupicapra	no	6000	8000	i		
M		Sciurus vulgaris	no					P
M		Sorex alpinus	no					P
M		Sorex araneus	no					P
M		Sorex minutus	no					P
M	1333	Tadarida teniotis	no					P
M		Talpa caeca	no					P
M	1332	Vespertilio murinus	no					P
P		Aconitum anthora	no					V

P		<i>Aconitum variegatum</i>	no	R
P		<i>Allium strictum</i>	no	R
P		<i>Alopecurus alpinus</i>	no	P
P		<i>Androsace helvetica</i>	no	P
P		<i>Androsace septentrionalis</i>	no	V
P		<i>Androsace vandellii</i>	no	C
P		<i>Androsace vitaliana</i>	no	R
P	1480	<i>Aquilegia alpina</i>	no	R
P	1762	<i>Arnica montana</i>	no	C
P	1764	<i>Artemisia genipi</i>	no	C
P		<i>Artemisia glacialis</i>	no	C
P		<i>Campanula alpestris</i> All.	no	P
P		<i>Campanula cenisia</i>	no	C
P		<i>Campanula elatines</i>	no	R
P		<i>Campanula excisa</i>	no	R
P		<i>Carex fimbriata</i>	no	V
P		<i>Carex heleonastes</i> L. fil.	no	P
P		<i>Cephalanthera damasonium</i>	no	V
P		<i>Cerastium lineare</i> All.	no	P
P		<i>Corallorhiza trifida</i>	no	R
P		<i>Cortusa matthioli</i>	no	R
P		<i>Dianthus furcatus</i> Balbis ssp. <i>lereschii</i> (Burnat) Pign.	no	P

P		<i>Dianthus pavonius</i>	no	R
P		<i>Diphasiastrum alpinum</i>	no	R
P		<i>Drosera rotundifolia</i> L.	no	P
P		<i>Eriophorum vaginatum</i>	no	R
P		<i>Eritrichium nanum</i>	no	R
P	1657	<i>Gentiana lutea</i>	no	R
P		<i>Gentiana schleicheri</i>	no	R
P		<i>Jovibarba allionii</i>	no	R
P		<i>Juncus arcticus</i>	no	R
P		<i>Leontopodium alpinum</i> Cass.	no	P
P		<i>Lilium bulbiferum</i> subsp. <i>croceum</i>	no	R
P		<i>Lilium martagon</i>	no	C
P		<i>Linnaea borealis</i>	no	R
P		<i>Lycopodium annotinum</i>	no	P
P		<i>Minuartia biflora</i>	no	P
P		<i>Murbeckiella boryi</i>	no	R
P		<i>Orchis militaris</i>	no	V
P		<i>Pedicularis rosea</i> subsp. <i>allionii</i>	no	C
P		<i>Phyteuma globularifolium</i> subsp.	no	C
P		<i>Phyteuma humile</i> Schleicher	no	P
P		<i>Platanthera bifolia</i>	no	R

P		Pleurospermum austriacum	no	P
P		Potamogeton filiformis	no	V
P		Potentilla grammopetala Moretti	no	P
P		Sagina nodosa	no	P
P		Saponaria lutea L.	no	C
P		Saxifraga cotyledon	no	R
P		Saxifraga diapensioides	no	R
P		Sedum villosum L. ssp. villosum	no	P
P		Sempervivum grandiflorum	no	C
P		Senecio halleri	no	C
P		Silene vallesia	no	C
P		Sparganium angustifolium	no	V
P		Stemmacantha rhapontica	no	R
P		Thlaspi lerescheanum	no	C
P		Thlaspi sylvium	no	V
P		Tofieldia pusilla (Michx.) Pers.	no	P
P		Trichophorum alpinum (L.) Pers.	no	P
P		Tulipa sylvestris subsp. australis	no	V
P		Viola pinnata	no	V
R	1283	Coronella austriaca	no	V

R	5670	Hierophis viridiflavus	no	C
R	5179	Lacerta bilineata	no	C
R	1256	Podarcis muralis	no	C
R		Vipera aspis	no	C

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Aconitum anthora															X
	Aconitum variegatum										X					
	Aeropedellus variegatus							X			X					
	Allium strictum															X
	Alopecurus alpinus															X
	Androsace helvetica															X
	Androsace septentrionalis							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Androsace vandellii							X								
	Androsace vitaliana															X
	Anonconotus pusillus							X			X					
	Apodemus alpicola															X
	Apodemus flavicollis															X
1480	Aquilegia alpina		X													
	Aricia nicias															X
1762	Arnica montana			X												
1764	Artemisia genipi			X												
	Artemisia glacialis										X					
	Bufo bufo							X								
	Campanula alpestris All.							X								
	Campanula cenisia										X					
	Campanula elatines										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Campanula excisa										X					
1375	Capra ibex			X												
	Carex fimbriata							X								
	Carex heleonastes L. fil.							X								
	Cephalanthera damasonium											X				
	Cerastium lineare All.							X								
	Chionomys nivalis											X				
	Colias palaeno															X
	Corallorhiza trifida											X				
1283	Coronella austriaca		X													
	Cortusa matthioli							X								
	Dianthus furcatus Balbis ssp. lereschii (Burnat) Pign.							X								
	Dianthus pavonius										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Diphasiastrum alpinum															X
	Drosera rotundifolia L.															X
	Eliomys quercinus											X				
	Epipodisma pedemontana							X			X					
1313	Eptesicus nilssonii		X													
1327	Eptesicus serotinus		X					X								
	Erebia eriphyle															X
	Erebia pandrose															X
	Erinaceus europaeus											X				
	Eriophorum vaginatum															X
	Eritrichium nanum															X
1657	Gentiana lutea			X												
	Gentiana schleicheri							X								

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Glis glis											X				
5670	Hierophis viridiflavus		X													
5365	Hypsugo savii		X													
	Jovibarba allionii										X					
	Juncus arcticus															X
5179	Lacerta bilineata		X									X				
	Leontopodium alpinum Cass.							X								
	Lepus europaeus											X				
1334	Lepus timidus			X												
	Lilium bulbiferum subsp. croceum										X					
	Lilium martagon															X
	Linnaea borealis							X								
	Lycopodium annotinum			X												
1058	Maculinea arion		X													
	Marmota marmota											X				
	Martes foina											X				
1357	Martes martes			X												

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Meles meles											X				
	Microtus arvalis															X
	Minuartia biflora							X								
	Murbeckiella boryi											X				
1341	Musccardinus avellanarius		X													
	Mustela erminea											X				
	Mustela nivalis											X				
1358	Mustela putorius			X												
1314	Myotis daubentonii		X													
1330	Myotis mystacinus		X													
1322	Myotis nattereri		X					X								
	Neomys fodiens											X				
1331	Nyctalus leisleri		X					X								
	Ocnogyna parasita															X
	Orchis militaris											X				
1057	Parnassius apollo		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1056	Parnassius mnemosyne		X													
	Parnassius phoebus											X				
	Pedicularis rosea subsp. allionii										X					
	Phyteuma globularifolium subsp.															X
	Phyteuma humile Schleicher							X								
2016	Pipistrellus kuhlii		X													
1309	Pipistrellus pipistrellus		X													
5009	Pipistrellus pygmaeus		X					X								
	Platanthera bifolia											X				
	Plebejus trappi							X								
1326	Plecotus auritus		X													
5012	Plecotus macrobullaris		X					X								
	Pleurospermum austriacum															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1256	Podarcis muralis		X													
	Pontia callidice															X
	Potamogeton filiformis							X								
	Potentilla grammopetala Moretti							X								
1213	Rana temporaria			X												
1369	Rupicapra rupicapra			X												
	Sagina nodosa							X								
	Saponaria lutea L.							X								
	Saxifraga cotyledon															X
	Saxifraga diapensioides										X					
	Sciurus vulgaris											X				
	Sedum villosum L. ssp. villosum							X								
	Sempervivum grandiflorum										X					
	Senecio halleri										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Silene vallesia										X					
	Somatochlora arctica															X
	Sorex alpinus											X				
	Sorex araneus											X				
	Sorex minutus											X				
	Sparganium angustifolium							X								
	Stemmacantha rhapontica										X					
	Stenobothrus ursulae							X			X					
1333	Tadarida teniotis		X													
	Talpa caeca															X
	Thlaspi lerescheanum										X					
	Thlaspi sylvium							X								
	Tofieldia pusilla (Michx.) Pers.							X								
	Trichophorum alpinum (L.) Pers.															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Tulipa sylvestris subsp. australis							X								
	Vaccina optilete															X
1332	Vespertilio murinus		X													
	Viola pinnata															X
	Vipera aspis											X				

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Il Parco Nazionale Gran Paradiso, primo parco italiano istituito con regio decreto 3 dicembre 1922, n. 1584, comprende cinque valli attorno al massiccio del Gran Paradiso a cavallo tra Piemonte e Valle d'Aosta (valli di Cogne, Valsavarenche e Rhêmes in Valle d'Aosta e valli Orco e Soana in Piemonte) e confina con il parco nazionale francese della Vanoise.

4.2 Quality and importance of the site

Ambiente ad elevata naturalità, ospita il nucleo originario dello Stambecco e un buon numero di specie vegetali ed animali endemiche

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details
PD02	low	in	
PF14	high	in	
PI02	low	inout	
PJ01	low	inout	
PJ03	low	inout	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

BOCCA M., MAFFEI G. - 1984 - Gli uccelli della Valle d'Aosta. Indagine bibliografica e dati inediti. R.A.V.A. Tip. La Vallée, Aosta, VII + 252 pp. BOCCA M., MAFFEI G. - 1988 - Gli uccelli della Valle d'Aosta. Appendice di aggiornamento 1987. R.A.V.A. Tip. La Vallée, Aosta, 34 pp. BOCCA M. - 1989 - Status del Biancone (*Circaetus gallicus*), dell'Aquila reale (*Aquila chrysaetos*) e del Pellegrino (*Falco peregrinus*) in Valle d'Aosta. Boll. Mus. reg. St. nat. Torino, 7 (1): 163 - 183. FASCE P. e L. - 1984 - L'Aquila reale in Italia. Ecologia e conservazione. Lega Ital. Protez. Uccelli, Parma. pp. 66. FRAMARIN F. - 1982 - Enquête sur l'Aigle royal, *Aquila chrysaetos*, dans le Parc national du Gran-Paradis. Nos Oiseaux 36 (387): 263 - 273. FRAMARIN F. - 1986 - Notes complémentaires sur la répartition et la nidification de l'Aigle royal, *Aquila chrysaetos*, dans le Parc national du Gran Paradis, Italie. Nos Oiseaux, 38 (404): 257 - 262. GÉROUDET P. - 1972 - Contribution à l'ornithologie du Grand Paradis. Nos Oiseaux, 31 (345): 269 - 296. MINGOZZI T., BOANO G., PULCHER C. - Atlante degli uccelli nidificanti in Piemonte e Valle d'Aosta, 1980-1984., 1988, Mus. Reg. Sci. Nat. Torino, monografia VIII, 513 pp., , , ; MOLTONI E. - Gli uccelli della provincia di Aosta., 1943, Atti Soc. Ital. Scienze Nat., 82: 205 - 308. ZUNINO F. - Brevi note sull'avifauna della Valle di Rhêmes (Parco Nazionale del Gran Paradiso), 1969, Riv. Ital. Ornit. 39 (3): 169 - 197. BOCCA M., 1984. Nidification de la Fauvette mélanocéphale, *Sylvia melanocephala*, en Vallée d'Aoste., 1984, Nos Oiseaux 37 (397): 357 - 363. Erbario biologico Luca Miserere per il Parco Nazionale Gran Paradiso.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente Parco Nazionale Gran Paradiso

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Pio VII, 9 - 10135 Torino

5.1.4 Functional mailbox email address

segreteria@pngp.it

5.1.5 Website with contact information

<https://www.pngp.it/>

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano del Parco approvato con la deliberazione n. 349 del 22 marzo 2019 della Regione Autonoma Valle d'Aosta e la deliberazione n. 32-8597 del 22 marzo 2019 della Regione Piemonte.	https://www.pngp.it/vivere-nel-parco/o/piano-del-parco		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
DGR 916 del 6/08/2024	https://www.regione.vda.it/territorio/ambiente/Biodiversita_e_aree_naturali

Further explanations on detailed conservation measures

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)