

TEMPLATE PROJECTS PARTNERS SEARCH

	Name of the organisation	University of Florence
Organisation	Description of the organisation	
	Name of the project (call identifier)	SIBEST - Smart industrial Building: from Industrial Building ExiSting to Technological one (CALL: Building and renovating in an energy and resource efficient way - TOPIC ID: LC-GD-4-1-2020) and other
	Торіс	Prefabricated building, energy redevelopment, energy storage, seismic retrofitting, environmental monitoring, smart building
Project	Description of the project	The research aims at creating a competitive supply chain able of designing and implementing systems for technological, seismic and energy redevelopment of the existing industrial building stock with particular reference to the one that is characterised by asbestos roofs that need to be replaced as a matter of urgency. These systems will be part of a process that involves several redevelopment actions and different systems and components that will have to be used, some of which are currently not available on the market. The process and the related technical-operational protocol that is to be implemented, and which will be developed using innovative methods, briefly involves the following sequence: 1) removal and disposal of asbestos roofing systems, typically asbestos roof tiles placed above the roof beams of the building; 2) replacement of roofing systems with innovative low-carbon high insulation elements, which on the top surface will have photovoltaic panels that will be designed and prototyped during the research; 3) interventions for the improvement and seismic retrofitting of the building, with innovative systems some of which will be designed and prototyped during the research; 4) implementation of a medium-term storage system for energy produced by renewables, this system also will be designed and prototyped during the research; 5) integration in the building of control and

	[]
	monitoring systems for structural, environmental and energy diagnosis, systems that will be integrated and developed during the research also through a prototype stage. The project develops on the assumption that in Europe during the '70s and '90s an extensive industrial building stock was built, which in many cases is now dilapidated and it really needs energy and structural redevelopment. It is necessary to underline that in the context of nearly zero energy, low-carbon and smart building redevelopment, the intervention strategies must include an integrated design approach and refer to the interaction of aspects related to different disciplinary areas concerning the construction. Thus taking into account architectural, structural, energy and system engineering issues according to the needs of the production process, pursuing efficiency also on an economic level. Therefore, the project partners, each one with their own skills and know-how, want to promote integrated retrofitting actions aimed at making the existing industrial building stock safer and more energy efficient, in order to develop and subsequently market some of the innovative components of the redevelopment process.
Project manager	Prof. Frida Bazzocchi
Aim of the project	The research aims at developing procedural tools and define new technical solutions available for retrofitting existing industrial buildings. Starting from the definition of existing industrial building typologies, a stage to which the working group has been applying for some time now, the research intends to identify the most recurrent ones in order to clearly define the feasible approach to involve the largest share of the market. Starting from the assumption that the configuration of the existing industrial building is certainly characterised by problems related to the asbestos in the roof and the consequent need for replacement, in addition to the inadequate seismic performance and energy inefficiency, we intent to develop lines of action that take into account the various technical issues (technological, energy, environmental, safety and systems) and economic ones (cost of the intervention, building maintenance, reduction of management costs) in a "carbon free" logic that aims at the efficiency of the construction, introducing in the redevelopment new systems and technical elements of which prototypes will be made during the research.

For this purpose, an existing industrial building will be used as a case study. The prototypes of the different systems and components, that will be realized during the research, will be installed and tested on it, specifically: two different types of low-carbon roofing systems, one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system integrated on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system integrated with the building it operates, i.e. a system for the preduction of electrical and thermal energy by fue-cell powerd by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electricit energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage tank, a fuel cell, a small battry pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell powerd by phydrogen a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones a well. It will be functional to the definition of a building model powered by theregared in the troof, able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most ing roofs acting and subsequent replacement with innovative roofing systems; identification of procedures for structural and subsequent replacement with innovative roofing systems; 	
 systems and components, that will be realized during the research, will be installed and tested on it, specifically: two different types of low-carbon roofing systems, one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system integrated on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the produtyser by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electricit energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage tank, a fuel cell, a small battry pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and tooping, a monitoring system capable of acquiring and managing not only energy parameters but the building? an innovative monitoring system capable of acquiring and managing not only energy and in which the energy issues are integrated in the torof, able to storage energy and in which the energy issues are integrated in the roof, able to storage energy and in which the energy issues are integrated in the roof, able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: dentification of the most recurrent buildings and prevalent problems, with particular reference to the most neefficient elements (e.g. the roofing system); development of a protocol for the disposal of absetso elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; 	
 the research, will be installed and tested on it, specifically: two different types of low-carbon roofing systems, one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seimic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system integrated in the energy issues are integrated with the structural ones. The project will therefore focus on some lines of acquiring and managing not only energy parameters but the building's structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of procedures for structural diagnosia ainmed at defining the state of <th>used as a case study. The prototypes of the different</th>	used as a case study. The prototypes of the different
 specifically: two different types of low-carbon roofing systems, one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electricial and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricial energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank a fuel cell a small battery pack, appropriate electronic power converters, a hast recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated with the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the onst recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development to a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for the energy and buildings; 	systems and components, that will be realized during
 two different types of low-carbon roofing systems, one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage that, is fuel-cell for possible use with domesth chu water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system integrated in the roof, able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of acquiring and managing not only energy parameters that energy issues are integrated with the structural ones. identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	the research, will be installed and tested on it,
 one with a mainly metal structure, and the other one with a wooden structure, which will integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of photovoltaic parels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient learnets (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of the celenest for structural diagnosis aimed at definition of procedures for structural diagnosis aimed at definition the energy is substant and watering parameters. 	specifically:
 the other one with a wooden structure, which will integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage that, a fuel cell, a smill battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of the concers for structural diagnosis aimed at defining the state of<td>- two different types of low-carbon roofing systems,</td>	- two different types of low-carbon roofing systems,
 integrate the photovoltaic system that will power the prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy supply system capable of hydrogen the electroly service and the hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a hydrogen storage to the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); devision and relate a ins: identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and the divide and a state of conservation of the elements and materials of existing buildings; 	one with a mainly metal structure, and
 prototype energy storage system; innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricid energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of the code for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	the other one with a wooden structure, which will
 - innovative anti-seismic devices to be placed on the main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; - an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; 	integrate the photovoltaic system that will power the
main components of the prefabricated reinforced concrete frames, and in the interface with the roofing systems; - an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricit generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of absetos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	prototype energy storage system;
 concrete frames, and in the interface with the roofing systems; - an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbetos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and 	- innovative anti-seismic devices to be placed on the
 in the interface with the roofing system; - an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage that, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbetos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and 	
 - an energy supply system integrated with the building it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. theroofing system); - development of a protocol for the disposal of absetos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; - identification of the codedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and 	concrete frames, and
 it operates, i.e. a system for the production of electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	in the interface with the roofing systems;
 electrical and thermal energy by fuel-cell powered by hydrogen, produced on site by an electrolyser that uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. theroofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
hydrogen, produced on site by an electrolyser that uses the electricit generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
uses the electricity generated by the photovoltaic system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
system. The electrical energy will be stored in the form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
form of hydrogen. The photovoltaic system with hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
hydrogen storage that is to be tested consists of: photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
 photovoltaic panels as energy source, an electrolyser, a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the any often repeatent of the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing system; identification of procedures for structural diagnosis aimed at defining the state of conservation of the energy and subsequent state of aconservation of the energy and subsequent state of a conservation of the energy and subsequent state of a conservation of the energy and subsequent state of a conservation of the energy and a subsequent state of a conservation of the energy and a subsequent state of a conservation of the energy and a subsequent state of a conservation of the elements and materials of existing buildings; 	
 a hydrogen storage tank, a fuel cell, a small battery pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of absetso elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; 	
 pack, appropriate electronic power converters, a heat recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
recovery system generated by the fuel-cell for possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
 possible use with domestic hot water/heating and cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of the elements and materials of existing buildings; identification of procedures for the energy and 	
 cooling, a monitoring system for the acquisition of the operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of the elements and materials of existing buildings; identification of procedures for the energy and 	
 operating parameters of the whole system and its components; an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
components; - an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
 an innovative monitoring system capable of acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
acquiring and managing not only energy parameters but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	•
but the building's structural ones as well. It will be functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
functional to the definition of a building model powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
powered by energy produced from renewable sources (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
 (through the photovoltaic system integrated in the roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
roof), able to storage energy and in which the energy issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
 issues are integrated with the structural ones. The project will therefore focus on some lines of action and related aims: identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
The project will therefore focus on some lines of action and related aims: - identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
action and related aims:identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system);development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems;identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings;identification of procedures for the energy and	-
 identification of the most recurrent buildings and prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
prevalent problems, with particular reference to the most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
most inefficient elements (e.g. the roofing system); - development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	_
 development of a protocol for the disposal of asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; identification of procedures for the energy and 	
asbestos elements that are very often present in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
in existing roofs and subsequent replacement with innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
innovative roofing systems; - identification of procedures for structural diagnosis aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
aimed at defining the state of conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
conservation of the elements and materials of existing buildings; - identification of procedures for the energy and	
- identification of procedures for the energy and	-
	buildings;
any ironmental diagnosis of the huilding simed not	
environmental diagnosis of the building almed not	environmental diagnosis of the building aimed not

		only at defining the buildingle argument dentity and
		only at defining the building's energy identity card, but also at assessing all the potential effects of recovery and optimisation of energy flows. Indeed, it must be considered that the industrial buildings within the urban context, unlike other civil buildings, are favourably predisposed to have energy recovery and production systems from renewable sources. They can thus be transformed from buildings with high energy consumption and environmental impact to highly incisive production units in the creation of "carbon free" urban contexts; - construction and installation on the sample building of two different "low carbon" roofing systems integrated with devices for the production of energy from renewable sources (photovoltaic panels) and with high safety performance both static and seismic, as well as design; - construction and installation of innovative products and elements for the seismic improvement of construction that are also economically sustainable; - design and construction in the sample building of an energy storage system for the energy produced from the building through the use of renewables; - design and implementation in the sample building of a sensor system and monitoring one for structural diagnosis, building performance related to seismic actions, energy and environmental diagnosis and evaluation of all potential effects of recovery measures and energy flows optimisation.
	Specific requirements for	
Partner	partners (location,)	Specify the skills:
		Hydrogen Photovoltaic
		Building
		Monitoring
	Type of partner required	Research Control and Institutions
		Research Centres and Institutions and Companies
	Preliminary budget	
Additional info	(sources of funding,)	1.5 M€
		1.3 IVI£
	Contact person/s	Prof. Frida Bazzocchi – frida.bazzocchi@unifi.it
		Prof. Alberto Reatti – alberto.reatti@unifi.it
		Prof. Andrea Rocchetti – andrea.rocchetti@unifi.it Dr. Eng. Emanuele Del Monte –
		emanuele.delmonte@unifi.it